Surgical Table

Accessories Catalog

STERIS

Table of **Contents**

Accessories by **Function**

Accessory Carts 6

Arm Supports 12

Body Restraints 22

Clamps & Sockets 30

General Surgical Accessories 38

Head Rests 44

Leg Supports 52

Patient Transfer 66

Patient Warming 74

Table Extensions 78

Table Operating Controls 84

X-Ray Tops 92

Accessories by **Surgical Specialty**

Anesthesia Provider 104

Bariatric/Gastrointestinal 110

Cardiothoracic & Vascular 134

Gynecology & Urology 144

Neurosurgery 156

Ophthalmic and Ears, Nose and Throat (ENT) 164

Orthopedic 170

Pediatric 206

Spinal 212

Trendelenburg Position 218

Accessories by **Package**

Standard Accessory Packages 228

Clinical Specialty Packages 236

Specialty Surgical Table Packages 248

How to Order

Conveniently place your order online at www.steris.com or call our toll-free number, 24 hours a day, 7 days a week at 800-548-4873.

Patient Weight Capacity

Each STERIS surgical table has its own total patient weight limitation. **Accessories and accessory systems also have total patient weight limitations based on the proportional weight of the intended body part(s) supported by the accessory.**

When more than one accessory is used to support a patient body part, the overall rated load will be that of the weakest accessory in the system or the surgical table to which it is applied. Known total patient weight limitations for surgical tables and accessories are identified throughout this catalog. All personnel should be informed of these limitations.
Refer to the Operator's Manual supplied with each table for more information and proper use instructions.

STERIS Warranty

STERIS is committed to Customer satisfaction. STERIS will correct any defects(s) in material or workmanship occurring during the warranty period in accordance with the following terms:

- For 12 months after the warranty start date, STERIS will provide free replacement parts for all equipment (except surgical table pads and hand controls) that does not perform according to its specifications.

- For 90 days after the warranty start date, STERIS will provide free replacement parts for surgical table pads and surgical table hand controls that do not conform to STERIS's specifications. All work on STERIS equipment during the warranty period must be performed by a qualified technician.

For more information, see STERIS's Warranty and Customer Assistance Information booklet, P-056399-116.

Patient Surfaces

No matter how diverse your procedures are, STERIS can help you maximize patient and staff safety and comfort through our unique offering of surgical table pads, gels, and foams.

To browse STERIS's comprehensive portfolio of Patient Surface Accessories, please CLICK HERE to open our Patient Surfaces Catalog. The products listed below provide a summary of those listed in the Patient Surfaces Catalog and will NOT be found in this Surgical Table Accessory Catalog (with the exception of the STERIS Patient Warming System).

Surgical Table Surfaces (Mattress Pads)

- STERIS Patient Warming System Pads
- Hybrid Layer Technology Pads
- Pressure Reduction System (PRS) Velcro®-less Pads
- Tri-Layer Technology (TLT) Pads

Patient Warming



Gel Patient Positioning Pads

- Patient Positioning Gel Pad Packages
- Individual Gel Patient Positioning Pads

Single-Use Foam Patient Positioning Pads

Replacement Pads for Surgical Table Accessories

Patient Transfer Accessories

Gel Positioning Pads

Single Use Foam

Replacement Pads

Patient Transfer Boards

ACCESSORY CARTS

Surgical Table Accessories **by Function**

BF27 A-Frame Accessory Cart

This mobile peg board, constructed of 16-gauge stainless steel, is extremely durable and easily maintained and cleaned. It comes equipped with 24 single, 12 double, and 4 "J" hooks, enabling accessories of various sizes and shapes to be attached for easy access or storage. The cart also contains a storage bin and two storage shelves located between the cart walls. (Accessories not included.) Dimensions: 48" L x 24" W x 44" H.

BF24 Orthopedic Extension Cart

This cart allows OR staff to wheel right up to a STERIS general surgical table for quick, easy and safe attachment of the Orthopedic Extension (BF805/BF806/BF821). The cart also features four shelves to organize all related accessories (Accessories not included.) Dimensions: 53-1/8" L x 30" W x 34-1/2" H.

BF7 Table Accessory Cart

This stainless steel cart features four shelves to accommodate storage of a full variety of accessories and is essential for an organized, productive OR. The four casters allow it to be moved from room to room easily to adapt to your surgical schedule. (Accessories not included.) Dimensions: 30" W x 53.125" L x 35.375" H.

TABLE OF CONTENTS

BF860 PowerLift Stirrup Smart Cart

Enjoy the benefits of the new, ergonomically designed Stirrup Storage Cart. This new cart features improved stability preventing the cart from tipping. Not only does this cart contain storage space for the large stirrups, but also for associated clamps featured in the bottom storage bin. Locking casters prevent the cart from behind moved unintentionally.

Optional Accessories
PowerLift Freedom Stirrups (BF859), PowerLift Plus Stirrups (BF856/BF857), PowerLift Stirrups (BF453), Bariatric PowerLift Stirrups (BF454), Junior PowerLift Stirrups (BF855), Pediatric PowerLift Stirrups (BF854), Secure-Release Clamp (BF861)

BF46 Power-lift / Bariatric Power-lift Stirrup Storage Cart

This cart provides stable, lightweight, portable storage for your surgical stirrups, table clamps and other leg holder accessories; the pre-configured handles allow safe and easy transport. The cart was designed with an integral set of support prongs that accommodate either the Power-lift Stirrups or the Bariatric Power-lift Stirrups. (Accessories not included.) Dimensions: 20" L x 20" W x 43" H.

Optional Accessories
PowerLift Stirrups (BF453), Bariatric PowerLift Stirrups (BF454), Junior PowerLift Stirrups (BF855), Pediatric PowerLift Stirrups (BF854)

BF551 Bariatric Accessory Storage Cart

This cart is a compact storage and transport device for the full range of STERIS bariatric accessories. The eight side rails were specifically designed to accommodate each of the unique Bariatric Width Extenders. The two back rails easily hold STERIS' Split Leg Positioner or other leg holder accessories. Other accessories may be attached to interior rails or stored in the deep bin / weighted base. (Accessories not included.) Dimensions: 22-3/16" L x 20-11/16" W x 50-1/2" H.

BF461 Shoulder Table Accessory Cart

This dual purpose storage cart was specifically engineered to hold the Shoulder Table, the Shoulder Chair, the E-Z lift Beach Chair or the PowerLift Beach Chair and related accessories, and has a weighted base that makes this cart tip-resistant. The ergonomic design helps ensure that devices are always at a convenient height for the user to reduce the potential of back strain. The optional accessory hooks allow quick and easy organization and storage of components and posturing accessories, and the deep bin in the base provides additional valuable storage space. (Accessories not included.) Dimensions: 22-3/16" L x 20-11/16" W x 49-3/16" H.

Optional Accessories
PowerLift Beach Chair (BF590), E-Z Lift Beach Chair (BF045), Shoulder Chair (BF594), or Shoulder Table (BF437)

TABLE OF CONTENTS

BF046 Shoulder Table Dolly

The Shoulder Table Dolly provides operating room personnel a durable, easy-to-use, transport dolly for STERIS PowerLift Beach Chair, E-Z Lift Beach Chair, and CMAX Beach Chair. (Accessories not included.) Dimensions: 40"H x 28"W x 12"D.

Optional Accessories
PowerLift Beach Chair (BF00245/BF590), E-Z Lift Beach Chair (BF045), Shoulder Chair (BF594), or Shoulder Table (BF437)

BF533 Schure Spine Frame Dolly

The Schure Spine Frame Dolly provides operating room personnel a durable, easy-to-use, transport dolly for the Schure Spine Frame. (Accessories not included.) Dimensions: 40"H x 28"W x 12"D.

Arm Supports

STERIS

BF449 Adjustable Height Armboard

This adjustable-height surgical armboard accommodates a wide-range of patients and their procedural needs, as well as adjusting vertically (3.25") to allow the use of x-ray tops without sacrificing a level surface on the O.R. table. Fits all standard U.S. operating room table side rails and is lightweight, extremely durable and radiolucent. Pad not included. Dimensions: 6"W x 26.5"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Required Products
Requires (1) of the following:
1" TLT Pad: BF345
2" TLT Pad: BF326
3" TLT Pad: BF327
4" TLT Pad: BF394
5" HLT Pad: BF395

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF431 Anesthesia Armboard without Pad

This radiolucent carbon fiber armboard is easily attached and removed from surgical table siderail and is easy to clean. Components are enclosed within molded body, protecting against denting, breakage, and damage when dropped. Includes a 30-inch velcro arm restraint strap. Dimensions: 6"W x 26"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Required Products
Requires (1) of the following:
1" TLT Pad: BF345
2" TLT Pad: BF326
3" TLT Pad: BF327
4" TLT Pad: BF394
5" HLT Pad: BF395

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

TABLE OF CONTENTS

BF448 Anesthesia Armboard with 1" Pad

The radiolucent carbon fiber armboard with 1-inch Pad is easily attached and removed from surgical table siderail and is easy to clean. Components are enclosed within molded body, protecting against denting, breakage, and damage when dropped. Includes a 30-inch velcro arm restraint strap. Dimensions: 6"W x 26"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF803 Anesthesia Armboard with 2" Pad

The radiolucent carbon fiber armboard with 2-inch Pad is easily attached and removed from surgical table siderail and is easy to clean. Components are enclosed within molded body, protecting against denting, breakage, and damage when dropped. Includes a 30-inch velcro arm restraint strap. Dimensions: 6”W x 26”L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF804 Anesthesia Armboard with 3" Pad

The radiolucent carbon fiber armboard with 3-inch Pad is easily attached and removed from surgical table siderail and is easy to clean. Components are enclosed within molded body, protecting against denting, breakage, and damage when dropped. Includes a 30-inch velcro arm restraint strap. Dimensions: 6”W x 26”L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095 7080; See Special Note(s)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray table with use of Standard Siderail Adaptors.

BF141 IV Armboard without Pad

Supports arm at a comfortable angle. Locks by gravity to table siderail. Adjusts 180 degrees horizontally. Supplied with 15-inch velcro arm restraint strap. Dimensions: 6”W x 26”L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Required Products
Requires (1) of the following:
1" TLT Pad: BF345
2" TLT Pad: BF326
3" TLT Pad: BF327
4" TLT Pad: BF394
5" HLT Pad: BF395

Patient Weight Capacity
400 lbs (181 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF363 IV Armboard with 2" Pad

Supports arm at a comfortable angle. Locks by gravity to table siderail. Adjusts 180 degrees horizontally. Supplied with 15-inch velcro arm restraint strap. Dimensions: 6”W x 26”L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Patient Weight Capacity
400 lbs (181 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF364 IV Armboard with 3" Pad

Supports arm at a comfortable angle. Locks by gravity to table siderail. Adjusts 180 degrees horizontally. Supplied with 15-inch velcro arm restraint strap. Dimensions: 6"W x 26"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080;
See Special Note(s)

Patient Weight Capacity
400 lbs (181 kg)

Special Notes
Also compatible with CMAX X-Ray table with use of Standard Siderail Adaptors.

BF469 Armboard Holder

The Armboard Holder helps maximize OR efficiency and improves organization with a wall-mounted design. It stores two standard, surgical armboards on the wall of the OR suite with convenient shelf for clamps and accessories. The Armboard Holder helps keep armboards and clamps organized near their point-of-use in the OR.

BF29 Multi-Task Armboard with 1" Pad

Multi-Task Armboard Provides arm support for lateral, chair, prone and neuro park bench positions. Lockable ball socket combined with 6" (15 cm) of horizontal travel permits a wide range of positioning flexibility. Provides horizontal travel of 6".

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Required Products
Requires (1) Clip-On Socket Clamp (BF10) - Not Included.

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF71239 Multi-Axis Armboard RC

The Multi-Axis Armboard allows the arm to be postured to meet the anatomical requirements of each patient. In Trendelenburg / Reverse Trendelenburg postures, the armboard adjusts so the arm can be positioned level to the floor. With the squeeze of a single handle, the armboard permits flexion, extension, abduction / adduction and rotation of the arm. This armboard is also height adjustable and features a rotating clamp that allows attachment to the back section of the table to accommodate the sitting position. In the seated posture, the patient's flexed arm can be adjusted to an ergonomically correct position. The Multi-Axis Armboard includes a contoured 2" pad and the rotating attachment clamp. Dimensions: 7" W x 30"L x 8.7"H.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF432 Multi-Posture Armboard with 2-inch Pad

The Multi-Posture Armboard with 2-inch Pad attaches to table siderail with a Socket Clamp and is mounted on a ball joint for positioning flexibility. Provides upper arm support during lateral positioning, as well as general arm support during supine, sitting, and "park-bench" positioning; especially useful during prone positioning for preventing hyperextension. Dimesions: 5½"W x 20"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Required Products
Requires (1) Clip-On Socket Clamp (BF10) - Not Included.

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF1 Krause Arm Support

An arm length stockinette supports the arm without noticeable pressure. The support is appropriate for unilateral, prone, supine, and seated positioning of patient. The frame is adjustable for arm length with a universal ball joint and side-rail mounting allowing complete positioning flexibility. A Socket Clamp is included with each support. Dimensions: 2-1/4" x 22-3/8" arm support frame and a 16-3/4" L post.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Patient Weight Capacity
300 lbs (136 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.



BF435 Adult Arm and Hand Table

Lightweight carbon fiber arm and hand table provides unobstructed C-arm and surgeon access for major and minor procedures on arms and hands. Size accommodates both major and minor vascular or orthopedic procedures. 2" pad included. Dimensions: 15" W x 32 1/2" L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, See Special Note(s)

Patient Weight Capacity
1000 lbs (454 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF434 Pediatric Arm and Hand Table

This small, lightweight carbon fiber arm and hand table is perfect for pediatric procedures and arterial line access. Installation and transportation easy due to light weight and size. 2" pad included. Dimensions: 15" W x 24"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, See Special Note(s)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF436 Micro-Surgical Arm and Hand Table

Hourglass-shaped table provides stability and surgeon access with ample working space for when performing vascular and orthopedic procedures on hands or arms. Table top is constructed of carbon fiber material allowing for imaging of the extremity and lightweight placement on the surgical table. Elbow rests reduce surgeon fatigue during lengthy procedures. Support leg for micro-surgical stability. Distal end rail enables arm and hand traction. 2" pad included. Dimensions: 26"W x 34"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, See Special Note(s)

Patient Weight Capacity
1000 lbs (454 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

TABLE OF CONTENTS

BF166

Schure Loc XPS Armboard

Versatile and comfortable patient positioning for surgical procedures in seated, lateral, prone, neuro and park bench positions. New ball socket locking system for every patient size and position. For use with Schure Loc XPS (BF041). 2" Deluxe Concave Foam Pad included. Dimensions: 6"W x 16"L and 5/8" Mounting Post.

Required Products
Requires (1) socket clamp (Not included)

Body Restraints

STERIS

BF45 Restraint Strap; Standard Length

This Standard Patient Restraint Strap is a reinforced synthetic elastomer belt and strap with quick-release clamps for easy, secure and adjustable positioning on the surgical table's siderails. This strap is adjustable in length with its two latch style buckles. Length: 66-1/2".

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF451 Restraint Strap; Extra-long

This Extra-long Patient Restraint Strap is a reinforced synthetic elastomer belt and strap with quick-release clamps for easy, secure and adjustable positioning on the surgical table's siderails. This strap is adjustable in length with its two latch style buckles. Length: 126".

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

TA00001 Patient Safety Straps (Pair)

Radiolucent strap wraps around patient and tabletop. Fits all size patients with Velcro® fastening.

Compatibility
SurgiGraphic 1027, SurgiGraphic 6000, CMAX X-Ray

BF562 Lateral Safety Strap

The Lateral Safety Strap, with its nylon body support, adjustable strap, and positioning post is ideal for unilateral support especially for patients in a semi- Fowler's (seated) position as with shoulder procedures. The low profile, wide support provides comfortable, safe counter-traction security when placed on the operative side. The entire strap has a smooth surface and is thoroughly washable. The Lateral Safety Strap requires an accessory clamp, sold separately, that accepts round posts for attaching to the table siderail.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp.
Not Included.

Special Notes
Compatible with STERIS Surgical Tables using the PowerLift Beach Chair (BF00245/BF590), E-Z Lift Beach Chair (BF045), Shoulder Chair (BF594), or Shoulder Table (BF437)

BF14 Adult Nissen Thigh Straps (Pair)

The Adult Nissen Thigh Straps are used to help support the patient during reverse Trendelenburg positioning for procedures such as Nissen Fundoplication. Conductive straps encircle the upper thigh with a broad soft pad. Airplane-style buckle permits convenient length adjustment. Pad is 4.5" (11.4 cm) wide and 20" (51 cm) long. Straps are adjustable up to 48" (122 cm).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Sold in pairs

BF15 Bariatric Nissen Thigh Straps (Pair)

The Bariatric Nissen Thigh Straps are used to help support the patient during steep reverse Trendelenburg positioning for procedures such as Nissen Fundoplication. Conductive straps encircle the upper thigh with a broad soft pad. Airplane-style buckle permits convenient length adjustment. Pad is 7" (18 cm) wide and 31" (79 cm) long. Straps are adjustable in usable length up to 70" (179 cm).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Patient Weight Capacity
1000 lbs (454 kg)

BF552 Knee Restraint Strap (Pair)

The broad pads on these straps safely prevent the knee from flexing during surgery and feature a full-length Velcro® closure for a snug fit. Used in conjunction with the Split Leg Positioner.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Split Leg Positioners BF351

TABLE OF CONTENTS

BF18A Universal Patient Braces Set

The Universal Patient Braces Set stabilizes patients on OR tables for procedures requiring optimum lateral position. The set includes (2) Rectangular Body Supports (BF19) and (1) Circular Body Support (BF20). Requires (3) Clip-On Blade Clamps (BF11) or similar flat blade clamps. Braces are fully adjustable. Soft pads provide soft cushioning of bony prominences. Swivel heads conform to anatomical contours of patient and can be securely locked for precise positioning.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, Surgigraphic 1027, Surgigraphic 6000, CMAX X-Ray

Required Products
Requires (3) Clip-On Blade Clamps (BF11) or other available blade clamps - Not Included.

Patient Weight Capacity
400 lbs (181 kg)



BF602 Lateral Brace Assemblies (Pair)

The Lateral Brace Assemblies (Pair) stabilizes patients on OR tables for procedures in lateral position. Each Lateral Brace attaches to the table siderail using a blade clamp. Each brace can be positioned horizontally or vertically and can be angled 7-inches internally. Supplied with a 3" x 7" pad.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, Surgigraphic 1027, Surgigraphic 6000, CMAX X-Ray

Required Products
Requires (2) Clip-On Blade Clamps (BF11) or other available blade clamps - Not Included.

Patient Weight Capacity
638 lbs (288 kg)

BF092 Patient Safety Rail with Cover

This padded safety rail is used to provide safe patient transport throughout perioperative areas while in Transport Mode on the 5085 SRT table. Sold individually with integrated clamp.

Compatibility
5085 SRT



BF585, BF521, BF522, BF523

Hook & Loop Strap Rolls

A preferred solution to medical and surgical taping, strapping, tie-down and restraining requirements. Unique Soft Edge design protects the patient's skin. It has hook and loop back-to-back on 30' rolls and is available in 4 widths. No sticky tape residue to damage equipment or require time-consuming cleanup by staff. Not made with natural rubber latex. (BF585) ¾" Width; (BF521) 1-1/2" Width; (BF522) 3" Width; (BF523) 5" Width.

BF111

Wristlets with Straps and Brackets (Pair)

These leather wristlets support and secure wrists and forearms while patient is in supine operative position. The lined leather wrist holders are adjustable using its strap and integral buckle. A horizontal extension bracket offers sliding adjustment while the vertical extension bracket is height adjustable through the siderail locks supplied with the accessory.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Patient Weight Capacity
300 lbs (136 kg)

This page left blank intentionally.

Clamps and Sockets

TABLE OF CONTENTS

US
STERIS 4100
US RAIL 809A

Surgical Table Accessories **by Function**

BF861 Secure-Release™ Clamp US

The Secure-Release™ Clamp completely revolutionizes accessory attachment. Confidently attach and detach the all-new rail clamp using the button located on the top of the clamp. The new button design prevents false rail attachment as the button will not disengage unless properly installed on the siderail. Additionally, a callout for the "Top" of the clamp has been laser-engraved onto the device to prevent confusion and reverse installation. Once the clamp is secured to the siderail, and an accessory has been inserted, screw the locking knob tight to the siderail to ensure secure attachment.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

BF11 Clip-On Blade Clamp

The Clip-On Blade Clamp can be used to secure surgical table accessories with flat-bar stock to table siderails. Quick and easy pull-to-release lever allows the Clip-On Blade Clamp to be mounted to the siderail at any location. No need to attach the clamp at the siderail notches. Accepts all 1" x 1/4" (2.5 cm x 0.6 cm) accessories with flat mounting blades.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Patient Weight Capacity
800 lbs (363kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF462 Rail Clamp

The STERIS Rail Clamp is a standard rail clamp used to support any flat-bar stock accessories to the table siderail. Must be installed at the siderail notches. They are included with both models (standard and bariatric) of our PowerLift Stirrups. Accepts all 1" x 1/4" (2.5 cm x 0.6 cm) accessories with flat mounting blades. Sold Individually.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

TABLE OF CONTENTS

BF277 Simple Clamp

The Simple Clamp can be used to mount and secure surgical table accessories with flat-bar stock up to 1" x 3/8." Must be installed at the siderail notches. Sold individually.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, Orthovision, See Special Note(s)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF133 Siderail Locks (Pair)

STERIS Siderail Locks are traditional low profile locking clamps used to attach table accessories with flat bar stock to standard siderails on surgical tables. The notched Siderail Locks have two point connection options for securing accessories in either a horizontal or vertical position. The easy grip knob secures the accessory and the clamp to the table. They are sold as a pair.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, See Special Note(s)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF10 Clip-On Socket Clamp

The Clip-On Socket Clamp can be used to secure surgical table accessories with round posts to table siderails. Quick and easy pull-to-release lever allows the Clip-On Socket Clamp to be mounted to the siderail at any location. No need to attach the clamp at the siderail notches. Accepts any round post up to 11/16" (1.8 cm).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Patient Weight Capacity
800 lbs (363kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF083 Clark Sockets (Pair)

STERIS Clark Sockets are ideal for mounting accessories with round posts anywhere along the table siderail. The Clark Sockets secure the accessory to the siderail and provide height and angle control with one handle. The single lever simplifies attachment and quick removal of accessories. Must be installed at the siderail notches. These autoclavable stainless steel clamps are sold as a pair.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF161 Schure Socket XL

The Schure Socket XL is a durable and versatile clamp that accepts both round and flat posts for securing accessories to the table siderail. It has an easy snap on design that can attach anywhere along the length of the rail and not just at the ends or at notches. Its durable stainless steel body and impact resistant copolymer handle protect the clamp from damage and abuse. The Schure Socket XL is sold as a single unit.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF32 3-Way Adjustment Clamp

3-Way Adjustment Clamp is very versatile, with three independent adjustments for lithotomy, abduction and rail securement. Attach the clamp anywhere on the operating table siderail between rail standoffs. Accepts 1/2" to 5/8" (1.3 cm to 1.6 cm) round posts or 1" x 1/4" (2.5 cm x 0.6 cm) flat bar stock accessories.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Patient Weight Capacity
350 lbs (159 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

TABLE OF CONTENTS

BF158 CamLock Rail Clamp

The sterilizable CamLock Rail Clamp is a multi-purpose clamp accepting round and flat posts. It is the specific clamp recommended for attaching the TKR Positioner to standard siderails of surgical tables.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Optional Accessories
TKR positioner (BF155, BF156)

BF775 Spar Accessory Clamp

The Spar Accessory Clamp is designed to secure accessories with either a round or square post to be used with the carbon fiber abductor bars of the STERIS OT 1000 Series Orthopedic Tables. The Spar Accessory Clamp can be attached to either side of radiolucent spars for mounting orthopedic accessories.

Compatibility
OT 1000, OT 1100, OT 1200, STERIS Orthopedic Extension

Patient Weight Capacity
400 lbs (181 kg)

BF0002 Traction Accessory Clamp

The Traction Accessory Clamp is designed to secure accessories with either a round or square post to be used with the carbon fiber abductor bars of the AMSCO® Orthopedic Extension and OrthoVision. The clamp can be attached to either side of abductor bars for mounting orthopedic accessories.

Compatibility
OrthoVision, AMSCO® Orthopedic Extension

Patient Weight Capacity
400 lbs (181 kg)

TA00012 Standard Siderail Adaptor (Each)

The Standard Siderail Adaptor provides attachment of accessories requiring standard siderails such as retractors and armboards to the otherwise metal-free edges of STERIS imaging tables and carbon fiber extensions. The clamp portion is designed with the same geometry as the beveled edges of SurgiGraphic Imaging Tables and the 36" Carbon Fiber Fluoro Extension. This adaptor also includes a 6" standard siderail for mounting accessories. Sold individually or as a set of 3 (TA0005).

Compatibility
SurgiGraphic 1027, SurgiGraphic 6000, 36" Carbon Fiber Fluoro Extension

BF788 Rotary Socket CMAX X-Ray

The Rotary Socket for the CMAX X-Ray is ideal for mounting accessories with round posts up to ¾" diameter anywhere along the table's perimeter where there is no siderail. The Rotary Socket provides height and angle control with one handle. The single lever simplifies attachment and quick removal of accessories. The socket adjustment permits multi-planer accessories to be installed and secured at any angle (Ex. Multi-Axis Armboard).

Compatibility
CMAX X-Ray

BF790 Headrest Adaptor CMAX X-Ray

The Headrest Adaptor is specifically designed for the CMAX X-Ray Image-Guided Surgical Table and mounts the single articulating Head Rest Extension (HEAD02) to the table. This head rest adaptor is installed only on the carbon fiber (open) end of the CMAX X-Ray. Once the Head Rest is inserted into the adaptor, secure in place using the lock handle. One (1) adaptor is required to mount the Head Rest Extension.

Compatibility
CMAX X-Ray

BF787 Siderail Adaptor CMAX X-Ray

The Siderail Adaptor for the CMAX X-Ray is designed to provide attachment of accessories requiring NA standard siderails (such as the Joystick Control or armboards) to the otherwise metal-free edges of STERIS CMAX X-Ray Imaging Tables. The adaptors attach anywhere along the carbon fiber tabletop perimeter for versatile positioning. Sold as a single unit. Dimensions: 4.33" (110 mm) x 3.39" (86 mm) x 3.82" (97 mm). Weight: 2.2 lbs. (1 kg)

Compatibility
CMAX X-Ray

TABLE OF CONTENTS

This page left blank intentionally.

General Surgical Accessories

TABLE OF CONTENTS

Surgical Table Accessories **by Function**

BF067
BF068
BF069

ShroudGuard Column Protector

The STERIS ShroudGuard Column Protector helps you prevent accidental and expensive repairs, keeping tables in service. Fabricated from durable stainless steel, the ShroudGuard Protector securely mounts to the surgical table with ease, creating a secure fence around the column.

Compatibility
BF067: 3080, 3085 SP
BF068: 4085, 4095
BF069: 5085, 5085 SRT, 5085 Harmony, 5095

BF508
BF549

Disposable Sliding Table Drape

The Disposable Sliding Table Drape comes in a pre-folded, compact bundle that unfolds directly onto the surgical tabletop (under the table pads). The drape has an adsorbent top that covers the tabletop and clear plastic that hangs over the perimeter of the table preventing fluid and other forms of bioburden from entering the surgical table's internal structures. The Disposable Sliding Table Drape comes in two styles: For tabletops with traditional hook-and-loop pad attachment (BF508) or for tabletops with mushroom cap pad attachment (BF549). Dimensions: 82" L x 22" W x 4" H (overhang).

Compatibility
BF508 – For STERIS® General Surgical Table models with hook-and-loop tabletop fasteners: 4085, 4095, 5085, 5095 & CMAX (Gen. 1; NA-versions only)

BF549 – For STERIS® General Surgical Table models with mushroom cap fasteners: 4085, 4095, 5085, 5095 & CMAX (Gen. 1; NA-versions only)



BF205

Perineal Cutout Filler Piece

This filler piece covers the perineal opening in the seat section of surgical tables or in the leg section of their accompanying X-Ray Tops. Provides additional patient anatomical support.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF585
BF521
BF522
BF523

Hook & Loop Strap Rolls

A preferred solution to medical and surgical taping, strapping, tie-down and restraining requirements. Unique Soft Edge design protects the patient's skin. It has hook and loop back-to-back on 30' rolls and is available in 4 widths. No sticky tape residue to damage equipment or require time-consuming cleanup by staff. Not made with natural rubber latex. (BF585) ¾" Width; (BF521) 1-1/2" Width; (BF522) 3" Width; (BF523) 5" Width.

BF469

Armboard Holder

The Armboard Holder helps maximize OR efficiency and improves organization with a wall-mounted design. It stores two standard, surgical armboards on the wall of the OR suite with convenient shelf for clamps and accessories. The Armboard Holder helps keep armboards and clamps organized near their point-of-use in the OR.

BF438

Table Extension Wall Holder

The Table Extension Wall Holder allows surgical table extensions, such as head sections, leg sections, split legs, urology extensions, and more, to be hung from the OR wall when they are not in use. Reduce risk of damage to operating room table extensions by getting them off the floor, off shelves, and off other inefficient storage areas. Comes with two adjustable Hanger Adaptors (BF439) that can be adjusted to accommodate the width of any brand or model of table extension. If a table extension has a siderail, it can be hung from this wall holder. Includes mounting hardware. Maximum allowable storage weight is 44 lbs.



BF439

Table Extension Hanger Adaptor

The Table Extension Hanger Adaptor is a unique adaptor that can be added to any STERIS Accessory Cart to allow storage of table extensions on mobile accessory carts. It is especially useful when added to the STERIS Bariatric Accessory Cart (BF551) to hang STERIS Split Legs, which are commonly used in bariatric procedures.

Special Note(s)
Two are included in the Table Extension Wall Holder (BF438).



BF526 - Small
BF527 - Medium
BF528 - Large
BF529 - Extra Large

Toboggan Arm & Leg Guards

The Toboggan Arm & Leg Guards are rigid, durable plastic guards that help to secure patient extremities during surgeries. Surgeons and nurses may lean against guards without interfering with anesthesia lines. Simply slide under OR table pad to secure arms or legs. These surgical toboggan arm and leg guards are available in four sizes: Small guard 6”H; Medium guard 8”H; Large and X-Large guards 10.5”H. Simply slide under OR table pad to secure arms or legs.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, SurgiGraphic 1027, SurgiGraphic 6000

This page left blank intentionally.

Head Rests

TABLE OF CONTENTS

BF00203
BF00204
BF00205
BF00206

Dual Articulating Headrest 7000-Series

The Dual Articulating Headrest enables more versatile patient positioning for the anesthesia care team. Tilt & height capability of the headrest facilitates improved patient airway management/tracheal intubation and simplifies lateral patient positioning. Tilt and height operated by a single actuation lever underneath the head rest. Tilt range: +90°/-90°. Tilt Increments Every 7.5°. Height Range: +7" (from level).

Compatibility
BF00203 (Velcro®-top): Without Pad
BF00204 (Velcro®-top): With 2" TLT pad
BF00205 (Velcro®-less-top): Without pad
BF00206 (Velcro®-less-top): With 2" PRS pad

Required Products
For BF00204: Velcro® Replacement Pad(s): BF00207 (2" TLT), BF00208 (3" TLT), BF00209 (4" TLT)
For BF00206: Velcro®-less Replacement Pad(s): BF00210 (2" PRS), BF00211 (3" PRS), BF00212 (4" PRS)

BF753
BF754

Dual Articulating Headrest 4000- & 5000-Series

The Dual Articulating Headrest enables more versatile patient positioning for the anesthesia care team. Tilt & height capability of the headrest facilitates improved patient airway management/tracheal intubation and simplifies lateral patient positioning. Tilt and height operated by two distinct actuation handles underneath the head rest. Tilt range: +90°/-90°. Tilt increments every 7.5°. Height range: +7" (from level).

Compatibility
BF753 (Velcro®-top): Without Pad
BF754 (Velcro®-less-top): Without Pad

Required Products
For BF753, Velcro® Replacement Pad(s): BF581 (2"TLT Pad), BF228 (3"TLT Pad), BF292 (4"TLT Pad)
For BF754, Velcro®-less Replacement Pad(s): BF273 (2"PRS Pad), BF280 (3"PRS Pad), BF246 (4"PRS Pad)



BF752

Single Articulating Headrest

With the ability to easily tilt the patient's head, the Single Articulation Headrest creates convenient positioning for easier intubation and facilitates support of the patient's head, eliminating the need for additional positioning devices. The additional 12" of tabletop length increases the available imaging area for the image-guided surgical procedure. 2" TLT mattress pad included. Dimensions: 13" (L) x 19.7" (W). Tilt: +90° / -90°. Weight: 13.2 lbs. (6 kg)

Compatibility
BF752: CMAX, 4085, 4095, 5085, 5095
BF755: CMAX X-Ray

BF215 Cone-Shaped Headrest

This headrest fits into a table's standard headrest area and provides easier access to the patient's head for eye, ENT, plastic surgery, and neurosurgical applications. Includes a 2-inch pad and a 4-inch pad for use with X-ray tops.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5095

BF592 Narrow Headrest

The radiolucent Narrow Headrest with its elongated tapered edge provides easier temporal and over-the-brow access to the head area for ophthalmic, ENT, neuro and plastic surgery. This fixed height headrest fits into the STERIS surgical table's back section or leg section via the Eye-ENT-Neuro Adaptor (sold separately). The optional Wrist Rest (BF593) attaches to the Narrow Headrest to support the surgeon's hands during long procedures. 2" pad included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Eye-ENT-Neuro Adaptor (BF185, BF173, BF309)

Optional Accessories
Wrist Rest (BF593)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 500 lbs.

BF593 Wrist Rest for Narrow Headrest

This Wrist Rest attaches to the Narrow Headrest (BF592) to support the surgeon's hands during long procedures.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
BF592

Surgical Table Accessories **by Function**

BF036 Horseshoe Headrest

The padded Horseshoe Headrest supports and cradles a patient's head for a variety of surgical specialties including otolaryngology, ophthalmology and neurosurgery. When attached to the Horizontal Attachment #1800 (BF008) or the Frontal Sitting Attachment (BF01) the headrest can be positioned for supine, prone or Fowler's patient posturing. 2" thick pad included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and either Horizontal Attachment (BF008) or Frontal Sitting Attachment (BF01)

BF008 Horizontal Attachment #1800

Mounts neurosurgical headrests to the head or foot end of STERIS general tables. Ball joints allow full angular positioning of headrest. For support of patient's head when patient is in supine or prone position.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and the Horseshoe Headrest (BF036)

Patient Weight Capacity
300 lbs (136 kg)

BF01 Frontal Sitting Attachment

Mounts neurosurgical headrests to STERIS general surgical tables. Ball joints allow full angular positioning of headrest. For support of patient's head from behind when patient is in a seated position for temporal, parietal, and frontal surgical procedures.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and the Horseshoe Headrest (BF036)

Patient Weight Capacity
300 lbs (136 kg)

BF011 Posterior Sitting Attachment #1801

Mounts neurosurgical headrests to table siderails. Ball joints allow lateral and vertical adjustment.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, OrthoVision

Required Products
A neurosurgical head rest and Clark Sockets (BF083)

Patient Weight Capacity
300 lbs (136 kg)

BF185 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of STERIS 3000-series general surgical tables.

Compatibility
3080, 3085 SP

Patient Weight Capacity
500 lbs (227 kg)

BF173 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of STERIS CMAX, 4000- & 5000-series general surgical tables (excluding 5085 SRT).

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Patient Weight Capacity
500 lbs (227 kg)

BF309 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of the 5085 SRT surgical table.

Compatibility
5085 SRT

Patient Weight Capacity
500 lbs (227 kg)

BF00244 EYE-ENT-Neuro Adaptor, 7000

This specialized adaptor acommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of the of the 7080 surgical table.

Compatibility
7080

Patient Weight Capacity
500 lbs (227 kg)

BF438 Table Extension Wall Holder

The Table Extension Wall Holder allows surgical table extensions, such as head sections, leg sections, split legs, urology extensions, and more, to be hung from the OR wall when they are not in use. Reduce risk of damage to operating room table extensions by getting them off the floor, off shelves, and off other inefficient storage areas. Comes with two adjustable Hanger Adaptors (BF439) that can be adjusted to accommodate the width of any brand or model of table extension. If a table extension has a siderail, it can be hung from this wall holder. Includes mounting hardware. Maximum allowable storage weight is 44 lbs.

This page left blank intentionally.

Leg Supports

TABLE OF CONTENTS

STERIS
STERIS
STERIS
STERIS
4085



BF00215
BF00216

Featherweight Leg Section 7000-Series

The Featherweight Leg Section is an ultra-lightweight, carbon fiber leg positioner engineered to facilitate improved removal and attachment on STERIS surgical tables. The Featherweight Leg Section has two options for pad attachment. These options are interchangeable. Users can transition from traditional hook-and-loop fasteners (VELCRO® brand* fasteners) to STERIS's Mushroom Cap fasteners (containing no VELCRO® brand fasteners) and vice versa. Mattress pad not included.

Compatibility
7080

Required Products
Pad Selection: Velcro®
BF00220 (2" TLT without perineal cutout)
BF00226 (3" TLT without perineal cutout)
BF00232 (4" TLT without perineal cutout)

Pad Selection: Velcro®-less
BF00222 (2" PRS without perineal cutout)
BF00228 (3" PRS without perineal cutout)
BF00234 (4" PRS without perineal cutout)

Patient Weight Capacity
350 lbs (159 kg) on the leg section only. Does not change Patient Weight Capacity of the surgical table.

Special Notes
Velcro® Top: BF00215
Velcro®-less Top (Mushroom Cap): BF00216

BF118 BF119 Featherweight Leg Section (Digital) 4000- & 5000-Series

The Featherweight Leg Section is an ultra-lightweight, carbon fiber leg positioner engineered to facilitate improved removal and attachment on STERIS surgical tables. For STERIS Surgical Tables (excluding 5085 SRT) manufactured after November 2015. The Featherweight Leg Section has two options for pad attachment. These options are interchangeable. Users can transition from traditional hook-and-loop fasteners (VELCRO® brand* fasteners) to STERIS's Mushroom Cap fasteners (containing no VELCRO® brand fasteners) and vice versa. Mattress pad not included.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Required Products
Pad Selection: STERIS Surgical Tables with traditional hook-and-loop fasteners:
BF83300339 (2"TLT Pad without Perineal Cutout)
BF235 (3"TLT Pad without Perineal Cutout)
BF409 (4"TLT Pad without Perineal Cutout)

STERIS Surgical Tables with Mushroom Cap attachment:
BF276 (2"PRS Pad with Mushroom Attachment and without Perineal Cutout)
BF283 (3"PRS Pad with Mushroom Attachment and without Perineal Cutout)
BF249 (4"PRS Pad with Mushroom Attachment and without Perineal Cutout)

Optional Accesories
BF107 Digital Leg Section X-Ray Top

Patient Weight Capacity
350 lbs (159 kg) on the leg section only.
(Does not change Patient Weight Capacity of surgical table)

Special Notes
Velcro® Top: BF118
Velcro®-less Top (Mushroom Cap): BF119

BF311 Featherweight Leg Section (Digital) 5085 SRT

The Featherweight Leg Section is an ultra-lightweight, carbon fiber leg positioner engineered to facilitate improved removal and attachment on the STERIS surgical tables. For 5085 SRT Surgical Tables manufactured after November 2015. Velcro® Pad attachment only. 2" TLT Pad included.

Compatibility
5085 SRT

Optional Accessories
BF107 Digital Leg Section X-Ray Top

Patient Weight Capacity
350 lbs (159 kg) on the leg section only.
(Does not change Patient Weight Capacity of surgical table)

BF020
BF00217

Short Leg Section (Velcro®)

The Short Leg Section improves caregiver ergonomics and operating room workflow efficiency for surgical staff during many surgical procedures. Due to its length of 18 inches, there is no need to detach and reattach the compact surgical leg section during a procedure. The leg section can remain attached to the surgical table and be lowered throughout the procedure. Includes Perineal Cutout. Velcro® Pad attachment only. 2" TLT Pad included.

Compatibility
BF020*: CMAX, 4085, 4095, 5085, 5095
BF00217: 7080

*Bypasses table anti-collision system

BF021
BF00218

Short Leg Section (Velcro®-less)

The Short Leg Section improves caregiver ergonomics and operating room (OR) workflow efficiency for surgical staff during many surgical procedures. Due to its length of 18 inches, there is no need to detach and reattach the compact surgical leg section during a procedure. The leg section can remain attached to the surgical table and be lowered throughout the procedure. Includes Perineal Cutout. Velcro®-less Pad attachment only. 2" PRS Pad included.

Compatibility
BF021*: 4095, 5085 Harmony, 5095
BF00218: 7080

*Bypasses table anti-collision system

BF022

Short Leg Section (5085 SRT)

The Short Leg Section (for 5085 SRT only) improves caregiver ergonomics and operating room (OR) workflow efficiency for surgical staff during many surgical procedures. Due to its length of 18 inches, there is no need to detach and reattach the compact surgical leg section during a procedure. The leg section can remain attached to the surgical table and be lowered throughout the procedure. Includes Perineal Cutout. Velcro® Pad attachment only. 2" TLT Pad included.

Compatibility
5085 SRT

*Bypasses table anti-collision system

BF859 STERIS PowerLift Freedom Stirrups (Pair)

The PowerLift Freedom Stirrups take lithotomy positioning to the next-level. The integrated power assist mechanism in these stirrups is a feature we incorporated from our traditional PowerLift Stirrups. The unique, grip-and-twist control handles allow staff to adjust the angle of lithotomy and degree of ab/adduction during setup without lifting the sterile drape. What sets these stirrups apart though is the new curved rod, the Velcro®-less straps and the addition of the lateral fin. The curved rod increases lithotomy range of motion by over 23 degrees. The Velcro®-less straps are made of a medical grade, silicone material and is secured with a mushroom cap fastener. The lateral fin protects the perineal nerve running up the outside of the leg near the knee. The PowerLift Freedom Stirrups offer a completely Velcro®-less stirrup from top to bottom improving cleanability and maximizing infection prevention. Range of motion: +85° / -55°, Ab/Adduction: +25° / -9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Secure-Release™ Clamp (BF861)

Patient Weight Capacity
500 lbs (227 kg)

Replacement Pad(s)
BF864: Replacement Pad set, BF867: PowerLift Freedom Stirrups (Pair) with Pads (no clamps)

BF856, BF857 STERIS PowerLift Plus Stirrups Adult 500 (Pair) STERIS PowerLift Plus Stirrups Bariatric 800 (Pair)

The PowerLift Plus Stirrups take lithotomy positioning to the next-level. The integrated power assist mechanism in these stirrups is a feature we incorporated from our traditional PowerLift Stirrups. The unique, grip-and-twist control handles allow staff to adjust the angle of lithotomy and degree of ab/adduction during setup without lifting the sterile drape. What sets these stirrups apart though is the new curved rod, the Velcro®-less straps and the addition of the lateral fin. The curved rod increases lithotomy range of motion by over 23 degrees. The Velcro®-less straps are made of a medical grade, silicone material and is secured with a mushroom cap fastener. The lateral fin protects the perineal nerve running up the outside of the leg near the knee. The PowerLift Plus Stirrups attaches to the boot shell with a Velcro® attachment. Range of motion: +85° / -55°, Ab/Adduction: +25° / -9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Secure-Release™ Clamp (BF861)

Patient Weight Capacity
BF856: 500 lbs (227 kg) or BF857: 800 lbs (363 kg)

Replacement Pad(s)
BF865: Replacement Pad set 500 , BF866 Replacement Pad set 800, BF869: PowerLift Plus Stirrups (Pair) with Pads (no clamps)

BF453 PowerLift Stirrups (Pair)

The integrated power assist mechanism in STERIS PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 500 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 84° / - 33°, Ab/Adduction: + 25° / - 9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (included)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Replacement Pad Set (L/R): BF222

BF454 Bariatric PowerLift Stirrups (Pair)

The integrated power assist mechanism in STERIS Bariatric PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 720 lbs, depending upon the table used. The extra large boots and pads provide comfort and security. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 84° / - 33°, Ab/Adduction: + 25° / - 9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (included)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 720 lbs for (5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX and 3085 SP); 600 lbs (3080-R); and 400 lbs for (3080)

Special Notes
Replacement Pad(s): BF16 (set), BF191 (Left), BF192 (Right)

BF855 Junior PowerLift Stirrups (pair)

The integrated power assist mechanism in STERIS Junior PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 250 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 90° / - 35°, Ab/Adduction: + 25° / - 9°. Pad set included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (Sold separately)

Patient Weight Capacity
250 lbs

Special Notes
Replacement Pad Set (L/R): BF028

BF854 Pediatric PowerLift Stirrups (pair)

The integrated power assist mechanism in STERIS Pediatric PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 160 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 90° / - 35°, Ab/Adduction: + 25° / - 9°. Pad set included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (Sold separately)

Patient Weight Capacity
160 lbs

Special Notes
Replacement Pad Set (L/R): BF027

BF25 Cysto-Lift Knee Crutch

Incorporates our PowerLift stirrup technology allowing for simple and easy positioning of the leg during surgery. No need to access the siderail socket to make leg position changes. One convenient handle controls level of lithotomy and abduction or adduction while maintaining the sterile field. The unique Lift-Support Technology facilitates limb movement for enhanced caregiver safety. Soft pad reduces popliteal pressure.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Requires (2) Clip-On Blade Clamps (BF11) - Not included

Patient Weight Capacity
350 lbs (159 kg)

BF351 Split Leg Positioner

The Split Leg Positioner includes both left and right leg supports and provides a safe system for positioning patients for laparoscopic procedures as well as lower extremity orthopedic and vascular procedures. It is radiolucent allowing both the surgeon and imaging equipment excellent access to the operative site. Patient's legs can be adducted, abducted or extended for some low lithotomy procedures. Includes 2" pad set.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Optional Accessories
Foot Rest (Left) MTPA09, Foot Rest (Right) MTPA10, Clark Sockets BF083

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 500 lbs for (5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX, 3085 SP and 3080-R) and 400 lbs for (3080 tables)

Special Notes
2" Replacement Pad(s): BF351000337 (Left) and BF351000338 (Right)
3" Replacement Pad(s): BF00014 (Left) and BF00012 (Right)

BF00237

7000-Series Split Leg Positioners

The STERIS 7000-Series Split Leg Positioners provide mid-line access to the patient with powered control for flexion and extension, manual controls for full abduction/adduction, and width extension to allow clinicians greater access. Includes both left and right leg supports and provides a safe system for positioning patients for laparoscopic procedures as well as lower extremity orthopedic and vascular procedures. They are radiolucent allowing both the surgeon and imaging equipment excellent access to the operative site. These STERIS Split Leg positioners attach directly to the Seat Section of any 7000-Series Surgical Table.

The 7000-Series Split Leg Positioners are sold as a pair without pads. Choose from 2", 3", or 4" thick pressure management (TLT) pads in either a flat top or concave top shape.

Compatibility
STERIS 7000-Series Tables

Optional Accessories
Foot Rest - Left (MTPA09), Foot Rest - Right (MTPA10), Clip-On Socket Clamps (BF10), Adult Nissen Thigh Straps (BF14), Bariatric Nissen Thigh Straps (BF15), Knee Restraint Straps (BF552), Table Extension Wall Holder (BF438)

Patient Weight Capacity
700 lbs (318 kg) on 7000-Series Tables; full range of table articulations, including tabletop slide

600 lbs (272 kg) on 7000-Series Tables, when Foot Rests (MTPA09 & MTPA10) are installed and >35° Reverse Trendelenburg is induced

Special Notes
2" Concave TLT Pads (L/R): BF00238
2" Flat TLT Pads (L/R): BF00239
3" Concave TLT Pads (L/R): BF00240
3" Flat TLT Pads (L/R): BF00241
4" Concave TLT Pads (L/R): BF00242
4" Flat TLT Pads (L/R): BF00243

MTPA09
MTPA10

Foot Rest; Left & Foot Rest; Right

The foot rests assist in ergonomic positioning of the patient's feet. They are especially useful when using the Split Leg Positioner. The foot rests can be attached using Clark Sockets or Multi-Accessory Clamps (sold separately).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Split Leg Positioner BF351 and Clark Sockets BF083

BF438 Table Extension Wall Holder

The Table Extension Wall Holder allows surgical table extensions, such as head sections, leg sections, split legs, urology extensions, and more, to be hung from the OR wall when they are not in use. Reduce risk of damage to operating room table extensions by getting them off the floor, off shelves, and off other inefficient storage areas. Comes with two adjustable Hanger Adaptors (BF439) that can be adjusted to accommodate the width of any brand or model of table extension. If a table extension has a siderail, it can be hung from this wall holder. Includes mounting hardware. Maximum allowable storage weight is 44 lbs.

BF266 Universal Legholder (Each)

The Universal Legholder is a contoured leg support with molded padding for patient comfort. The contoured support is mounted on a ball joint for versatile positioning including full rotation and tilt. The cylindrical attachment post attaches to the surgical table's siderail using a socket or clamp. The Universal Legholder is sold as a single unit and supplied with a safety strap. Socket/Clamp sold separately.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Required Products
Clip-On Socket Clamp (BF010) or Clark Sockets (BF083) for general surgical tables. Traction Accessory Clamp (BF775) for OT 1000 Series Tables or (BF0002) for OrthoVision or the Orthopedic Extension.

BF2
BF00259
BF00260

Foot Extension with Siderail Locks

This Foot Extension extends a general surgical table 8-inches to accommodate taller patients and swings 90 degrees upward for foot support when patient is in reverse Trendelenburg. This full-width, 20-inch extension locks to the side rails of the table foot section with Siderail Locks (pair included). Includes 2" TLT Pad.

Compatibility
BF2: 3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095
BF00259: 7080 Foot Extension without Pad
BF00260: 7080 Foot Extension with 2" TLT Pad

Required Products
Siderail Locks (BF133) included.

Optional Accessories
2" Replacement Pad (for BF2): BF816
4" Replacement Pad (for BF2): BF379
2" Replacement Pad (for BF00260): BF00307
3" Replacement Pad (for BF00260): BF00308
4" Replacement Pad (for BF00260): BF00309



BF542
BF00261
BF00262

Bariatric Foot Extension

The Bariatric Foot Extension is 28-inches wide to accommodate wider tables with Bariatric Width Extenders installed. It adds 8-inches of table length for taller patients and swings 90 degrees upward for foot support when in reverse Trendelenburg. Includes 2" TLT Pad.

Compatibility
BF542: 3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095
BF00261: 7080 Bariatric Foot Extension without Pad
BF00262: 7080 Bariatric Foot Extension with 2" TLT Pad

Required Products
Siderail Locks (BF133)

Optional Accessories
2" Replacement Pad (for BF542): BF493
4" Replacement Pad (for BF542): BF366
2" Replacement Pad (for BF00262): BF00310
3" Replacement Pad (for BF00262): BF00311
4" Replacement Pad (for BF00262): BF00312

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Bariatric Width Extenders are also required and must be ordered separately.

BF12 Deluxe Arthroscopic Leg Holder

Deluxe Arthroscopic Leg Holder features smooth, one directional locking mechanism enabling the caregiver to set rigid fixation with one hand operation. The hinged upper brace accommodates patients while the structurally enhanced design enables the staff to apply pressure both medially and laterally. The ratchet-style securement strap easily adjusts for precise amount of compression. Holds legs up to 35" (89 cm) in circumference.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires Disposable Leg Holder Pad (BF13, sold in cases of 12 units)
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp.

Patient Weight Capacity
500 lbs (227 kg)

BF13 Disposable Leg Holder Pad (for Deluxe Arthroscopic Leg Holder)

The Disposable Arthroscopic Leg Holder Pad is compatible with the Deluxe Arthroscopic Leg Holder System (BF12) for proper patient positioning during knee arthroscopy procedures. Sold in quantities of 12 pads per case.

Required Products
Deluxe Arthroscopic Leg Holder (BF12)

BF717 Arthroscopy Knee Holder

The Arthroscopy Knee Holder attaches to the seat section of the table with a Clark Socket (not included) and is typically used for the "off-the-end" of the table arthroscopy technique. The diameter of the knee holder can be adjusted as surgical needs dictate. A resusable three-piece cushion set is included with Velcro® fasterners.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp.

Patient Weight Capacity
500 lbs (227 kg)

TABLE OF CONTENTS

This page left blank intentionally.

Patient Transfer

BF37A Patient Transfer Board, Long, Narrow

STERIS Patient Transfer Boards are roller-free roller boards that are better for patients and easier on nurses. They enable easy transfer of patients to or from the surgical table. They feature a soft core with no hard metal rollers. No lifting is required, even for the heaviest of patients. The longer boards are foldable and allow for easy transfer in Beach Chair (Fowler's) position. Shorter boards allow for easy transfer in supine or lateral positions. Compatible with all STERIS Surgical Tables. Dimensions: 71.5" x 16.5"

Patient Weight Capacity
500 lbs (227 kg)

BF36 Patient Transfer Board, Long, Wide

STERIS Patient Transfer Boards are roller-free roller boards that are better for patients and easier on nurses. They enable easy transfer of patients to or from the surgical table. They feature a soft core with no hard metal rollers. No lifting is required, even for the heaviest of patients.The longer boards are foldable and allow for easy transfer in Beach Chair (Fowler's) position. Shorter boards allow for easy transfer in supine or lateral positions. Compatible with all STERIS Surgical Tables. Dimensions: 71.5" x 20.5"

Patient Weight Capacity
500 lbs (227 kg)

TABLE OF CONTENTS

BF40 Patient Transfer Board, Short, Narrow

STERIS Patient Transfer Boards are roller-free roller boards that are better for patients and easier on nurses They enable easy transfer of patients to or from the surgical table. They feature a soft core with no hard metal rollers. No lifting is required, even for the heaviest of patients.The longer boards are foldable and allow for easy transfer in Beach Chair (Fowler's) position. Shorter boards allow for easy transfer in supine or lateral positions. Compatible with all STERIS Surgical Tables. Dimensions: 40" x 16.5"

Patient Weight Capacity
500 lbs (227 kg)

BF39 Patient Transfer Board, Short, Wide

STERIS Patient Transfer Boards are roller-free roller boards that are better for patients and easier on nurses They enable easy transfer of patients to or from the surgical table. They feature a soft core with no hard metal rollers. No lifting is required, even for the heaviest of patients. The longer boards are foldable and allow for easy transfer in Beach Chair (Fowler's) position. Shorter boards allow for easy transfer in supine or lateral positions. Compatible with all STERIS Surgical Tables. Dimensions: 32" x 20.5"

Patient Weight Capacity
500 lbs (227 kg)

BF52 Disposable Covers for Patient Transfer Boards

Disposable Covers for Patient Transfer Boards (BF36, BF37A, BF39, BF40). Sold (50) per case.

Required Products
Patient Transfer Boards (BF36, BF37A, BF39, BF40)

BF588 Lightweight Patient Transfer Board

The Lightweight Transfer Board supports the patient's legs during transfer to table. It attaches to all STERIS surgical tables on the siderails with a gravity latch. It is recommended for leg support only and is removed after the patient is positioned. No clamps or pads required.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Patient Weight Capacity
400 lbs (181 kg)

BF00251 BF00252 Urology Patient Transfer Board 7000-Series

Supports patient's legs during transfer to the table, typically during urologic and gynecologic procedures. Recommended for leg support only. Inserts into 12" Urology Extension, and is removed after patient is positioned. Includes a 7080 Surgical Table seat section or removable mattress pad. Pad attaches to transfer board with Velcro® fasteners. BF00251 (Without Pad); BF00252 (With Pad)

Compatibility
7080

Required Products
12" Urology Extension with 2" Pad (BF00247)

Optional Accessories
2" Replacement Pad: BF83400053
3" Replacement Pad: BF00002
4" Replacement Pad: BF408

Patient Weight Capacity
500 lbs (225 kg)

BF204 Urology Patient Transfer Board 3000-, 4000- & 5000-Series

Supports patient's legs during transfer to the table, typically during urologic and gynecologic procedures. Recommended for leg support only. Inserts into IA Extender or 9" Urology Extension and is removed after patient is positioned. Includes a 2-inch removable mattress pad. Pad attaches to transfer board with Velcro® fasteners.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Required Products
IA Extender with 2" pad (BF188) or
9" Urology Extension with 2" pad (BF578)

Optional Accessories
2" Replacement Pad: BF83400053
3" Replacement Pad: BF00002
4" Replacement Pad: BF408

Patient Weight Capacity
300 lbs (136 kg) for patients in Normal Orientation only.

BF213 Orthopedic Patient Transfer Board

Lightweight transfer board with aluminum frame to support patient's legs during transfer to and from STERIS Orthopedic Tables. Recommended for leg support only. Fits into access holes in sacral area of OrthoVision and OT 1000 Series tables. Includes a 2" removable mattress pad. Pad attaches to transfer board with Velcro® fasteners.

Compatibility
OrthoVision, OT 1000, OT 1100, OT 1200

Optional Accessories
2" Replacement Pad: BF818
4" Replacement Pad: BF396

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF214 Orthopedic Extension Patient Transfer Board

Supports patient's legs during transfer to a general surgial table fitted with the AMSCO Orthopedic Extension. Recommended for leg support only. Includes a 4-inch removable mattress pad. Pad attaches to the transfer board with Velcro® fasteners.

Compatibility
AMSCO® Orthopedic Extension, See Special Note(s)

Optional Accessories
4" Replacement Pad: BF819

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Compatible with Orthopedic Extension applied to 7080, 5095; 5085 Harmony; 5085 SRT; 5085; 4095; 4085; CMAX; 3085 SP; 3080-R; and 3080 tables.

BF092 Patient Safety Rail with Cover

This padded safety rail is used to provide safe patient transport throughout perioperative areas while in Transport Mode on the 5085 SRT table. Sold individually with integrated clamp.

Compatibility
5085 SRT

This page left blank intentionally.

Patient Warming

STERIS
Patient Warming System
STERIS
STERIS
STERIS

Surgical Table Accessories **by Function**

BF030 STERIS Patient Warming System

The STERIS Patient Warming System (PWS) uses a heated surgical table pad and optional overbody blanket immediately upon transfer to the surgical table to provide heat to the patient before, during or after procedures in the Operating Room. Items included: Controller, 3" Heated Torso Pad, Standard 3" Head and Leg Pads. Does not include Over Body Blanket.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

BF035 Over Body Blanket (for Patient Warming System)

The Over Body Blanket for the STERIS Patient Warming System provides additional conductive heat for the patient during OR procedures. It is an optional component that can be added to the heated torso pad of the Patient Warming System.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Required Products
Patient Warming System (BF030) or Controller (BF032)

BF032 Controller (for Patient Warming System)

Replacement controller for STERIS Patient Warming System.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Required Products
Patient Warming System (BF030)

BF033 Complete 3" Pad Set (for Patient Warming System)

Replacement 3" pad set including head, heated torso, and leg sections for STERIS Patient Warming System. Attaches to the surgical table with Velcro® fasteners.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Required Products
Patient Warming System (BF030)

BF037 Heated 3" Torso Pad (for Patient Warming System)

Replacement 3" heated torso pad for STERIS Patient Warming System. Attaches to the surgical table with Velcro® fasteners.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Required Products
Patient Warming System (BF030)

Table Extensions

BF642
BF64201
BF00258

36" Imaging Extension

The Imaging Extension features metal-free, radiolucent beveled edges for 360° imaging and increases upper or lower body imaging by up to 55 inches. This 36-inch long accessory broadens the surgical capabilities of STERIS general surgical tables for cardiovascular, AV fistulas, pain management, and other procedures requiring the enhanced imaging ability typically found on image guided surgical tables. Includes 2-inch pad with Velcro® fasteners.

Compatibility
BF642: 3080, 3085 SP
BF64201: CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095
BF00258: 7080

Optional Accessories
Siderail Adaptor (TA00012)

Patient Weight Capacity
BF642: 3080: 400 lbs (181 kg) 3085 SP: 500 lbs (227 kg)
BF64201: 4000 & 5000 Series Tables:
- Tabletop with slide induced: 350 lbs (159 kg)
- Tabletop centered: 500 lbs (227 kg)

BF00258: 7000-Series Tables: 700 lbs (318 kg)

Special Notes
Imaging Extensions Without Pads: BF64202 (4000- & 5000-Series); BF00257 (7000-Series)

BF604
BF00316

44" Imaging Extension

The STERIS 44" Imaging Extension features metal-free radiolucent beveled edges for 360 degrees of imaging using a mobile C-Arm X-Ray and increases upper or lower body imaging of up to 63 inches. This 44-inch-long carbon fiber accessory extension is a fluoro table extension that broadens the surgical capabilities of STERIS general surgical tables when using intraoperative x-ray or fluoroscopy. It can be used during cardiovascular procedures, endovascular procedures, AV fistula procedures, pain management, and other procedures that require the enhanced imaging ability typically found on image-guided surgical tables. Quick-connect locks make attachment to the table siderail easier for a single operating room staff. The accessory is available with or without a 2-inch pressure management pad with Velcro® fasteners.

Compatibility
BF604: CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095
BF00316: 7080

Optional Accessories
Siderail Adaptor (TA00012)

Patient Weight Capacity

BF604:
For 4085 / 4095 / CMAX:
- Tabletop with slide induced: 300 lbs (136 kg)
- Tabletop centered: 400 lbs (181 kg)

For 5085 / 5085 SRT / 5085 Harmony / 5095:
- Tabletop with slide induced: 250 lbs (113 kg)
- Tabletop centered: 300 lbs (136 kg)

BF00316:
For 7080:
- Tabletop with slide induced: 600 lbs (272 kg)
- Tabletop centered: 700 lbs (317 kg)

Special Notes
Imaging Extensions without Pads: BF60401 (4000- & 5000-Series Tables);
BF00317 (7000-Series Tables)

BF578 9" Urology Extension

This lightweight 9-inch long radiolucent extension provides additional fluoro imaging length of the Kidneys, Ureters and Bladder (KUB) anatomy of tall patients. It easily attaches to the seat section of 4000- & 5000-Series STERIS Surgical Tables once the leg section is removed, and includes standard side rails for applying leg holders or the Fluid Collection System. Includes 2-inch pad with Velcro® fasteners.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Urology Patient Transfer Board with 2" Pad (BF204)

Optional Accessories
X-Ray Top for 9" Urology Extension (BF579)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
2" Replacement Pad: BF83400053
3" Replacement Pad: BF00001
4" Replacement Pad: BF408

BF00246 BF00247 12" Urology Extension

This lightweight 12-inch long radiolucent extension provides additional fluoro imaging length of the Kidneys, Ureters and Bladder (KUB) anatomy of tall patients. It easily attaches to the seat section of 7000-Series STERIS Surgical Tables once the leg section is removed, and includes standard side rails for applying leg holders or the Fluid Collection System. Order with or without pad, see below.
BF00246: 12" Urology Extension without Pad
BF00247: 12" Urology Extension with 2" TLT Pad

Compatibility
7080

Required Products
Urology Patient Transfer Board with 2" Pad (BF00252)

Patient Weight Capacity
Maximum Patient Weight Capacity is equivalent to that of the table.

Special Notes
2" Replacement Pad: BF00248
3" Replacement Pad: BF00249
4" Replacement Pad: BF00250

BF188 IA Extender with 2" Pad and X-ray Top

This image amplification extension serves two purposes. First, for patients in Normal Orientation, the IA Extension is attached between the head and back section of the table to add 8" of imaging length to accommodate taller patients and extends upper body fluroscopic coverage. Second, for patients in Reverse Orientation, the IA Extension is attached to the back section of the table to lengthen the imaging window to 24" and creates a perineal cutout on the opposite end of STERIS Surgical Tables. Ideal for endourology applications. Includes a 2-inch pad with Velcro® fasteners and X-Ray Top.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Urology Patient Transfer Board with 2" Pad (BF204)

Patient Weight Capacity
When attached to back section and tabletop is fully slid:
300 lbs: 4095
350 lbs: 4085
400 lbs: 3000-Series tables, CMAX, 5085 Harmony, 5085 SRT & 5095
550 lbs: 5085

BF287 Fem / Pop Board

Increases lower body imaging capability to 55 inches of continuous imaging coverage. Radiolucent top extends approximately 22-inches and inserts into leg section of table. No floor support needed. For support of patient's legs only. Includes a 2-inch pad with Velcro® fasteners and X-Ray Top.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Note:
Approved for use when plugged into table's Back Section. Do not install in table's Leg Section.



BF324 Infant / Pediatric Extension with 2" Pad

12-inch wide x 30-inch long (305-mm x 762-mm) platform mounts securely to end of back/seat section to improve surgical access to infant patients. Siderails facilitate armboard attachment. Two-inch (51 mm) pad included with Velcro® fasteners.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Patient Weight Capacity
50 lbs

BF00025 Orthopedic IA Board with 2-Inch Pad

For supine, prone, and lateral procedures using C-arm imaging. Fits into two access holes under sacral rest. Allows table to be used for general surgical procedures that do not need flex or reflex table positioning or a kidney elevator. Patient can be postured in reverse orientation for upper body imaging. Common uses are for pacemaker placement, myelograms, spinal screws, and vascular access procedures.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Patient Weight Capacity
300 lbs (136 kg)

BF438 Table Extension Wall Holder

The Table Extension Wall Holder allows surgical table extensions, such as head sections, leg sections, split legs, urology extensions, and more, to be hung from the OR wall when they are not in use. Reduce risk of damage to operating room table extensions by getting them off the floor, off shelves, and off other inefficient storage areas. Comes with two adjustable Hanger Adaptors (BF439) that can be adjusted to accommodate the width of any brand or model of table extension. If a table extension has a siderail, it can be hung from this wall holder. Includes mounting hardware. Maximum allowable storage weight is 44 lbs.

Table Operating Controls

STERIS
SLIDE HEAD
SLIDE FOOT
RIGHT UP
HEIGHT DN
BACK UP
BACK DN
LEG UP
LEG DN
TREND
REVERSE TREND
TILT LEFT
TILT RIGHT
FLEX
EXTEND
KIDNEY UP
KIDNEY DN
FL OUT LOCK
STOP

Surgical Table Accessories **by Function**

BF349 7000-Series Hand Control (With Detacheable Cord)

The 7000-Series Hand Control completely revolutionizes table operation and patient positioning. From the ergonomic shape to the large, data rich LCD screen, users can clearly and easily articulate the surgical table with real-time feedback such as degree or inch increments. The hand control buttons contain a similar color scheme as existing STERIS hand control designs for easier muscle memory. Comes with an LED task light on the back and a detachable cable for easy replacement. Also features haptic (vibration) feedback upon articulation limit or at a potential collision point.

Compatibility
7080

Optional Accessories
7000-Series Hand Control Only (BF00306); Detachable Wire (BF00313)

BF00313 Detachable Wire for 7000-Series Hand Controls

Replacement wire for the 7000-Series Hand Control.

Compatibility
7080

Required Products
7000-Series Hand Control (BF349)

BF339 Universal Hand Control 2.0 (With Detacheable Cord)

The intuitive Universal Hand Control 2.0 for STERIS Surgical Tables puts patient positioning at your fingertips. With a durable and lightweight construction for easy handling and dependable performance, this surgical table hand control offers updated features like color-scheming the most often used buttons and a detachable cable for easy replacement.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Optional Accessories
Detachable Wire (BF337) Hand Control Covers (BF501)

BF337 Detachable Wire for Universal Hand Control 2.0

Replacement wire for the Universal Hand Control 2.0.

Required Products
Universal Hand Control 2.0 (BF339)

BF319 Universal Hand Control (With Attached Cord)

The Universal Hand Control has a durable and lightweight construction for easy handling and dependable performance. The LCD window provides instant, visual feedback on positioning and diagnostic information. The backlit table commands are responsive with one-touch patient posturing. The table and hand control include the unique Auto Limit Sensor (ALS) which prevents unintended sectional collisions. This model hand control is backwards compatible with CMAX (Gen.1; NA-versions only).

Compatibility
CMAX, 4085, 5085, 5085 Harmony

Optional Accessories
Hand Control Covers (BF501)

BF329 Advanced Hand Control - 5085 SRT / 5085

The large, easy-to-read LCD window of the Advanced Hand Control illustrates table positioning data, making it perfect for anesthesiologists behind the drape. Backlit buttons allow for quick button recognition even in darkened ORs. Save often-used patient positions with one-touch Memory settings. Available one-touch Beachchair, Rotate, and Transport buttons enhance patient workflow.

Compatibility
5085, 5085 SRT, 5085 Harmony, 5095

Optional Accessories
Hand Control Covers (BF501)

BF336 Hand Control - 3085 SP, 3080 RL/SP

Lightweight, removable, fluid-tight, and shock-resistant. This remote control includes automatic "return-to-level" positioning. Also enables easy patient orientation and a complete array of tabletop articulations.

Compatibility
3085 SP, 3085-R, 3080 RL/SP, 3080-R

Optional Accessories
Hand Control Covers (BF501)

BF335 Hand Control - OT 1000 Series Fracture Table

The large, easy-to-read LCD window of the OT 1000 Series Hand Control illustrates table positioning data, making it perfect for anesthesiologists behind the drape. Backlit buttons allow for quick button recognition. Unlock lateral tabletop slide capability and position the Femur Hook during Anterior Approach Total Hip Arthroplasty procedures.

Compatibility
OT 1000, OT 1100, OT 1200

Optional Accessories
Hand Control Covers (BF501)

BF35 Hand Control - SurgiGraphic 6000

Lightweight, removable, fluid-tight, and shock-resistant. This remote control device includes a complete array of tabletop articulations for the anesthesiologist, including four programmable memory function buttons. The "Earth Plane Level" and "Return-to-Level" features return table to level position with the push of a button.

Compatibility
SurgiGraphic 6000, SurgiGraphic 6000FB

Optional Accessories
Hand Control Covers (BF501)

BF348 Palm Control - Surgigraphic 6000

This unique palm controller gives the surgeon virtually limitless positioning of the patient relative to the C-arm with lateral and longitudinal table float, as well as all discreet motions in between. The manual Palm Control offers the surgeon effortless, precise, and remarkably smooth glide of the table top. This fluid-tight, shock-resistant control can be positioned anywhere along the table sides and has a complete array of table top articulations for the surgeon.

Compatibility
SurgiGraphic 6000, SurgiGraphic 6000FB

Required Products
Siderail Adaptor (TA00012)

TABLE OF CONTENTS

BF713 Hand Control CMAX X-Ray

The CMAX X-Ray Hand Control contains an LCD window providing instant, visual feedback on positioning and diagnostic information. Works in conjunction with the Joystick Control. Functionality includes articulation buttons for Height Up/Down, Trendelenburg/Reverse Trendelenburg, Tilt Left/Right, Tabletop Level, Table Drive, Floor Lock On/Off and Reverse Orientation. Dimensions: 7" (L) x 2 3/4" (W) x 1 3/8" (H)

Compatibility
CMAX X-Ray

BF714 Joystick Control CMAX X-Ray

Through palm contact of the orange joystick, this table operating control generates precise movements and allows the surgeon or OR caregiver to easily maneuver the carbon fiber tabletop without any associated vibration. Can be used in conjunction with the hand control. The Bluetooth-enabled option eliminates the hanging cord promoting an artifact-free imaging environment. Dimensions: 5 7/8" (L) x 2 3/4" (W) x 5 5/8" (H). Weight: 2.8 lbs.

Compatibility
CMAX X-Ray



BF318 Hand Control Bracket

This bracket provides an optimal viewing angle of the hand control for the anesthesiologist as well as a sturdy place for using the hand control. It is attached to either side of the table using a Siderail Lock and is recommended for use when the head section is removed.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, OrthoVision, OT 1000, OT 1100, OT 1200, SurgiGraphic 1027, SurgiGraphic 6000

Required Products
Siderail Lock (BF133)

Surgical Table Accessories **by Function**

BF316 Cable Wrap

Attaches the power cord and/or hand control cord to siderail of table for storage.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200, SurgiGraphic 1027, SurgiGraphic 6000

BF586 Foot Control - 4000- & 5000-Series Tables

The foot control provides the surgeon with Trendelenburg/Reverse, height raise/lower and tilt left/right control during surgical procedures.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Optional Accessories
Foot Control Covers (BF502)

BF187 Foot Control - 3000- Series Tables

The foot control provides the surgeon with Trendelenburg/Reverse, height raise/lower and tilt left/right control during surgical procedures. Unit plugs into grey color-coded receptacle next to hand control on table column.

Compatibility
3080 SP/RC/RL, 3080-R, 3085 SP, 3085-R

Optional Accessories
Foot Control Covers (BF502)

TABLE OF CONTENTS



TA00004 Foot Control - SurgiGraphic 6000

The foot control provides the surgeon with Trendelenburg/Reverse, height raise/lower and tilt left/right control during surgical procedures. Unit plugs into receptacle next to hand control on column of table.

Compatibility
SurgiGraphic 6000, SurgiGraphic 6000FB

Optional Accessories
Foot Control Covers (BF502)

BF707 Femur Drive Foot Pedal

The foot control provides the orthopedic surgeon with height raise/lower or the Femur Positioner Drive on the OT 1200 Orthopedic Surgical Table. Unit plugs into receptacle on the table base.

Compatibility
OT 1000, OT 1100, OT 1200

BF502 Foot Control Covers

These disposable Foot Control Covers are simple plastic sleeves that are closed on one end and open on the other (with an elastic band) to cover foot controls during a surgical procedure. Foot Control Covers help minimize post-procedural wipe-down which promotes infection prevention. Sold in cases. Packaged 25 per case.

X-Ray Tops

PRS
STERIS

BF101 Digital X-Ray Top Set (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. These X-ray tops are available in a complete set for the 4000- & 5000-Series STERIS Surgical Tables.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095



BF103 Digital X-Ray Top, Head Section (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. This X-ray top is specifically for the head section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095

BF104 Digital X-Ray Top, Back Section (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. This X-ray top is specifically for the back section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095

BF105 Digital X-Ray Top, Seat Section (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. This X-ray top is specifically for the seat section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095



BF107 Digital X-Ray Top, Leg Section (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. This X-ray top is specifically for the leg section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095



BF117 Digital X-Ray Top, Short 18" Leg Section (4000- & 5000-Series Tables)

Removable, radiolucent X-ray top that mounts onto a short (18") leg section. The 2-inch riser adds elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from the foot end or side of table. For use with Velcro® table pads. This X-ray top is specifically for the short featherweight leg section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095

BF102 Digital X-Ray Top Set (3080/3085)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. These X-ray tops are available in a complete set for the 3080 and 3085 SP STERIS Surgical Tables.

Compatibility
3080, 3085



BF108 Digital X-Ray Top, Head Section (3080/3085)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. This X-ray top is specifically for the head section.

Compatibility
3080, 3085



BF109 Digital X-Ray Top, Back Section (3080/3085)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. This X-ray top is specifically for the back section.

Compatibility
3080, 3085



BF110 Digital X-Ray Top, Seat Section (3080/3085)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. This X-ray top is specifically for the seat section.

Compatibility
3080, 3085

BF116 Digital X-Ray Top, Leg Section (3080/3085)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. This X-ray top is specifically for the leg section.

Compatibility
3080, 3085

BF193 X-Ray Top Set for Mushroom Attachment (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2.5-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes or Digital FlashPads from the head or foot ends of table. For use with table pads featuring Velcro®-less (Mushroom Cap) attachment. These X-ray tops are available in a complete set for 4000- & 5000-Series Tables with Velcro®-less tabletops.

Compatibility
4095, 5085 Harmony, 5095 with Velcro®-less tabletop, See Special Note(s)

Special Notes
May be used on CMAX, 4085, 5085, 5085 SRT tables with tabletops converted to Velcro®-less (Mushroom Cap) attachment.



BF194 X-Ray Top, Head Section for Mushroom Attachment (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2.5-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes or Digital FlashPads from the head or foot ends of table. For use with table pads featuring Velcro®-less (Mushroom Cap) attachment. This Velcro®-less X-ray top is specifically for the head section.

Compatibility
4095, 5085 Harmony, 5095 with Velcro®-less tabletop, See Special Note(s)

Special Notes
May be used on CMAX, 4085, 5085, 5085 SRT tables with tabletops converted to Velcro®-less (Mushroom Cap) attachment.



BF195 X-Ray Top, Back Section for Mushroom Attachment (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2.5-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes or Digital FlashPads from the head or foot ends of table. For use with table pads featuring Velcro®-less (Mushroom Cap) attachment. This Velcro®-less X-ray top is specifically for the back section.

Compatibility
4095, 5085 Harmony, 5095 with Velcro®-less tabletop, See Special Note(s)

Special Notes
May be used on CMAX, 4085, 5085, 5085 SRT tables with tabletops converted to Velcro®-less (Mushroom Cap) attachment.



BF196 X-Ray Top, Seat Section for Mushroom Attachment (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2.5-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes or Digital FlashPads from the head or foot ends of table. For use with table pads featuring Velcro®-less (Mushroom Cap) attachment. This Velcro®-less X-ray top is specifically for the seat section.

Compatibility
4095, 5085 Harmony, 5095 with Velcro®-less tabletop, See Special Note(s)

Special Notes
May be used on CMAX, 4085, 5085, 5085 SRT tables with tabletops converted to Velcro®-less (Mushroom Cap) attachment.



BF197 X-Ray Top, Leg Section for Mushroom Attachment (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2.5-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes or Digital FlashPads from the head or foot ends of table. For use with table pads featuring Velcro®-less (Mushroom Cap) attachment. This Velcro®-less X-ray top is specifically for the leg section.

Compatibility
4095, 5085 Harmony, 5095 with Velcro®-less tabletop, See Special Note(s)

Special Notes
May be used on CMAX, 4085, 5085, 5085 SRT tables with tabletops converted to Velcro®-less (Mushroom Cap) attachment.

BF199 X-Ray Top, Short 18" Leg Section, for Mushroom Attachment (4000- & 5000-Series Tables)

Removable, radiolucent X-ray top that mounts onto a short (18") leg section. The 2.5-inch riser adds elevation to the tabletop, providing space to insert flat X-ray cassettes or Digital FlashPads from the foot end of the table. For use with table pads featuring Velcro®-less (Mushroom Cap) attachment. This Velcro®-less X-ray top is specifically for the short featherweight leg section.

Compatibility
4095, 5085 Harmony, 5095 with Velcro®-less tabletop, See Special Note(s)

Special Notes
May be used on CMAX, 4085, 5085, 5085 SRT tables with tabletops converted to Velcro®-less (Mushroom Cap) attachment.

TABLE OF CONTENTS

BF308 Digital Tabletop Conversion Kit

This is used to modify the table tops to accept the Digital X-Ray Tops only. Enables the use of larger Digital FlashPads during mobile x-ray. Does not include the X-ray Tops. For 4000- & 5000-Series STERIS Surgical Tables manufactured before November 2015.

Compatibility
CMAX, 4085, 5085, See Special Note(s)

Special Notes
Excludes 5085 SRT

BF310 Digital Tabletop Conversion Kit

This is used to modify the table tops to accept the Digital X-Ray Tops only. Enables the use of larger Digital FlashPads during mobile x-ray. Does not include the X-ray Tops. For 5085 SRT only manufactured before November 2015..

Compatibility
5085 SRT

BF302 Digital Tabletop Conversion Kit

This is used to modify the table tops to accept the Digital X-Ray Tops only. Enables the use of larger Digital FlashPads during mobile x-ray. Does not include the X-ray Tops. For 3000-Series STERIS Surgical Tables manufactured before November 2015.

Compatibility
3080, 3085

BF219 X-ray Tops Complete Set (pre-Digital)

Removable X-ray tops mount onto surgical table, covering its full length and width. This X-ray top set consists of four sections: head, back, seat, and leg, all of which are radiolucent. 2-inch risers add elevation to tabletop, providing space to insert flat X-ray cassettes from head, foot, or side of table. Velcro® fasteners are provided for pad attachment; use with existing table pads. For 4000- & 5000-Series STERIS Surgical Tables manufactured before November 2015.

Compatibility
CMAX, 4085, 5085, 5085 SRT, See Special Note(s)

Special Notes
For CMAX tables, the tabletop upgrade may need to be purchased in order to apply the X-ray tops listed above. Call Customer Service for more information 800-548-4873.

BF174 X-ray Top, Head Section (pre-Digital)

Removable X-ray tops mount onto surgical table. 2-inch risers add elevation to tabletop, providing space to insert flat X-ray cassettes from head, foot or side of table. Velcro® fasteners are provided for pad attachment; use with existing table pads. For 4000- & 5000-Series STERIS Surgical Tables manufactured before November 2015. This X-Ray top is specifically designed for the head section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095, See Special Note(s)

Special Notes
For CMAX tables, the tabletop upgrade may need to be purchased in order to apply the X-ray tops listed above. Call Customer Service for more information 800-548-4873.

BF175 X-ray Top, Back Section (pre-Digital)

Removable X-ray tops mount onto surgical table. 2-inch risers add elevation to tabletop, providing space to insert flat X-ray cassettes from head, foot or side of table. Velcro® fasteners are provided for pad attachment; use with existing table pads. For 4000- & 5000-Series STERIS Surgical Tables manufactured before November 2015. This X-Ray top is specifically designed for the back section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095, See Special Note(s)

Special Notes
For CMAX tables, the tabletop upgrade may need to be purchased in order to apply the X-ray tops listed above. Call Customer Service for more information 800-548-4873.

BF176 X-ray Top, Seat Section (pre-Digital)

Removable X-ray tops mount onto surgical table. 2-inch risers add elevation to tabletop, providing space to insert flat X-ray cassettes from head, foot or side of table. Velcro® fasteners are provided for pad attachment; use with existing table pads. For 4000- & 5000-Series STERIS Surgical Tables manufactured before November 2015. This X-Ray top is specifically designed for the seat section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095, See Special Note(s)

Special Notes
For CMAX tables, the tabletop upgrade may need to be purchased in order to apply the X-ray tops listed above. Call Customer Service for more information 800-548-4873.

BF744 X-ray Top, Leg Section (pre-Digital)

Removable X-ray tops mount onto surgical table. 2-inch risers add elevation to tabletop, providing space to insert flat X-ray cassettes from head, foot or side of table. Velcro® fasteners are provided for pad attachment; use with existing table pads. For 4000- & 5000-Series STERIS Surgical Tables manufactured before November 2015. This X-Ray top is specifically designed for the leg section.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095, See Special Note(s)

Special Notes
For CMAX tables, the tabletop upgrade may need to be purchased in order to apply the X-ray tops listed above. Call Customer Service for more information 800-548-4873.

BF202 X-ray Tops Complete Set (pre-Digital)

Removable X-ray tops mount onto surgical table, covering its full length and width. This X-ray top set consists of four sections: head, back, seat, and leg, all of which are radiolucent. 2-inch risers add elevation to tabletop, providing space to insert flat X-ray cassettes from head, foot, or side of table. Velcro® fasteners are provided for pad attachment; use with existing table pads. For 3000-Series STERIS Surgical Tables manufactured before November 2015.

Compatibility
3080, 3085 SP



BF579 X-Ray Top for 9" Urology Extension

Removable, radiolucent X-ray top mounts onto 9" Urology Extension. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes from the end or sides of the table. For use with 9" Urology Extension (BF578).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
9" Urology Extension (BF578)

BF137 Cassette Tray with Handle - 14" x 17" Film

Positions hard X-ray cassettes at any section of the surgical table. Detachable handle is graduated in 1-inch increments from 11 inches to 36 inches to facilitate cassette placement. Handle is approximately 30 inches long.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Special Notes
For CMAX tables, the tabletop upgrade may need to be purchased in order to apply the X-ray tops listed above. Call Customer Service for more information 800-548-4873.

TAB733 X-Ray Cassette Holder

Spring-loaded accessory that mounts to the surgical table siderail, designed to securely hold an x-ray cassette beneath the tabletop during mobile imaging procedures.

Compatibility
All STERIS/AMSCO Surgical Tables models.

This page left blank intentionally.

Anesthesia Provider Accessories

BF030

STERIS Patient Warming System

The STERIS Patient Warming System (PWS) uses a heated surgical table pad and optional overbody blanket immediately upon transfer to the surgical table to provide heat to the patient before, during or after procedures in the Operating Room. Items included: Controller, 3" Heated Torso Pad, Standard 3" Head and Leg Pads. Does not include Over Body Blanket.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

BF035

Over Body Blanket (for Patient Warming System)

The Over Body Blanket for the STERIS Patient Warming System provides additional conductive heat for the patient during OR procedures. It is an optional component that can be added to the heated torso pad of the Patient Warming System.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Required Products
Patient Warming System (BF030) or Controller (BF032)

BF00203
BF00204
BF00205
BF00206

Dual Articulating Headrest 7000-Series

The Dual Articulating Headrest enables more versatile patient positioning for the anesthesia care team. Tilt & height capability of the headrest facilitates improved patient airway management/tracheal intubation and simplifies lateral patient positioning. Tilt and height operated by a single actuation lever underneath the head rest. Tilt range: +90°/-90°. Tilt Increments Every 7.5°. Height Range: +7" (from level)

Compatibility
- BF00203 (Velcro®-top): Without Pad
- BF00204 (Velcro®-top): With 2" TLT pad
- BF00205 (Velcro®-less-top): Without pad
- BF00206 (Velcro®-less-top): With 2" PRS pad

Required Products
For BF00204: Velcro® Replacement Pad(s): BF00207 (3" TLT), BF00208 (4" TLT), BF00209 (4" TLT)
For BF00206: Velcro®-less Replacement Pad(s): BF00210 (2" PRS), BF00211 (3" PRS), BF00212 (4" PRS)

BF753
BF754

Dual Articulating Headrest 4000- & 5000-Series

The Dual Articulating Headrest enables more versatile patient positioning for the anesthesia care team. Tilt & height capability of the headrest facilitates improved patient airway management/tracheal intubation and simplifies lateral patient positioning. Tilt and height operated by two distinct actuation handles underneath the head rest. Tilt range: +90°/-90°. Tilt increments every 7.5°. Height range: +7" (from level).

Compatibility
BF753 (Velcro®-top): Without Pad
BF754 (Velcro®-less-top): Without Pad

Required Products
For BF753, Velcro® Replacement Pad(s): BF581 (2"TLT Pad), BF228 (3"TLT Pad), BF292 (4"TLT Pad) For BF754, Velcro®less Replacement Pad(s): BF273 (2"PRS Pad), BF280 (3"PRS Pad), BF246 (4"PRS Pad)



BF526 - Small
BF527 - Medium
BF528 - Large
BF529 - Extra Large

Toboggan Arm & Leg Guards

The Toboggan Arm & Leg Guards are rigid, durable plastic guards that help to secure patient extremities during surgeries. Surgeons and nurses may lean against guards without interfering with anesthesia lines. Simply slide under OR table pad to secure arms or legs. These surgical toboggan arm and leg guards are available in four sizes: Small guard 6"H; Medium guard 8"H; Large and X-Large guards 10.5"H.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, SurgiGraphic 1027, SurgiGraphic 6000

BF170

Disposable A-line Positioner

Simple, easy-to-use patient positioning device for all A-line insertions. Anatomically formed base with two, exclusive 1"W x 17"L soft-edge straps. Sold 12 per case. Straps reduce risk of skin ulceration in patients. Base provides best angle for hand, wrist, and forearm positioning. Keeps skin taut for optimal needle insertion.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension, SurgiGraphic 1027, SurgiGraphic 6001

BF17 Flexible Anesthesia Screen

Flexible Anesthesia Screen is malleable and conforms to any shape you desire. The plastic encased metal link construction remains stable as shaped. Has 5⁄8" (1.6 cm) post.

Compatibility
3080, 3085 SP, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, CMAX, 7080, OT 1000, OT 1100, OT 1200, OrthoVision;

Required Products
Requires (2) Clip-On Socket Clamp (BF10), or other socket clamp. Not Included.

Optional Accessories
Clip-On Socket Clamp (BF10), 3-Way Adjustment Clamp (BF32), Schure Loc XPS (BF043), Clark Sockets (BF083), Schure Socket XL (BF161)

BF074 Universal Ether Screen with Clark Socket

Supports surgical drape and is mounted on a ball joint for positioning flexibility (parallel or perpendicular to patient body as the case dictates). Screen is height adjustable and locks or releases with a half-turn of control knob. Includes Clark Socket for mounting to table siderail.

Compatibility
3080, 3085 SP, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, CMAX, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Optional Accessories
Clip-On Socket Clamp (BF10), 3-Way Adjustment Clamp (BF32), Schure Loc XPS (BF043), Clark Sockets (BF083), Schure Socket XL (BF161)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF075 Winged Ether Screen #1401

Features two extension arms to support surgical drapes. Control knob for each extension arm allows height and lateral adjustments. Each extension is independently height adjustable and locks or releases with a half-turn of control knob. Includes mounting sockets.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, OT 1000, OT 1100, OrthoVision, See Special Note(s)

Optional Accessories
Clip-On Socket Clamp (BF10), 3-Way Adjustment Clamp (BF32), Schure Loc XPS (BF043), Clark Sockets (BF083), Schure Socket XL (BF161)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF263 Transducer Holder

Provides a rigid, stable post for securing a transducer at the appropriate height for neuro and cardiac surgery. Curved design makes it easy for anesthesiologist to position and view the transducer.

Compatibility
3080, 3085 SP, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, CMAX, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Required Products
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp. Not Included.

Optional Accessories
Clip-On Socket Clamp (BF10), 3-Way Adjustment Clamp (BF32), Schure Loc XPS (BF043), Clark Sockets (BF083), Schure Socket XL (BF161)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF585, BF521, BF522, BF523 Hook & Loop Strap Rolls

A preferred solution to medical and surgical taping, strapping, tie-down and restraining requirements. Unique Soft Edge design protects the patient's skin. It has hook and loop back-to-back on 30' rolls and is available in 4 widths. No sticky tape residue to damage equipment or require time-consuming cleanup by staff. Not made with natural rubber latex. (BF585) ¾" Width; (BF521) 1-1/2" Width; (BF522) 3" Width; (BF523) 5" Width.

Bariatric/ Gastrointestinal

STERIS

BF00263 Bariatric Width Extenders without Pads; Complete Set of 8

Radio-opaque modular table width extenders increase the width of your table to 29.5" to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat and leg sections of the surgical table. Pads not included.

Compatibility
7080

Required Products
Pad options (2": BF00269; 3": BF00274; 4": BF00279)

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum Patient Weight Capacity is equivalent to that of the table.

BF00264 Bariatric Width Extenders without Pads; Set of 2 Head Sections

Radio-opaque modular table width extenders increase the width of your table to 29.5" to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat and leg sections of the surgical table. Pads not included.

Compatibility
7080

Required Products
Pad options (2":BF00270; 3":BF00275; 4" BF00280)

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum Patient Weight Capacity is equivalent to that of the table.

BF00265 Bariatric Width Extenders without Pads; Set of 2 Back Sections

Radio-opaque modular table width extenders increase the width of your table to 29.5" to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat and leg sections of the surgical table. Pads not included.

Compatibility
7080

Required Products
Pad options (2":BF00271; 3": BF00276; 4": BF00281)

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum Patient Weight Capacity is equivalent to that of the table.

TABLE OF CONTENTS

BF00266 Bariatric Width Extenders without Pads; Set of 2 Seat Sections

Radio-opaque modular table width extenders increase the width of your table to 29.5" to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat and leg sections of the surgical table. Pads not included.

Compatibility
7080

Required Products
Pad options (2": BF00272; 3": BF00277; 4": BF00282)

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum Patient Weight Capacity is equivalent to that of the table.



BF00268 Bariatric Width Extenders without Pads; Set of 2 Back and 2 Seat Sections

Radio-opaque modular table width extenders increase the width of your table to 29.5" to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat and leg sections of the surgical table. Pads not included.

Compatibility
7080

Required Products
Pad Options (Order one back section pad set and one seat section pad set. See individual pad set sections for details.)

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum Patient Weight Capacity is equivalent to that of the table.

BF00267 Bariatric Width Extenders without Pads; Set of 2 Leg Sections

Radio-opaque modular table width extenders increase the width of your table to 29.5" to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat and leg sections of the surgical table. Pads not included.

Compatibility
7080

Required Products
Pad options (2":BF00273; 3": BF00278; 4": BF00283)

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum Patient Weight Capacity is equivalent to that of the table.

BF643 Bariatric Width Extenders with 2" Pads; Complete Set of 8

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat, leg sections of the surgical table. Includes 2" pads.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Alternatively, order width extenders without pads (BF661) and order pads separately (2": BF652, 3": BF00003, 4": BF653, 5": BF00015) to change the height of your existing pad/extender set.

BF645 Bariatric Width Extenders with 2" Pads; Set of 2 Back and 2 Seat Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the back and seat sections of the surgical table (4 sections total). Includes 2" pads.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Alternatively, order width extenders without pads (BF662) and order pads separately (2": BF654, 3": BF0004, 4": BF655, 5": BF00017) to change the height of your existing pad/extender set.

TABLE OF CONTENTS

BF647 Bariatric Width Extenders with 2" Pads; Set of 2 Head Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the head section of the surgical table. Includes 2" pads.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Alternatively, order width extenders without pads (BF663) and order pads separately (2": BF656, 3": BF0005, 4": BF657, 5": BF00021) to change the height of your existing pad/extender set.

BF649 Bariatric Width Extenders with 2" Pads; Set of 2 Leg Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the leg section of the surgical table. Includes 2" pads.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Alternatively, order width extenders without pads (BF664) and order pads separately (2": BF658, 3": BF0006, 4": BF659, 5": BF00022) to change the height of your existing pad/extender set.

BF644 Bariatric Width Extenders with 4" Pads; Complete Set of 8

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat, leg sections of the surgical table. Includes 4" pads.

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF646 Bariatric Width Extenders with 4" Pads; Set of 2 Back and 2 Seat Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the back and seat sections of the surgical table (4 sections total). Includes 4" pads.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF648 Bariatric Width Extenders with 4" Pads; Set of 2 Head Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the head section of the surgical table. Includes 4" pads.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF651 Bariatric Width Extenders with 4" Pads; Set of 2 Leg Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the leg section of the surgical table. Includes 4" pads.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF661 Bariatric Width Extenders without Pads; Complete Set of 8

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat, leg sections of the surgical table. Pads not included.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Pad options: (2": BF652, 3": BF00003, 4": BF653, 5": BF00015)

Optional Accessories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF662 Bariatric Width Extenders without Pads; Set of 2 Back and 2 Seat Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the back and seat sections of the surgical table (4 sections total). Pads not included.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Pad options: (2": BF654, 3": BF0004, 4": BF655, 5": BF00017)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF663 Bariatric Width Extenders without Pads; Set of 2 Head Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the head section of the surgical table. Pads not included.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Pad options: (2": BF656, 3": BF0005, 4": BF657, 5": BF00021)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF664 Bariatric Width Extenders without Pads; Set of 2 Leg Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the leg section of the surgical table. Pads not included.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Pad options: (2": BF658, 3": BF0006, 4": BF659, 5": BF00022)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF652 Bariatric Table Extension Pads Only; 2" Complete Set of 8 Pads

2" replacement pad set for Bariatric Width Extenders. Complete set includes 2 extensions pads for the head, back, seat, leg sections of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF654 Bariatric Table Extension Pads Only; 2" Set of 2 Back and 2 Seat Section Pads

2" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the back and seat sections of the surgical table (4 pads total).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF656 Bariatric Table Extension Pads Only; 2" Set of 2 Head Section Pads

2" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the head section of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF658 Bariatric Table Extension Pads Only; 2" Set of 2 Leg Section Pads

2" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the leg section of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00003 Bariatric Table Extension Pads Only; 3" Complete Set of 8 Pads

3" replacement pad set for Bariatric Width Extenders. Complete set includes 2 extensions pads for the head, back, seat, leg sections of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00004 Bariatric Table Extension Pads Only; 3" Set of 2 Back and 2 Seat Section Pads

3" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the back and seat sections of the surgical table (4 pads total).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00005 Bariatric Table Extension Pads Only; 3" Set of 2 Head Section Pads

3" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the head section of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00006 Bariatric Table Extension Pads Only; 3" Set of 2 Leg Section Pads

3" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the leg section of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF653 Bariatric Table Extension Pads Only; 4" Complete Set of 8 Pads

4" replacement pad set for Bariatric Width Extenders. Complete set includes 2 extensions pads for the head, back, seat, leg sections of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF655 Bariatric Table Extension Pads Only; 4" Set of 2 Back and 2 Seat Section Pads

4" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the back and seat sections of the surgical table (4 pads total).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF657 Bariatric Table Extension Pads Only; 4" Set of 2 Head Section Pads

4" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the head section of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF659 Bariatric Table Extension Pads Only; 4" Set of 2 Leg Section Pads

4" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the leg section of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00015 Bariatric Table Extension Pads Only; 5" Complete Set of 8 Pads

5" replacement pad set for Bariatric Width Extenders. Complete set includes 2 extensions pads for the head, back, seat, leg sections of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00017 Bariatric Table Extension Pads Only; 5" Set of 2 Back and 2 Seat Section Pads

5" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the back and seat sections of the surgical table (4 pads total).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00021 Bariatric Table Extension Pads Only; 5" Set of 2 Head Section Pads

5" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the head section of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00022 Bariatric Table Extension Pads Only; 5" Set of 2 Leg Section Pads

5" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the leg section of the surgical table.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF541 Bariatric Width Extenders with 2" Pads; Complete Set of 8

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. Complete set includes 2 extensions for the head, back, seat, leg sections of the surgical table. Includes 2" pads.

Compatibility
3080, 3085 SP

Optional Accesories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Replacement Pad(s): 2": BF543, 4": BF556



BF553 Bariatric Width Extenders with 2" Pads; Set of 2 Back and 2 Seat Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the back and seat sections of the surgical table (4 sections total). Includes 2" pads.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Replacement Pad(s): 2": BF544, 4": BF557



BF554 Bariatric Width Extenders with 2" Pads; Set of 2 Head Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the head section of the surgical table. Includes 2" pads.

Compatibility
3080, 3085 SP

Optional Accesories
Bariatric Accessory Cart (BF551)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Replacement Pad(s): 2": BF545, 4": BF558



BF555 Bariatric Width Extenders with 2" Pads; Set of 2 Foot Sections

Radiolucent modular table width extenders increase the width of your table to 28-inches to accommodate bariatric patients. Used in Bariatric and Obstetric surgical procedures. This set includes 2 extensions for the leg section of the surgical table. Includes 2" pads.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Replacement Pad(s): 2": BF546, 4": BF559



BF543 Bariatric Table Extension Pads Only; 2" Complete Set of 8 Pads

2" replacement pad set for Bariatric Width Extenders. Complete set includes 2 extensions pads for the head, back, seat, leg sections of the surgical table.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF544 Bariatric Table Extension Pads Only; 2" Set of 2 Back and 2 Seat Section Pads

2" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the back and seat sections of the surgical table (4 pads total).

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF545 Bariatric Table Extension Pads Only; 2" Set of 2 Head Section Pads

2" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the head section of the surgical table.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF546 Bariatric Table Extension Pads Only; 2" Set of 2 Leg Section Pads

2" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the leg section of the surgical table.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF556 Bariatric Table Extension Pads Only; 4" Complete Set of 8 Pads

4" replacement pad set for Bariatric Width Extenders. Complete set includes 2 extensions pads for the head, back, seat, leg sections of the surgical table.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.



BF557 Bariatric Table Extension Pads Only; 4" Set of 2 Back and 2 Seat Section Pads

4" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the back and seat sections of the surgical table (4 pads total).

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF558 Bariatric Table Extension Pads Only; 4" Set of 2 Head Section Pads

4" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the head section of the surgical table.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF559 Bariatric Table Extension Pads Only; 4" Set of 2 Leg Section Pads

4" replacement pad set for Bariatric Width Extenders.This set includes 2 extension pads for the leg section of the surgical table.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF596 8” Bariatric Table Width Extenders (15" x 8")

The 8” Bariatric Table Width Extenders mount on the surgical table side rail offering firm support of patient girth over the tabletop during general, bariatric, thoracic, or any procedure demanding a wider surgical platform that accommodates advanced patient size. The Bariatric Table Width Extenders attach to any operating table with standard US rail system. Staff can easily raise and lower the height of the extension to be level with surgical table, either with or without X-ray tops. The Bariatric Table Width Extenders provide on-demand, point-of-use flexibility when a wider table is needed to accommodate bariatric patients. Includes 1" Pad. Requires a siderail clamp that fits 1" x 3/8" flat bar stock.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
BF277 Simple Clamp

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

Speical Notes
Requires a siderail clamp that fits 1" x 3/8" flat bar stock. Sold separately.



BF597 8” Bariatric Table Width Extenders (11" x 8")

The 8” Bariatric Table Width Extenders mount on the surgical table side rail offering firm support of patient girth over the tabletop during general, bariatric, thoracic, or any procedure demanding a wider surgical platform that accommodates advanced patient size. The Bariatric Table Width Extenders attach to any operating table with standard US rail system. Staff can easily raise and lower the height of the extension to be level with surgical table, either with or without X-ray tops. The Bariatric Table Width Extenders provide on-demand, point-of-use flexibility when a wider table is needed to accommodate bariatric patients. Includes 1" Pad. Requires a siderail clamp that fits 1" x 3/8" flat bar stock.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
BF277 Simple Clamp

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

Speical Notes
Requires a siderail clamp that fits 1" x 3/8" flat bar stock. Sold separately.

BF551

Bariatric Accessory Storage Cart

This cart is a compact storage and transport device for the full range of STERIS bariatric accessories. The eight side rails were specifically designed to accommodate each of the unique Bariatric Width Extenders. The two back rails easily hold STERIS' Split Leg Positioner or other leg holder accessories. Other accessories may be attached to interior rails or stored in the deep bin / weighted base. (Accessories not included.) Dimensions: 22-3/16" L x 20-11/16" W x 50-1/2" H.



BF542
BF00261
BF00262

Bariatric Foot Extension

The Bariatric Foot Extension is 28-inches wide to accommodate wider tables with Bariatric Extenders installed. It adds 8-inches of table length for taller patients and swings 90 degrees upward for foot support when in reverse Trendelenburg. Includes 2" TLT Pad.

Compatibility
BF542: 3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095
BF00261: 7080 Bariatric Foot Extension without Pad
BF00262: 7080 Bariatric Foot Extension with 2" TLT Pad

Required Products
Siderail Locks (BF133)

Optional Accessories
2" Replacement Pad (for BF542): BF493
4" Replacement Pad (for BF542): BF366
2" Replacement Pad (for BF00262): BF00310
3" Replacement Pad (for BF00262): BF00311
4" Replacement Pad (for BF00262): BF00312

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Speical Notes
Bariatric Width Extenders are also required and must be ordered separately.

BF857 STERIS PowerLift Plus Stirrups (Pair)

The PowerLift Plus Stirrups take lithotomy positioning to the next-level. The integrated power assist mechanism in these stirrups is a feature we incorporated from our traditional PowerLift Stirrups. The unique, grip-and-twist control handles allow staff to adjust the angle of lithotomy and degree of ab/adduction during setup without lifting the sterile drape. What sets these stirrups apart though is the new curved rod, the Velcro®-less straps and the addition of the lateral fin. The curved rod increases lithotomy range of motion by over 23 degrees. The Velcro®-less straps are made of a medical grade, silicone material and is secured with a mushroom cap fastener. The lateral fin protects the perineal nerve running up the outside of the leg near the knee. The PowerLift Plus Stirrups attaches to the boot shell with a Velcro® attachment. Range of motion: +85° / -55°, Ab/Adduction: +25° / -9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Secure-Release™ Clamp (BF861)

Patient Weight Capacity
BF856: 500 lbs (227 kg) or BF857: 800 lbs (363 kg)

Replacement Pad(s)
BF865: Replacement Pad set 500 , BF866 Replacement Pad set 800, BF869: PowerLift Plus Stirrups (Pair) with Pads (no clamps)

BF454 Bariatric PowerLift Stirrups (Pair)

The integrated power assist mechanism in STERIS Bariatric PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 720 lbs, depending upon the table used. The extra large boots and pads provide comfort and security. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 84° / - 33°, Ab/Adduction: + 25° / - 9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (included)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 720 lbs for (5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX and 3085 SP); 600 lbs (3080-R); and 400 lbs for (3080)

Speical Notes
Replacement Pad(s): BF16 (Set), BF191 (Left), BF192 (Right)

BF552 Knee Restraint Strap (Pair)

The broad pads on these straps safely prevent the knee from flexing during surgery and feature a full-length Velcro® closure for a snug fit. Used in conjunction with the Split Leg Positioner.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Split Leg Positioners BF351

BF351 Split Leg Positioner

The Split Leg Positioner includes both left and right leg supports and provides a safe system for positioning patients for laparoscopic procedures as well as lower extremity orthopedic and vascular procedures. It is radiolucent allowing both the surgeon and imaging equipment excellent access to the operative site. Patient's legs can be adducted, abducted or extended for some low lithotomy procedures. Includes 2" pad set.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Optional Accessories
Foot Rest (Left) MTPA09, Foot Rest (Right) MTPA10, Clark Sockets BF083

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 500 lbs for (5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX, 3085 SP and 3080-R) and 400 lbs for (3080 tables)

Special Notes
2" Replacement Pad(s): BF351000337 (Left) and BF351000338 (Right)
3" Replacement Pad(s): BF00014 (Left) and BF00012 (Right)



BF00237

7000-Series Split Leg Positioners

The STERIS 7000-Series Split Leg Positioners provide mid-line access to the patient with powered control for flexion and extension, manual controls for full abduction/adduction, and width extension to allow clinicians greater access. Includes both left and right leg supports and provides a safe system for positioning patients for laparoscopic procedures as well as lower extremity orthopedic and vascular procedures. They are radiolucent allowing both the surgeon and imaging equipment excellent access to the operative site. These STERIS Split Leg positioners attach directly to the Seat Section of any 7000-Series Surgical Table.

The 7000-Series Split Leg Positioners are sold as a pair without pads. Choose from 2", 3", or 4" thick pressure management (TLT) pads in either a flat top or concave top shape.

Compatibility
STERIS 7000-Series Tables

Optional Accessories
Foot Rest - Left (MTPA09), Foot Rest - Right (MTPA10), Clip-On Socket Clamps (BF10), Adult Nissen Thigh Straps (BF14), Bariatric Nissen Thigh Straps (BF15), Knee Restraint Straps (BF552), Table Extension Wall Holder (BF438)

Patient Weight Capacity
700 lbs (318 kg) on 7000-Series Tables; full range of table articulations, including tabletop slide

600 lbs (272 kg) on 7000-Series Tables, when Foot Rests (MTPA09 & MTPA10) are installed and >35° Reverse Trendelenburg is induced

Special Notes
2" Concave TLT Pads (L/R): BF00238
2" Flat TLT Pads (L/R): BF00239
3" Concave TLT Pads (L/R): BF00240
3" Flat TLT Pads (L/R): BF00241
4" Concave TLT Pads (L/R): BF00242
4" Flat TLT Pads (L/R): BF00243

BF56 Bariatric Fluid Collection System

The Bariatric Fluid Collection System includes adapters so the drape support can be attached to the Bariatric Width Extenders. It is ideal for use in cystoscopic or hysteroscopic procedures, and comes with the flexible drape support and a fluid collection bag. The flexible drape support is device quickly attaches to the end of the table seat section during set up, and its easily manipulated intra-procedurally to obtain maximum unobstructed surgical site access. Both the Sterile and Non-sterile Fluid Collector Bags fit either the standard or Bariatric model drape support. The built-in flexible drain hose works with a kick bucket or a suction canister. Set of 10 Fluid Collection Bags: Sterile (BF458) or Non-Sterile (BF459) must be ordered.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, See Special Note(s)

Required Products
Fluid Collection Bags (10/case): Sterile (BF458) or Non-Sterile (BF459)

Speical Notes
Also fits IA Extender (BF188) and 9-inch Urology Extension (BF578)

BF15 Bariatric Nissen Thigh Straps (Pair)

The Bariatric Nissen Thigh Straps are used to help support the patient during steep reverse Trendelenburg positioning for procedures such as Nissen Fundoplication. Conductive straps encircle the upper thigh with a broad soft pad. Airplane-style buckle permits convenient length adjustment. Pad is 7" (18 cm) wide and 31" (79 cm) long. Straps are adjustable in usable length up to 70" (179 cm).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Patient Weight Capacity
1000 lbs (454 kg)

Cardiothoracic & Vascular Surgery Accessories

TABLE OF CONTENTS

BF431 Anesthesia Armboard without Pad

The radiolucent carbon fiber armboard is easily attached and removed from surgical table siderail and is easy to clean. Components are enclosed within molded body, protecting against denting, breakage, and damage when dropped. Includes a 30-inch velcro arm restraint strap. Dimensions: 6"W x 26"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200; See Special Note(s)

Required Products
Requires (1) of the following:
1" TLT Pad: BF345
2" TLT Pad: BF326
3" TLT Pad: BF327
4" TLT Pad: BF394
5" HLT Pad: BF395

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF141 IV Armboard without Pad

Supports arm at a comfortable angle. Locks by gravity to table siderail. Adjusts 180 degrees horizontally. Supplied with 15-inch velcro arm restraint strap. Dimensions: 6"W x 26"L.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000,
OT 1100, OT 1200; See Special Note(s)

Required Products
Requires (1) of the following:
1" TLT Pad: BF345
2" TLT Pad: BF326
3" TLT Pad: BF327
4" TLT Pad: BF394
5" HLT Pad: BF395

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF102

Digital X-Ray Top Set (3080/3085)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. These X-ray tops are available in a complete set for the 3080 and 3085 SP STERIS Surgical Tables.

Compatibility
3080, 3085 SP

BF101

Digital X-Ray Top Set (4000- & 5000-Series Tables)

Removable, radiolucent X-ray tops mount onto surgical tables. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes and Digital FlashPads from head, foot, or side of table. For use with Velcro® table pads. These X-ray tops are available in a complete set for the 4000 & 5000-Series STERIS Surgical Tables.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5095

BF642
BF64201
BF00258

36" Imaging Extension

The Imaging Extension features metal-free radiolucent beveled edges for 360° imaging and increases upper or lower body imaging of up to 55 inches. This 36-inch long accessory broadens the surgical capabilities of STERIS general surgical tables for cardiovascular, AV fistulas, pain management, and other procedures requiring the enhanced imaging ability typically found on image guided surgical tables. Includes 2-inch pad with Velcro® fasteners.

Compatibility
BF642: 3080, 3085 SP
BF64201: CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095
BF00258: 7080

Optional Accessories
Siderail Adaptor (TA00012)

Patient Weight Capacity
BF642: 3080: 400 lbs (181 kg) 3085 SP: 500 lbs (227 kg)
BF64201: 4000- & 5000-Series Tables:
- Tabletop with slide induced: 350 lbs (159 kg)
- Tabletop centered: 500 lbs (227 kg)
BF00258: 7000-Series Tables: 700 lbs (318 kg)

Special Notes:
Imaging Extensions Without Pads: BF64202 (4000- & 5000-Series); BF00257 (7000-Series)

BF604 BF00316 44" Imaging Extension

The STERIS 44" Imaging Extension features metal-free radiolucent beveled edges for 360 degrees of imaging using a mobile C-Arm X-Ray and increases upper or lower body imaging of up to 63 inches. This 44-inch-long carbon fiber accessory extension is a fluoro table extension that broadens the surgical capabilities of STERIS general surgical tables when using intraoperative x-ray or fluoroscopy. It can be used during cardiovascular procedures, endovascular procedures, AV fistula procedures, pain management, and other procedures that require the enhanced imaging ability typically found on image-guided surgical tables. Quick-connect locks make attachment to the table siderail easier for a single operating room staff. The accessory is available with or without a 2-inch pressure management pad with Velcro® fasteners.

Compatibility
BF604: CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095
BF00316: 7080

Optional Accessories
Siderail Adaptor (TA00012)

Patient Weight Capacity
BF604:
For 4085 / 4095 / CMAX:
- Tabletop with slide induced: 300 lbs (136 kg)
- Tabletop centered: 400 lbs (181 kg)

For 5085 / 5085 SRT / 5085 Harmony / 5095:
- Tabletop with slide induced: 250 lbs (113 kg)
- Tabletop centered: 300 lbs (136 kg)

BF00316:
For 7080:
- Tabletop with slide induced: 600 lbs (272 kg)
- Tabletop centered: 700 lbs (317 kg)

Special Notes
Imaging Extensions without Pads: BF60401 (4000- & 5000-Series Tables); BF00317 (7000-Series Tables)

BF287 Fem / Pop Board

Increases lower body imaging capability to 55 inches of continuous imaging coverage. Radiolucent top extends approximately 22-inches and inserts into leg section of table. No floor support needed. For support of patient's legs only. Includes a 2-inch pad with Velcro® fasteners and X-Ray Top.

Compatibility
3080, 3085 SP

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

TA00003 Radial AV Fistula Board

This large radiolucent platform is ideal for fistula repair with an uninterrupted fluoro scan for intraoperative flow studies from radial AV fistula to vena cava. Includes 2" pad and pair of Side Rail Locks.

Compatibility
SurgiGraphic 1027, SurgiGraphic 6000, 36" Carbon Fiber Extension

Required Products
(2) Siderail Adaptors (TA00012)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

TA00012 Standard Siderail Adaptor (Each)

The Standard Siderail Adaptor provides attachment of accessories requiring standard siderails such as retractors and armboards to the otherwise metal-free edges of STERIS imaging tables and carbon fiber extensions. The clamp portion is designed with the same geometry as the beveled edges of SurgiGraphic Imaging Tables and the 36" Carbon Fiber Fluoro Extension. This adaptor also includes a 6" standard siderail for mounting accessories. Sold individually.

Compatibility
SurgiGraphic 1027, SurgiGraphic 6000, 36" Carbon Fiber Fluoro Extension

TA00005 Standard Siderail Adaptor (Set of 3)

The Standard Siderail Adaptor provides attachment of accessories requiring standard siderails such as retractors and armboards to the otherwise metal-free edges of STERIS imaging tables and carbon fiber extensions. The clamp portion is designed with the same geometry as the beveled edges of SurgiGraphic Imaging Tables and the 36" Carbon Fiber Fluoro Extension. This adaptor also includes a 6" standard siderail for mounting accessories. Sold as a set of (3).

Compatibility
SurgiGraphic 1027, SurgiGraphic 6000, 36" Carbon Fiber Fluoro Extension

BF456 Side Rail Extender

The Side Rail Extender extends the siderail of any STERIS Surgical Table to allow for positioning of accessories beyond existing siderail areas. This extender attaches to a standard NA siderail (or on the Standard Siderail Adaptor).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, OT 1000, OT 1100, OT 1200, OrthoVision, See Special Note(s)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF713 Hand Control CMAX X-Ray

The CMAX X-Ray Hand Control contains an LCD window providing instant, visual feedback on positioning and diagnostic information. Works in conjunction with the Joystick Control. Functionality includes articulation buttons for Height Up/Down, Trendelenburg/Reverse Trendelenburg, Tilt Left/Right, Tabletop Level, Table Drive, Floor Lock On/Off and Reverse Orientation. Dimensions: 7" (L) x 2 3/4" (W)
x 1 3/8" (H)

Compatibility
CMAX X-Ray

BF714 Joystick Control CMAX X-Ray

Through palm contact of the orange joystick, this table operating control generates precise movements and allows the surgeon or OR caregiver to easily maneuver the carbon fiber tabletop without any associated vibration. Can be used in conjunction with the hand control. The Bluetooth-enabled option eliminates the hanging cord promoting an artifact-free imaging environment. Dimensions: 5 7/8" (L) x
2 3/4" (W) x 5 5/8" (H). Weight: 2.8 lbs.

Compatibility
CMAX X-Ray

BF716 Radial AV Fistula Board CMAX X-Ray

The Radial AV Fistula Board for CMAX X-Ray NA offers a convenient, large platform for fistula repair. 2" mattress pad included. This fistula board is secured via 2 locking knobs located on the accessory. No additional rail clamps are needed. The board is constructed from radiolucent carbon fiber offering uninterrupted fluoroscopic scanning capabilities of the entire arm. Dimensions: 53.94" (1370 mm) x 20.47" (520 mm) x 5.51" (140 mm) Weight: 11.24 lbs. (5.1 kg).

Compatibility
CMAX X-Ray

Patient Weight Capacity
Do not exceed the stated weight capacity of 660 lbs. (300 kg)

BF789 Catheter Extension CMAX X-Ray

The Catheter Extension for CMAX X-Ray creates a convenient staging area for catheters and other endoscopic accessories in the OR. This extension is easily installed onto the siderail of the CMAX X-Ray table via gravity latch. The platform extends off the foot-end (in Reverse Orientation) of the table. Attachment does not require a clamp. Dimensions: 23.6" (600 mm) L x 21.3" (540 mm) W indicates functional surface area. Weight: 16.1 lbs. (7.3 kg).

Compatibility
CMAX X-Ray

Special Notes
This accessory is not intended to support patient weight

BF788 Rotary Socket CMAX X-Ray

The Rotary Socket for the CMAX X-Ray is ideal for mounting accessories with round posts up to ¾" diameter anywhere along the table's perimeter where there is no siderail. The Rotary Socket provides height and angle control with one handle. The single lever simplifies attachment and quick removal of accessories. The socket adjustment permits multi-planer accessories to be installed and secured at any angle (Ex. Multi-Axis Armboard).

Compatibility
CMAX X-Ray

BF791 Mobile X-Ray Protection Screen Model 257

The Mobile X-Ray Protection Screen is a height-adjustable, x-ray shield designed to protect the upper and lower body from radiation in the OR. The upper section of this mobile system consists of a transparent lead acrylic panel with a lead equivalent (Pb) value of 0.5 mm and is 27.5" in width. The lower shield section is comprised of a steel body with a grey varnished finish and has a lead equivalent (Pb) value of 1 mm, measures 30.7" x 41.3" (W x H) and includes electroconductive casters. The shield is adjustable in height from 45.3" to 74.8". Accessory rail dimensions: 0.35" x 1", for equipment up to 8.8 lbs.

Compatibility
CMAX X-Ray

BF793 Lower Body X-Ray Protection Shields

The system is comprised of multiple, table-mounted x-ray protection shields for lower scattered radiation. The Lower Body X-Ray Protection Shields have rounded edges for low injury risks and a large protection zone against x-ray radiation scattering for the examiner and the assistant. These panels are an indispensable safety tool for the physician and staff and have long been an established standard in interventional radiology. Dimensions (top of shield to bottom of panel): 47.6" (1210 mm) x 43.3" (1100 mm)

Compatibility
CMAX X-Ray

Patient Weight Capacity
The siderail on the accessory is capable of mounting accessories up to a max weight of 33 lbs. (15 kg)

Special Notes
Lead (Pb) equivalent of Pb 0.50 mm

BF792 X-Ray Protection Panels (Kit of 3)

The X-Ray Protection Panels offer optimal radiation protection of the lower body for the user for nearly all operating tables on the market. These panels synchronize to the movements of the table, effectively protecting the medical staff. Sold in a kit of 3. Length/weight of a single protection panel: 29.5" (75 cm) / 3.86 lbs. (1.75 kg). Width of a single panel: 11.4" (29 cm). Suitable to be attached to surgical table siderails ranging from 0.3" x 1" to 0.4" x 1.2". Panels should be placed to create an overlapping effect; overlap of at least 0.8" (2 cm) is recommended. Panels have a lead equivalent of Pb 0.50 mm.

Compatibility
CMAX X-Ray

TABLE OF CONTENTS

BF790 Headrest Adaptor CMAX X-Ray

The Headrest Adaptor is specifically designed for the CMAX X-Ray Image-Guided Surgical Table and mounts the single articulating Head Rest Extension (HEAD02) to the table. This head rest adaptor is installed only on the carbon fiber (open) end of the CMAX X-Ray. Once the Head Rest is inserted into the adaptor secure in place using the lock handle. One (1) adaptor is required to mount the Head Rest Extension.

Compatibility
CMAX X-Ray

BF787 Siderail Adaptor CMAX X-Ray

The Siderail Adaptor for the CMAX X-Ray is designed to provide attachment of accessories requiring NA standard siderails (such as the Joystick Control or armboards) to the otherwise metal-free edges of STERIS CMAX X-Ray Imaging Tables. The adaptors attach anywhere along the carbon fiber tabletop perimeter for versatile positioning. Sold as a single unit. Dimensions: 4.33" (110 mm) x 3.39" (86 mm) x 3.82" (97 mm). Weight: 2.2 lbs. (1 kg)

Compatibility
CMAX X-Ray



BF755 Headrest Extension CMAX X-Ray

This Head Rest Extension for the CMAX X-Ray is installed using (2) Head Rest Adaptors (BF790) on either end of the table. With the ability to easily tilt the patient's head, this headrest creates convenient positioning for easier intubation and facilitates support of the patient's head, eliminating the need for additional positioning devices. The additional 12" of tabletop length increases the available imaging area for the image-guided surgical procedure. Mattress pad not included. Dimensions: 13" (L) x 19.7" (W). Tilt: +90° / -90°. Weight: 13.2 lbs. (6 kg)

Compatibility
CMAX X-Ray

Gynecology & Urology Surgery Accessories

TABLE OF CONTENTS

STERIS
4085
STERIS



BF00246 BF00247 12" Urology Extension

This lightweight 12-inch long radiolucent extension provides additional fluoro imaging length of the Kidneys, Ureters and Bladder (KUB) anatomy of tall patients. It easily attaches to the seat section 7000-Series STERIS Surgical Tables once the leg section is removed, and includes standard side rails for applying leg holders or the Fluid Collection System. Order with or without pad, see below.
BF00246: 12" Urology Extension without Pad
BF00247: 12" Urology Extension with 2" Pa

Compatibility
7080

Required Products
Urology Patient Transfer Board with 2" Pad (BF00252)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF578 9" Urology Extension

This lightweight 9-inch long radiolucent extension provides additional fluoro imaging length of the Kidneys, Ureters and Bladder (KUB) anatomy of tall patients. It easily attaches to the seat section of 4000- & 5000-Series STERIS Surgical Tables once the leg section is removed, and includes standard side rails for applying leg holders or the Fluid Collection System. Includes 2-inch pad with Velcro® fasteners.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Urology Patient Transfer Board with 2" Pad (BF204)

Optional Accessories
X-Ray Top for 9" Urology Extension (BF579)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
2" Replacement Pad: BF83400053
3" Replacement Pad: BF00001
4" Replacement Pad: BF408

BF579 X-Ray Top for 9" Urology Extension

Removable, radiolucent X-ray top mounts onto 9" Urology Extension. The 2-inch risers add elevation to the tabletop, providing space to insert flat X-ray cassettes from the end or sides of the table. For use with 9" Urology Extension (BF578).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
9" Urology Extension (BF578)

BF457 Fluid Collection System

The Fluid Collection System includes a flexible drape support and fluid collection bag and it is ideal for use in cystoscopic or hysteroscopic procedures. The flexible drape support device quickly attaches to the end of the table seat section during set up, and is easily manipulated intra-procedurally to obtain maximum unobstructed surgical site access. Both the Sterile and Non-sterile Fluid Collector Bags fit either the Standard or Bariatric model drape support. The built-in flexible drain hose works with a kick bucket or a suction canister. Set of 10 Fluid Collection Bags: Sterile (BF458) or Non-Sterile (BF459) must be ordered.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, See Special Note(s)

Required Products
Fluid Collection Bags (10/case): Sterile (BF458) or Non-Sterile (BF459)

Special Notes
Also fits IA Extender (BF188) and 9-inch Urology Extension (BF578)

BF56 Bariatric Fluid Collection System

The Bariatric Fluid Collection System includes adapters so the drape support can be attached to the Bariatric Width Extenders. It is ideal for use in cystoscopic or hysteroscopic procedures, and comes with the flexible drape support and a fluid collection bag. The flexible drape support device quickly attaches to the end of the table seat section during set up, and its easily manipulated intra-procedurally to obtain maximum unobstructed surgical site access. Both the Sterile and Non-sterile Fluid Collector Bags fit either the standard or Bariatric model drape support. The built-in flexible drain hose works with a kick bucket or a suction canister. Set of 10 Fluid Collection Bags: Sterile (BF458) or Non-Sterile (BF459) must be ordered.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, See Special Note(s)

Required Products
Fluid Collection Bags (10/case): Sterile (BF458) or Non-Sterile (BF459)

Speical Notes
Also fits IA Extender (BF188) and 9-inch Urology Extension (BF578)

BF458 Fluid Collector Bags; Sterile Box of 10

These sterile disposable bags slide over the flexible drape support of the Fluid Collection System. Each bag has a tissue retention filter as well as a flexible, expandable drain hose that can be connected to suction or used with a kick bucket. These bags fit both the Standard and Bariatric drape supports.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Fluid Collection System (BF457) or Bariatric Fluid Collection System (BF56)

BF459 Fluid Collector Bags; Non-Sterile Box of 10

These non-sterile disposable bags slide over the flexible drape support of the Fluid Collection System. Each bag has a tissue retention filter as well as a flexible, expandable drain hose that can be connected to suction or used with a kick bucket. These bags fit both the Standard and Bariatric drape supports.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Fluid Collection System (BF457) or Bariatric Fluid Collection System (BF56)

BF25 Cysto-Lift Knee Crutch

Incorporates our PowerLift stirrup technology allowing for simple and easy positioning of the leg during surgery. No need to access the siderail socket to make leg position changes. One convenient handle controls level of lithotomy and abduction or adduction while maintaining the sterile field. The unique Lift-Support Technology facilitates limb movement for enhanced caregiver safety. Soft pad reduces popliteal pressure.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Requires (2) Clip-On Blade Clamps (BF11) - Not included

Patient Weight Capacity
350 lbs (159 kg)

BF859 STERIS PowerLift Freedom Stirrups (Pair)

The PowerLift Freedom Stirrups take lithotomy positioning to the next-level. The integrated power assist mechanism in these stirrups is a feature we incorporated from our traditional PowerLift Stirrups. The unique, grip-and-twist control handles allow staff to adjust the angle of lithotomy and degree of ab/adduction during setup without lifting the sterile drape. What sets these stirrups apart though is the new curved rod, the Velcro®-less straps and the addition of the lateral fin. The curved rod increases lithotomy range of motion by over 23 degrees. The Velcro®-less straps are made of a medical grade, silicone material and is secured with a mushroom cap fastener. The lateral fin protects the perineal nerve running up the outside of the leg near the knee. The PowerLift Freedom Stirrups offer a completely Velcro®-less stirrup from top to bottom improving cleanability and maximizing infection prevention. Range of motion: +85° / -55°, Ab/Adduction: +25° / -9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Secure-Release™ Clamp (BF861)

Patient Weight Capacity
500 lbs (227 kg)

Replacement Pad(s)
BF864: Replacement Pad set, BF867: PowerLift Freedom Stirrups (Pair) with Pads (no clamps)

BF856, BF857 STERIS PowerLift Plus Stirrups Adult 500 (Pair) STERIS PowerLift Plus Stirrups Bariatric 800 (Pair)

The PowerLift Plus Stirrups take lithotomy positioning to the next-level. The integrated power assist mechanism in these stirrups is a feature we incorporated from our traditional PowerLift Stirrups. The unique, grip-and-twist control handles allow staff to adjust the angle of lithotomy and degree of ab/adduction during setup without lifting the sterile drape. What sets these stirrups apart though is the new curved rod, the Velcro®-less straps and the addition of the lateral fin. The curved rod increases lithotomy range of motion by over 23 degrees. The Velcro®-less straps are made of a medical grade, silicone material and is secured with a mushroom cap fastener. The lateral fin protects the perineal nerve running up the outside of the leg near the knee. The PowerLift Plus Stirrups attaches to the boot shell with a Velcro® attachment. Range of motion: +85° / -55°, Ab/Adduction: +25° / -9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Secure-Release™ Clamp (BF861)

Patient Weight Capacity
BF856: 500 lbs (227 kg) or BF857: 800 lbs (363 kg)

Replacement Pad(s)
BF865: Replacement Pad set 500 , BF866 Replacement Pad set 800, BF869: PowerLift Plus Stirrups (Pair) with Pads (no clamps)

BF453 PowerLift Stirrups (Pair)

The integrated power assist mechanism in STERIS PowerLift Stirrups provides excellent surgeon access and virtually effortless positioning of patients up to 500 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 84° / - 33°, Ab/Adduction: + 25° / - 9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (included)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Replacement Pad Set (L/R): BF222

BF454 Bariatric PowerLift Stirrups (Pair)

The integrated power assist mechanism in STERIS Bariatric PowerLift Stirrups provides excellent surgeon access and virtually effortless positioning of patients up to 720 lbs, depending upon the table used. The extra large boots and pads provide comfort and security. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 84° / - 33°, Ab/Adduction: + 25° / - 9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080
Required Products
Siderail Clamps (included)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 720 lbs for (5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX and 3085 SP); 600 lbs (3080-R); and 400 lbs for (3080)

Special Notes
Replacement Pad(s): BF16 (set), BF191 (Left), BF192 (Right)

BF855 Junior PowerLift Stirrups (pair)

The integrated power assist mechanism in STERIS Junior PowerLift Stirrups provides excellent surgeon access and virtually effortless positioning of patients up to 250 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 90° / - 35°, Ab/Adduction: + 25° / - 9°. Pad set included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (Sold separately)

Patient Weight Capacity
250 lbs

Special Notes
Replacement Pad Set (L/R): BF028

BF854 Pediatric PowerLift Stirrups (pair)

The integrated power assist mechanism in STERIS Pediatric PowerLift Stirrups provides excellent surgeon access and virtually effortless positioning of patients up to 160 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 90° / - 35°, Ab/Adduction: + 25° / - 9°. Pad set included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (Sold separately)

Patient Weight Capacity
160 lbs

Special Notes
Replacement Pad Set (L/R): BF027

BF351 Split Leg Positioner

The Split Leg Positioner includes both left and right leg supports and provides a safe system for positioning patients for laparoscopic procedures as well as lower extremity orthopedic and vascular procedures. It is radiolucent allowing both the surgeon and imaging equipment excellent access to the operative site. Patient's legs can be adducted, abducted or extended for some lower lithotomy procedures. Includes 2" pad set.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Optional Accessories
Foot Rest (Left) MTPA09, Foot Rest (Right) MTPA10, Clark Sockets BF083

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 500 lbs for (7080, 5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX, 3085 SP and 3080-R) and 400 lbs for (3080 tables)

Special Notes
2" Replacement Pad(s): BF351000337 (Left) and BF351000338 (Right)
3" Replacement Pad(s): BF00014 (Left) and BF00012 (Right)



BF00237

7000-Series Split Leg Positioners

The STERIS 7000-Series Split Leg Positioners provide mid-line access to the patient with powered control for flexion and extension, manual controls for full abduction/adduction, and width extension to allow clinicians greater access. Includes both left and right leg supports and provides a safe system for positioning patients for laparoscopic procedures as well as lower extremity orthopedic and vascular procedures. They are radiolucent allowing both the surgeon and imaging equipment excellent access to the operative site. These STERIS Split Leg positioners attach directly to the Seat Section of any 7000-Series Surgical Table.

The 7000-Series Split Leg Positioners are sold as a pair without pads. Choose from 2", 3", or 4" thick pressure management (TLT) pads in either a flat top or concave top shape.

Compatibility
STERIS 7000-Series Tables

Optional Accessories
Foot Rest - Left (MTPA09), Foot Rest - Right (MTPA10), Clip-On Socket Clamps (BF10), Adult Nissen Thigh Straps (BF14), Bariatric Nissen Thigh Straps (BF15), Knee Restraint Straps (BF552), Table Extension Wall Holder (BF438)

Patient Weight Capacity
700 lbs (318 kg) on 7000-Series Tables; full range of table articulations, including tabletop slide

600 lbs (272 kg) on 7000-Series Tables, when Foot Rests (MTPA09 & MTPA10) are installed and >35° Reverse Trendelenburg is induced

Special Notes
2" Concave TLT Pads (L/R): BF00238
2" Flat TLT Pads (L/R): BF00239
3" Concave TLT Pads (L/R): BF00240
3" Flat TLT Pads (L/R): BF00241
4" Concave TLT Pads (L/R): BF00242
4" Flat TLT Pads (L/R): BF00243

BF020
BF00217

Short Leg Section (Velcro®)

The Short Leg Section improves caregiver ergonomics and operating room workflow efficiency for surgical staff during many surgical procedures. Due to its length of 18 inches, there is no need to detach and reattach the compact surgical leg section during a procedure. The leg section can remain attached to the surgical table and be lowered throughout the procedure. Includes Perineal Cutout. Velcro® Pad attachment only. 2" TLT Pad included.

Compatibility
BF020*: 4095, 5085 Harmony, 5095
BF00217: 7080

*Bypasses table anti-collision system

TABLE OF CONTENTS

BF021
BF00218

Short Leg Section (Velcro®-less)

The Short Leg Section improves caregiver ergonomics and operating room workflow efficiency for surgical staff during many surgical procedures. Due to its length of 18 inches, there is no need to detach and reattach the compact surgical leg section during a procedure. The leg section can remain attached to the surgical table and be lowered throughout the procedure. Includes Perineal Cutout. Velcro®-less Pad attachment only. 2" PRS Pad included.

Compatibility
BF021*: 4095, 5085 Harmony, 5095
BF00218: 7080

*Bypasses table anti-collision system

BF022

Short Leg Section (5085 SRT)

The Short Featherweight Leg Section (for 5085 SRT only) improves caregiver ergonomics and operating room workflow efficiency for surgical staff during many surgical procedures. Due to its length of 18 inches, there is no need to detach and reattach the compact surgical leg section during a procedure. The leg section can remain attached to the surgical table and be lowered throughout the procedure. Includes Perineal Cutout. Velcro® Pad attachment only. 2" TLT Pad included.

Compatibility
5085 SRT

*Bypasses table anti-collision system

BF588

Lightweight Patient Transfer Board

The Lightweight Transfer Board supports the patient's legs during transfer to table. It attaches to all STERIS surgical tables on the siderails with a gravity latch. It is recommended for leg support only and is removed after the patient is positioned. No clamps or pads required.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Patient Weight Capacity
400 lbs (181 kg)

BF00251
BF00252

Urology Patient Transfer Board 7000-Series

Supports patient's legs during transfer to the table, typically during urologic and gynecologic procedures. Recommended for leg support only. Inserts into 12" Urology Extension and is removed after patient is positioned. Includes a 2-inch removable mattress pad. Pad attaches to transfer board with Velcro® fasteners.
BF00251 (Without Pad); BF00251/BF00252 (With Pad)

Compatibility
7080

Required Products
12" Urology Extension with 2" Pad (BF00247)

Optional Accessories
2" Replacement Pad: BF83400053
3" Replacement Pad: BF00002
4" Replacement Pad: BF408

Patient Weight Capacityv
500 lbs (225 kg) for patients in Normal Orientation only. BF204 is not intended for use in Reverse Orientation

BF204

Urology Patient Transfer Board 3000-, 4000- & 5000-Series

Supports patient's legs during transfer to the table, typically during urologic and gynecologic procedures. Recommended for leg support only. Inserts into IA Extender or 9" Urology Extension and is removed after patient is positioned. Includes a 2-inch removable mattress pad. Pad attaches to transfer board with Velcro® fasteners.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095

Required Products
IA Extender with 2" pad (BF188) or
9" Urology Extension with 2" pad (BF578)

Optional Accessories
2" Replacement Pad: BF83400053
3" Replacement Pad: BF00002
4" Replacement Pad: BF408

Patient Weight Capacityv
300 lbs (136 kg) for patients in Normal Orientation only. BF00251/BF00252 is not intended for use in Reverse Orientation.



BF205 Perineal Cutout Filler Piece

This filler piece covers the perineal opening in the seat section of surgical tables or in the leg section of their accompanying X-Ray Tops. Provides additional patient anatomical support.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Neurosurgery Accessories

WARNING

BF592 Narrow Headrest

The radiolucent Narrow Headrest with its elongated tapered edge provides easier temporal and over-the-brow access to the head area for ophthalmic, ENT, neuro and plastic surgery. This fixed height headrest fits into the STERIS surgical table's back section or leg section via the Eye-ENT-Neuro Adaptor (sold separately). The optional Wrist Rest (BF593) attaches to the Narrow Headrest to support the surgeon's hands during long procedures. 2" pad included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Eye-ENT-Neuro Adaptor (BF185, BF173, BF309)

Optional Accessories
Wrist Rest (BF593)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 500 lbs.

BF593 Wrist Rest for Narrow Headrest

This Wrist Rest attaches to the Narrow Headrest (BF592) to support the surgeon's hands during long procedures.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
BF592

BF215 Cone-Shaped Headrest

This headrest fits into a table's standard headrest area and provides easier access to the patient's head for eye, ENT, plastic surgery, and neurosurgical applications. Includes a 2-inch pad and a 4-inch pad for use with X-ray tops.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5095

BF036 Horseshoe Headrest

The padded Horseshoe Headrest supports and cradles a patient's head for a variety of surgical specialties including otolaryngology, ophthalmology and neurosurgery. When attached to the Horizontal Attachment #1800 (BF008) or the Frontal Sitting Attachment (BF01) the headrest can be positioned for supine, prone or Fowler's patient posturing. 2" thick pad included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and either Horizontal Attachment (BF008) or Frontal Sitting Attachment (BF01)

BF008 Horizontal Attachment #1800

Mounts neurosurgical headrests to the head or foot end of STERIS general tables. Ball joints allow full angular positioning of headrest. For support of patient's head when patient is in supine or prone position.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and the Horseshoe Headrest (BF036)

Patient Weight Capacity
300 lbs (136 kg)

BF01 Frontal Sitting Attachment

This accessory mounts neurosurgical headrests to STERIS general surgical tables. Ball joints allow full angular positioning of headrest. For support of patient's head from behind when patient is in a seated position for temporal, parietal, and frontal surgical procedures.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and the Horseshoe Headrest (BF036)

Patient Weight Capacity
300 lbs (136 kg)

BF011 Posterior Sitting Attachment #1801

Mounts neurosurgical headrests to table siderails. Ball joints allow lateral and vertical adjustment.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, OrthoVision

Required Products
A neurosurgical head rest and Clark Sockets (BF083)

Patient Weight Capacity
300 lbs (136 kg)

BF185 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of STERIS 3000-series general surgical tables.

Compatibility
3080, 3085 SP

Patient Weight Capacity
500 lbs (227 kg)

BF173 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of STERIS CMAX, 4000 & 5000-series general surgical tables (excluding 5085 SRT).

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Patient Weight Capacity
500 lbs (227 kg)

BF309 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of the 5085 SRT surgical table.

Compatibility
5085 SRT

Patient Weight Capacity
500 lbs (227 kg)

BF00244 EYE-ENT-Neuro Adaptor, 7000

This specialized adaptor acommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of the of the 7080 surgical table.

Compatibility
7080

Patient Weight Capacity
500 lbs (227 kg)

BF135 Morgan Pelvic Rest

Supports patient in knee-chest position with knees on extended foot section. Adjustable lateral patient support mounts to table siderails. Includes a 4-inch thick pad with cutout, two padded supports, and an extended foot section with pad.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Standard Restraint Strap (BF45), Siderail Locks (BF133), or Clark Sockets (BF083)

Patient Weight Capacity
300 lbs (136 kg)

BF536 Schure Spine Frame

The Schure Spine Frame provides a stable and convenient platform for spine surgeries such as laminectomies, decompressions, and disc surgery. You can adjust it intraoperatively to the desired lordosis to get optimal surgical site exposure. Tapered adjustable pads provide optimal patient safety and comfort. Deluxe foam pads and Crank Handle included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, See Special Note(s)

Optional Accessories
Spine Frame Dolly (BF533) Replacement Pad Set (BF531) Replacement Crank Handle (BF532)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF533 Schure Spine Frame Dolly

The Schure Spine Frame Dolly provides operating room personnel a durable, easy-to-use, transport dolly for the Schure Spine Frame. (Accessories not included.) Dimensions: 40"H x 28"W x 12"D.

This page left blank intentionally.

Ophthalmic and Ears, Nose & Throat (ENT) Surgery Accessories

TABLE OF CONTENTS


STERIS
STERIS

BF592 Narrow Headrest

The radiolucent Narrow Headrest with its elongated tapered edge provides easier temporal and over-the-brow access to the head area for ophthalmic, ENT, neuro and plastic surgery. This fixed height headrest fits into the STERIS surgical table's back section or leg section via the Eye-ENT-Neuro Adaptor (sold separately). The optional Wrist Rest (BF593) attaches to the Narrow Headrest to support the surgeon's hands during long procedures. 2" pad included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Eye-ENT-Neuro Adaptor (BF185, BF173, BF309)

Optional Accessories
Wrist Rest (BF593)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 500 lbs.

BF593 Wrist Rest for Narrow Headrest

This Wrist Rest attaches to the Narrow Headrest (BF592) to support the surgeon's hands during long procedures.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
BF592

BF215 Cone-Shaped Headrest

This headrest fits into a table's standard headrest area and provides easier access to the patient's head for eye, ENT, plastic surgery, and neurosurgical applications. Includes a 2-inch pad and a 4-inch pad for use with X-ray tops.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5095

BF036 Horseshoe Headrest

The padded Horseshoe Headrest supports and cradles a patient's head for a variety of surgical specialties including otolaryngology, ophthalmology and neurosurgery. When attached to the Horizontal Attachment #1800 (BF008) or the Frontal Sitting Attachment (BF01) the headrest can be positioned for supine, prone or Fowler's patient posturing. 2" thick pad included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and either Horizontal Attachment (BF008) or Frontal Sitting Attachment (BF01)

BF185 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of STERIS 3000-series general surgical tables.

Compatibility
3080, 3085 SP

Patient Weight Capacity
500 lbs (227 kg)

BF173 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of STERIS CMAX, 4000 & 5000-series general surgical tables (excluding 5085 SRT).

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Patient Weight Capacity
500 lbs (227 kg)

BF309 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of the 5085 SRT surgical table.

Compatibility
5085 SRT

Patient Weight Capacity
500 lbs (227 kg)

BF00244 EYE-ENT-Neuro Adaptor, 7000

This specialized adaptor acommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of the of the 7080 surgical table.

Compatibility
7080

Patient Weight Capacity
500 lbs (227 kg)

This page left blank intentionally.

Orthopedic Surgery Accessories

STERIS

BF31 Arthroscopic Stress Post

Arthroscopic Stress Post is a levering fulcrum for improved access to the medial compartment of the knee. The 3" x 8" (7.6 cm x 20 cm) post surface is covered with a 1" (2.5 cm) thick, soft pressure management pad for maximum patient safety and comfort. Attaches to the siderail using a socket clamp.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp.

BF12 Deluxe Arthroscopic Leg Holder

The Deluxe Arthroscopic Leg Holder features a smooth, one directional locking mechanism enabling the caregiver to set rigid fixation with one hand operation. The hinged upper brace accommodates patients while the structurally enhanced design enables the staff to apply pressure both medially and laterally. The ratchet-style securement strap easily adjusts for precise amount of compression. Holds legs up to 35" (89 cm) in circumference.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires Disposable Leg Holder Pad (BF13, sold in cases of 12 units)
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp.

Patient Weight Capacity
500 lbs (227 kg)

BF13 Disposable Leg Holder Pad (for Deluxe Arthroscopic Leg Holder)

The Disposable Arthroscopic Leg Holder Pad is compatible with the Deluxe Arthroscopic Leg Holder System (BF12) for proper patient positioning during knee arthroscopy procedures. Sold in quantities of 12 pads per case.

Required Products
Deluxe Arthroscopic Leg Holder (BF12)

BF717 Arthroscopy Knee Holder

The Arthroscopy Knee Holder attaches to the seat section of the table with a Clark Socket (not included) and is typically used for the "off-the-end" of the table arthroscopy technique. The diameter of the knee holder can be adjusted as surgical needs dictate. A resusable three-piece cushion set is included with Velcro® fasterners.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp.

Patient Weight Capacity
500 lbs (227 kg)

BF045 E-Z Lift Beach Chair

The E-Z Lift Beach Chair provides optimal patient positioning for orthopedic shoulder procedures with a lightweight design and gas-spring adjustable height mechanism that satisfies diverse patient needs, various surgeon preferences and mixed-table model inventory. Attaches to table siderails. Adjustable up to 24" siderail width. Removable shoulder panels and head positioner. Includes lateral brace.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
BF039 - Single-use Chin and Head Restraint Straps (12 per case); or BF047 – The Single-Use Face Masks (12 per case)

Optional Accessories
Shoulder Chair Dolly (BF046)

Patient Weight Capacity
500 lbs (227 kg)

BF590 BF00245 PowerLift Beach Chair

The PowerLift Beach Chair is a lightweight beach chair that provides powered patient positioning for open or arthroscopic orthopedic shoulder procedures. The PowerLift Beach Chair satisfies diverse patient needs, various surgeon preferences, and attaches to nearly all sliding-top STERIS surgical table models. Powered positioning of the back-section inclines from 0 to 90 degrees. Removable shoulder panels provide excellent surgical access to each shoulder. Includes removable head restraint device and a lateral brace for left or right-side patient positioning.

Compatibility
BF590: CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095;
BF00245: 7080

Required Products
BF039 - Single-use Chin and Head Restraint Straps (12 per case); or BF047 – The Single-Use Face Masks (12 per case)

Optional Accessories
Shoulder Chair Dolly (BF046)

Patient Weight Capacity
500 lbs (227 kg)

BF039 Head Restraint Straps

These single-use straps provide chin and head restraint when used with the E-Z Lift Beach Chair (BF045), PowerLift Beach Chair (BF590) or Shoulder Chair (BF594). Each box includes 12 head straps and 12 chin straps.

Required Products
E-Z Lift Beach Chair (BF045), PowerLift Beach Chair (BF590), Shoulder Chair (BF594)

BF047 Disposable Face Mask

The Disposable Face Mask for Shoulder Chair is a single-use face mask designed to secure a patient's head during arm and shoulder procedures when used with the E-Z Lift Beach Chair (BF045), PowerLift Beach Chair (BF590) or Shoulder Chair (BF594). Each box includes 12 face masks (including straps).

Required Products
E-Z Lift Beach Chair (BF045), PowerLift Beach Chair (BF590), Shoulder Chair (BF594)

BF046 Shoulder Table Dolly

The Shoulder Table Dolly provides operating room personnel a durable, easy-to-use, transport dolly for STERIS PowerLift Beach Chair, E-Z Lift Beach Chair, and CMAX Beach Chair. (Accessories not included.) Dimensions: 40"H x 28"W x 12"D.

Optional Accessories
PowerLift Beach Chair (BF00245, BF590), E-Z Lift Beach Chair (BF045), Shoulder Chair (BF594), or Shoulder Table (BF437)

BF049 Shoulder Chair Head Rest

Replacement head rest for STERIS PowerLift Beach Chair (BF590), E-Z Lift Beach Chair (BF046), or Shoulder Chair (BF594).

Required Products
E-Z Lift Beach Chair (BF045), PowerLift Beach Chair (BF590), Shoulder Chair (BF594)

BF051 Shoulder Chair Lateral Brace

Replacement lateral brace for STERIS PowerLift Beach Chair (BF590), E-Z Lift Beach Chair (BF046), or Shoulder Chair (BF594).

Required Products
E-Z Lift Beach Chair (BF045), PowerLift Beach Chair (BF590), Shoulder Chair (BF594)

BF437 Shoulder Table

The Shoulder Table is used for orthopedic shoulder procedures. Attaches to 3000-Series AMSCO Surgical Tables. Powered positioning of the surgical table's leg section facilitates beach chair positioning from 0 degrees to 90 degrees. Removable shoulder panels provide an 8-inch access area behind each shoulder.

Compatibility
3080, 3080-R, 3085 SP, 3085-R

Required Products
BF452 - Shoulder Table Chin Cups (10 per case)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Lateral Brace Assemblies (BF602), Lateral Safety Strap (BF562). Sold separately.

BF452

Shoulder Table Chin Cups

These single-use chin cups are used in conjunction with the Shoulder Table and provide stability for the head and chin during shoulder procedures. Each box contains 10 chin cups.

Required Products
Shoulder Table (BF437)

BF041

Schure Loc XPS Limb Positioner

The Schure Loc XPS Limb Positioner (BF041) effectively positions the operative limb during upper and lower body orthopedic procedures. It can be used in Fowler's (beach chair), supine or lateral positions to help decrease surgeon fatigue and improve surgical team productivity. Includes Forearm Attachment (BF044) and Adaptor (BF043). Accessorize with other Schure Loc attachments for various procedures.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
For arm positioning: Schure Loc XPS Disposable Sterile Kit (BF042)
For TKR positioning: Sterile TKR Boot Liners (BF157)

Optional Accessories
Schure Loc XPS Armboard Attachment (BF166), Schure Loc XPS Elbow & Ankle Positioner Attachment (BF169), Schure Loc XPS TKR Positioner Attachment (BF168), Schure Loc XPS Counter Traction Post Attachment (BF167)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

BF042

Schure Loc XPS Disposable Sterile Kit (Case of 10)

The Disposable Sterile Kit for Schure Loc XPS Limb Positioner includes sterile forearm wrap, sterile self-adherent elastic wrap and sterile drape. Packaged 10 kits per case.

Required Products
Schure Loc XPS Limb Positioner (BF041) with Forearm Attachment (BF044)

BF043 Schure Loc XPS Adaptor

The Schure Loc XPS Adaptor connects the Schure Loc XPS to any of its various limb positioning attachments. Use as a replacement or extra adaptor with the Schure Loc XPS Limb Positioner (BF041).

Required Products
Schure Loc XPS Limb Positioner (BF041)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

BF044 Schure Loc XPS Forearm Attachment

The Schure Loc XPS Forearm Attachment provides a quick connect solution to stabilize and position the patient's operative arm during shoulder surgeries. The forearm attachment is made from machined, stainless steel material and is fully autoclavable. Requires Schure Loc XPS Adaptor (BF043) for connection to Schure Loc XPS Limb Positioner (BF041).

Required Products
Schure Loc XPS Limb Positioner (BF041) with Schure Loc XPS Adaptor (BF043)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

BF166 Schure Loc XPS Armboard Attachment

Versatile and comfortable patient positioning for surgical procedures in seated, lateral, prone, neuro and park bench positions. New ball socket locking system for every patient size and position. For use with Schure Loc XPS (BF041). 2" Deluxe Concave Foam Pad included. Dimensions: 6"W x 16"L and 5/8" Mounting Post.

Required Products
Schure Loc XPS Limb Positioner (BF041) with Schure Loc XPS Adaptor (BF043)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

BF169 Schure Loc XPS Elbow & Ankle Positioner Attachment

The Elbow & Ankle Positioner Attachment for the Schure Loc XPS (BF041) is designed to safely and effectively hold upper and lower extremities using a pivot design for infinite needs. Comes with 2" thick deluxe pad. Requires Schure Loc XPS Adaptor (BF043) for connection to Schure Loc XPS Limb Positioner (BF041).

Required Products
Schure Loc XPS Limb Positioner (BF041) with Schure Loc XPS Adaptor (BF043)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load



BF168 Schure Loc XPS TKR Positioner Attachment

The TKR Positioner Attachment for the Schure Loc XPS (BF041) is designed to be used for total knee replacements. Ball joint at the heel of the leg holder places the operative leg in extension, flexion, tilt and rotation. Easy-to-use and completely rigid once locked. Eliminates the need for additional leg positioning devices, sandbags and gel-pads. All components are autoclavable. Requires Schure Loc XPS Adaptor (BF043) for connection to Schure Loc XPS Limb Positioner (BF041).

Required Products
Schure Loc XPS Limb Positioner (BF041) with Schure Loc XPS Adaptor (BF043)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

Special Notes
Sterilization tray sold separately

BF167 Schure Loc XPS Counter Traction Post Attachment

The Schure Loc XPS Counter Traction Post Attachment is used with the Schure Loc XPS Limb Positioner (BF041) to provide counter traction during lower limb orthopedic procedures. Requires Schure Loc XPS Adaptor (BF043) for connection to Schure Loc XPS Limb Positioner (BF041).

Required Products
Schure Loc XPS Limb Positioner (BF041) with Schure Loc XPS Adaptor (BF043)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load



BF155 TKR Positioner, 24"

The TKR Positioner is an orthopedic accessory providing stability and intraoperative positioning of the patient's leg during total knee replacement surgery. The system is comprised of a sliding track, a ball joint foot support, and a 24" attachment bracket. All components are autoclavable.

Required Products
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
CamLock Rail Clamp (BF158) & Sterile TKR Boot Liners (BF157)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

Special Notes
The corresponding 24" TKR Sterilization Tray can be ordered individually (BF15501), or as a kit (BF15502) with the 24" TKR Positioner. PLEASE NOTE: TKR's purchased before 2020 that are silver/gray in color will NOT fit into the sterilization tray. TKR's purchased after 2020, in the blue variety, will fit.



BF156 TKR Positioner, 30"

The TKR Positioner is an orthopedic accessory providing stability and intraoperative positioning of the patient's leg during total knee replacement surgery. The system is comprised of a sliding track, a ball joint foot support, and a 30" attachment bracket. All components are autoclavable.

Required Products
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
CamLock Rail Clamp (BF158) & Sterile TKR Boot Liners (BF157)

Patient Weight Capacity
Supports 500 lb (227 kg) proportional patient load

Special Notes
The corresponding 30" TKR Sterilization Tray can be ordered individually (BF15601), or as a kit (BF15602) with the 30" TKR Positioner. PLEASE NOTE: TKR's purchased before 2020 that are silver/gray in color will NOT fit into the sterilization tray. TKR's purchased after 2020, in the blue variety, will fit.

BF158 CamLock Rail Clamp

The sterilizable CamLock Rail Clamp is a multi-purpose clamp accepting round and flat posts. It is the specific clamp recommended for attaching the TKR Positioner to standard siderails of surgical tables.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF157 Sterile TKR Boot Liners (12/case)

The Disposable Sterile TKR Boot Liners (BF157) are single-use, sterile boot liners for use with STERIS TKR Positioner and the Schure Loc XPS TKR Positioner Attachment. These TKR Boot Liners come in a box of 12.

Required PRoduct
TKR Positioner (BF155/BF156) or Schure Loc XPS TKR Positioner Attachment (BF168)

BF160 Universal Prepper

The Universal Prepper is a sturdy table accessory designed to elevate and ergonomically support a patient's arm or leg in a padded cradle during the surgical site skin preparation and application of antiseptic solutions. These limb holders are designed with angled adjustment at the support cradle. Dimensions: 39.5" L

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp.

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Replacement Pad(s): BF026



BF024 Limb Prepper

The Limb Prepper is a sturdy table accessory designed to elevate and ergonomically support a patient's arm or leg in a padded cradle during the surgical site skin preparation and application of antiseptic solutions. These limb holders are designed with angled adjustment at the support cradle. Dimensions: 30.5" L

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires (1) Clip-On Socket Clamp (BF10), or other socket clamp.

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Replacement Pad(s): BF025

BF23 Weightless Shoulder Suspension System

The Weightless Shoulder Suspension System allows for approximate traction settings up to 40 lbs. (18.2 kg) with a simple turn of the tension adjustment knob. Boom arm adjusts from 0° to 90°. The boom head swivels so that its pulley always aligns properly with the cord. The system folds down for easy storage. Arm trap disposable not offered.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Requires (1) Clark Socket (BF083)

Patient Weight Capacity
500 lbs (227 kg)

BF781 Femur Positioner Assembly

The Femur Positioner Assembly for the OT 1000 Series Orthopedic Surgical Table is a device intended to position the femur during Anterior Approach Total Hip Arthroplasty. This package includes: Femur Positioner Drive (BF697); Femur Positioner Rail (BF698); Femur Hook (BF699); Femur Drive S Bracket Attachment (BF701); Femur Drive Table Attachment (Plungers)(BF702); Femur Drive Foot Pedal (BF707).

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF697 Femur Positioner Drive

The Femur Positioner Drive for the OT 1000 Series Orthopedic Surgical Table is a component of an assembly intended to position the femur during Anterior Approach Total Hip Arthroplasty. The Positioner Drive moves the Femur Hook/Rail vertically up and down as controlled by the surgeon using the foot pedal or the surgical table hand control. Vertical travel is +/- 6".

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF698 Femur Positioner Rail

The Femur Positioner Rail for the OT 1000 Series Orthopedic Surgical Table is a component of an assembly intended to position the femur during Anterior Approach Total Hip Arthroplasty. The Positioner Rail links the Femur Hook and the Femur Positioner Drive and positions the Femur Hook horizontally at the surgical site. Device is fully autoclavable.

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF699 Femur Hook, High Offset

The High Offset Femur Hook for the OT 1000 Series Orthopedic Surgical Table is a device intended to position the femur during Anterior Approach Total Hip Arthroplasty. This Femur Hook is intended for large to obese sized adult patient populations. Device is fully autoclavable.

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF676 Femur Hook 45° Angle

The 45° Angled Femur Hook for the OT 1000 Series Orthopedic Surgical Table is a device intended to position the femur during Anterior Approach Total Hip Arthroplasty. This Femur Hook is intended for small to average adult sized patient populations. Device is fully autoclavable.

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF701 Femur Drive S Bracket Attachment

The Femur Drive S Bracket for the OT 1000 Series Orthopedic Surgical Table is a component of an assembly intended to position the femur during Anterior Approach Total Hip Arthroplasty. The Femur Drive S Bracket inserts into the Femur Drive Table Attachment (BF702) and mounts the Femur Positioner Drive (BF697).

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF702 Femur Drive Table Attachment (Plungers)

The Femur Drive Table Attachment Plungers for the OT 1000 Series Orthopedic Surgical Table is a component of an assembly intended to position the femur during Anterior Approach Total Hip Arthroplasty. The plunger attachment inserts into the OT 1200 tabletop and mounts the Femur Drive S Bracket (BF701).

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF707 Femur Drive Foot Pedal

The Femur Drive Foot Pedal for the OT 1000 Series Orthopedic Surgical Table is a device intended to control the positioning of the femur during Anterior Approach Total Hip Arthroplasty. The foot pedal attaches directly into the OT 1200 Orthopedic Surgical Table, and drives vertical movement of the Femur Positioner Drive/Femur Hook.

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

BF688 Fine Traction Device

The Fine Traction Device for the OT 1000 Series Orthopedic Surgical Table is a component of the traction assembly intended to control fine traction adjustment during orthopedic fracture, trauma, and MIS procedures. Mounts to either the L-Bracket Static Mount (BF689) or the Gross Traction Slide (BF877).

Compatibility
STERIS Orthopedic Extension, OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

BF877 Gross Traction Slide Device (Each)

The Gross Traction Slide Device for the OT 1000 Series Orthopedic Surgical Table is an optional component of the traction assembly intended to control gross traction adjustment during orthopedic fracture, trauma, and MIS procedures. Mounts to the L-Bracket Static Mount (BF689). Also sold in a set of 2 under product number BF782.

Compatibility
STERIS Orthopedic Extension, OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Table

BF689 L-Bracket Static Mount Traction Device

The L-Bracket Static Mount Traction Device for the OT 1000 Series Orthopedic Surgical Table is a component of the traction assembly intended to mount fine and gross traction control devices during orthopedic fracture, trauma, and MIS procedures.

Compatibility
STERIS Orthopedic Extension, OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Tables

BF335 Hand Control - OT 1000 Series Fracture Table

The large, easy-to-read LCD window of the OT 1000 Series Hand Control illustrates table positioning data, making it perfect for anesthesiologists behind the drape. Backlit buttons allow for quick button recognition. Unlock lateral tabletop slide capability and position the Femur Hook during Anterior Approach Total Hip Arthroplasty procedures.

Compatibility
OT 1000, OT 1100, OT 1200

Optional Accessories
Hand Control Covers (BF501)

BF00025 Orthopedic IA Board with 2-Inch Pad

For supine, prone, and lateral procedures using C-arm imaging. Fits into two access holes under sacral rest. Allows table to be used for general surgical procedures that do not need flex or reflex table positioning or a kidney elevator. Patient can be postured in reverse orientation for upper body imaging. Common uses are for pacemaker placement, myelograms, spinal screws, and vascular access procedures.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Patient Weight Capacity
300 lbs (136 kg)

BF213 Orthopedic Patient Transfer Board

Lightweight transfer board with aluminum frame to support patient's legs during transfer to and from STERIS Orthopedic Tables. Recommended for leg support only. Fits into access holes in sacral area of OrthoVision and OT 1000 Series tables. Includes a 2" removable mattress pad. Pad attaches to transfer board with Velcro® fasteners.

Compatibility
OrthoVision, OT 1000, OT 1100, OT 1200, STERIS Orthopedic Extension

Optional Accessories
2" Replacement Pad: BF818
4" Replacement Pad: BF396

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF775 Spar Accessory Clamp

The Spar Accessory Clamp is designed to secure accessories with either a round or square post to be used with the carbon fiber abductor bars of the STERIS OT 1000 Series Orthopedic Tables. The Spar Accessory Clamp can be attached to either side of radiolucent spars for mounting orthopedic accessories.

Compatibility
OT 1000, OT 1100, OT 1200

Patient Weight Capacity
400 lbs (181 kg)

BF00019 Surgical Drape Support OT 1000 Series

Surgical sterile barrier drape mounting device includes 2 vertical supports and 2 horizontal supports to create a barrier wall drape. Requires mounting via Clark Sockets (BF083) and Spar Accessory Clamps (BF775).

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
Clark Sockets (BF083) and Spar Accessory Clamps (BF775)

Special Notes
Included in the Supplemental Accessory Package (BF782)

NO001 Perineal Post Pad - Disposable

Disposable foam Perineal Post Pad relieves pressure from the perineal area and holds patients in traction during orthopedic surgeries. Fits standard perineal posts and can be trimmed to fit child perineal posts. Single-use. Sold in cases of 10.

Compatibility
OT 1000, OT 1100, OT 1200, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension, OrthoVision

Required Products
Any STERIS Perineal Post

BF773 Twin Perineal Post with Pad - Adult

Dual position perineal post with pad relieves pressure from the perineal area and holds patients in traction during orthopedic surgeries. Inserts into Wide-Wedge Sacral Rest (BF772) on the OT 1000 Series Orthopedic Surgical Table. Post is made of carbon fiber and is fully radiolucent. Post is 12" in length and rated for use with adults.

Compatibility
STERIS Orthopedic Extension, OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Tables

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Replacement Pad(s): Twin Perineal Post Pad - Adult (BF687)

BF002 Twin Perineal Post with Pad - Adult, 7" Short

Dual position perineal post with pad relieves pressure from the perineal area and holds patients in traction during orthopedic surgeries. Inserts into Wide-Wedge Sacral Rest (BF772) on the OT 1000 Series Orthopedic Surgical Table. Post is made of carbon fiber and is fully radiolucent. Post is 7" in length and rated for use with small adults and pediatrics.

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Tables

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Replacement Pad(s): Twin Perineal Post Pad - Adult, 7" Short (BF004)

BF686 Twin Perineal Post Only - Adult

Dual position perineal post relieves pressure from the perineal area and holds patients in traction during orthopedic surgeries. Inserts into Wide-Wedge Sacral Rest (BF772) on the OT 1000 Series Orthopedic Surgical Table. Post is made of carbon fiber and is fully radiolucent. Post is 12" in length and rated for use with adults. Pad sold separately.

Compatibility
STERIS Orthopedic Extension, OT 1000, OT 1100, OT 1200

Required Products
Perineal Post Pad - Disposable (NO001) or Twin Perineal Post Pad (BF687)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF783 Perineal Post Arthroscopic Pad

Wide-diameter perineal post pad for use in hip arthroscopy applications to aid in joint distraction. Pad relieves pressure from the perineal area and holds patients in traction during orthopedic procedures. Installed over rigid perineal post of the OT 1000 Series Orthopedic Table, OrthoVision Table, or the AMSCO Orthopedic Extension.

Compatibility
OT 1000, OT 1100, OT 1200, AMSCO(R) Orthopedic Extension, OrthoVision

BF774 Traction Unit Assembly (Each)

The Traction Unit Assembly for the OT 1000 Series Orthopedic Surgical Table is intended to control traction adjustment and mount the patient's foot during orthopedic fracture, trauma, and MIS procedures. Includes L-Bracket Static Mount (BF689), Fine Traction Control Device (BF688) and the Traction Boot (BF693). Does not include Gross Traction Slide (BF877), sold separately.

Compatibility
STERIS Orthopedic Extension, OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Tables

BF693 Traction Boot

The Traction Boot for the OT 1000 Series Orthopedic Surgical Table secures the patient's foot during orthopedic fracture, trauma, and MIS procedures. Boot includes ratchet-style ankle strap, and Nylon-clip straps on the lower foot and calf. Open design allows access to ensure robust securing of the patient foot. Use with disposable traction boot pads (BF419), optional.

Compatibility
STERIS Orthopedic Extension, OT 1000, OT 1100, OT 1200

Required Products
OT 1000 Series Orthopedic Surgical Tables

Optional Products
Disposable Traction Boot Pads (BF419)

BF419

Disposable Traction Boot Pads (10/case)

The Disposable Pad Set for OT 1000 Series Traction Boot (BF419) is a single-use, disposable pad set for use with the OT 1000 Series Traction Boot (BF693). The disposable pad set helps position the leg and foot properly during trauma and hip fracture cases without the need for copious amounts of tape to help secure the foot. Sold in cases of 10 each.

Required Product
Traction Boot (BF693)

BF772

Wide Wedge Sacral Rest with 2" TLT Pad

Attaches to orthopedic table to support the patient's sacral area. Made of carbon fiber and is fully radiolucent for imaging of the pelvis.

Compatibility
OT 1000, OT 1100, OT 1200

BF683

Wide Wedge Sacral Rest Only

Attaches to orthopedic table to support the patient's sacral area. Made of carbon fiber and is fully radiolucent for imaging of the pelvis. Pad sold separately.

Compatibility
OT 1000, OT 1100, OT 1200

Required Products
Wide Wedge Sacral Rest Pad (BF684)

BF266 Universal Legholder (Each)

The Universal Legholder is a contoured leg support with molded padding for patient comfort. The contoured support is mounted on a ball joint for versatile positioning including full rotation and tilt. The cylindrical attachment post attaches to the surgical table's siderail using a socket or clamp. The Universal Legholder is sold as a single unit and supplied with a safety strap. Socket/Clamp sold separately.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Required Products
Clip-On Socket Clamp (BF010) or Clark Sockets (BF083) for general surgical tables. Traction Accessory Clamp (BF775) for OT 1000 Series Tables or (BF0002) for OrthoVision or the AMSCO® Orthopedic Extension.

BF729 Carbon Fiber Support Plate

The Carbon Fiber Support Plate is an optional foot support that attaches into traction assemblies of STERIS Orthopedic Surgical Tables. This fully radiolucent foot support provides enhanced surgical site access for tibial and ankle fractures.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Required Products
TenZor™ Traction Assembly (BF72) or OT 1000 Fine Traction Device (BF688)

Optional Accessories
TenZor™ Foot Traction Boot Pads with Straps - Adult (BF538); TenZor™ Foot Traction Boot Pads with Straps - Obese Adult (BF548); TenZor™ Foot Traction Boot Pads with Straps - Child (BF539)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

BF00062 Carbon Fiber Tibia/Lateral Countertraction Support

This radiolucent support provides comfortable support of the leg in a lateral position, as well as countertraction support for intramedullary and tibia nailing procedures. It features a padded "J-bar," a perineal post adaptor, and a pivot arm (perineal post not included).

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Required Products
Spar Accessory Clamp (BF775) or Traction Accessory Clamp (BF0002)

Optional Accessories
Hip Rest and Pad (BF00072)

Patient Weight Capacity
400 lbs (181 kg)

BF805 BF821 STERIS Orthopedic Extension

STERIS Orthopedic Extension is an alternative to dedicated orthopedic fracture tables. This table accessory serves as an ideal solution when current case load may not warrant a dedicated table, when budget restraints are a concern or when considering a supplemental or secondary fracture table. This accessory serves the full range of traditional orthopedic procedures. The radiolucent carbon fiber abductor bars provide unobstructed imaging capabilities and versatile positioning of the patient's lower extremities. The mobile stainless steel accessory cart provides ample storage space for the accessories and also functions as a convenient platform for docking, undocking and storing the abductor bars.

Compatibility
BF805: STERIS 7000-Series Tables
BF821: STERIS 3000-, 4000-, & 5000-Series Tables

Required Products
STERIS General Surgical Table

Patient Weight Capacity
500 lbs (227 kg) on 7000-Series Tables, tabletop centered (no slide)

400 lbs (181 kg) on 3000-, *4000-, 5000-, 7000-Series Tables, tabletop centered or with any slide

*350 lbs (159 kg) on 4095 Tables, tabletop centered or with any slide

Special Notes
The STERIS Orthopedic Extension Accessory Package includes: Orthopedic Extension Abductor Bar Assembly (BF00256 or BF823), Accessory Cart (BF24); Adult Wedge-shaped Sacral Rest with Pad (BF00066); Adult Perineal Post with Pad (BF00065); Qty 2 Spar Accessory Clamps (BF775); Qty 2 L-Bracket STatic Mount Traction Device (BF689); Qty 2 Fine Traction Device (BF688); Qty 2 Traction Boot - OT1000 (BF693); Qty 2 L-shaped Traction Extensions (BF0003); Universal Legholder (BF266); Anesthesia Armboard with 2-inch Pad (BF803); Multi-Posture Armboard with 2-inch Pad (BF432); Patient Transfer Board with 4-inch Pad (BF214); Clark Socket (BF083); Orthopedic Extension Setup Guide (P150832316).Assembly with padded boots (BF72); Articulating Universal Legholder (BF267); Qty 2 Traction Accessory Clamps (BF0002); Multi-Posture Armboard with 2-inch Pad (BF432); Patient Transfer Board with 4-inch Pad (BF214); Clark Socket (BF083); Ortho Extension Setup Guide (P150832316).

TABLE OF CONTENTS

BF00256 BF823 STERIS Orthopedic Extension, Abductor Bar Assembly

The STERIS Orthopedic Extension, Abductor Bar Assembly is synonymous with the STERIS Orthopedic Extension Kit(s) BF805 or BF821, but does not include any accessories. Includes only the abductor bars and surgical table mounting interface.

Compatibility
BF00256: STERIS 7000-Series Tables
BF823: STERIS 3000-, 4000-, & 5000-Series Tables

Required Products
STERIS General Surgical Table

Patient Weight Capacity
500 lbs (227 kg) on 7000-Series Tables, tabletop centered (no slide)
400 lbs (181 kg) on 3000-, *4000-, 5000-, 7000-Series Tables, tabletop centered or with any slide
*350 lbs (159 kg) on 4095 Tables, tabletop centered or with any slide



BF214 Orthopedic Extension Patient Transfer Board

Supports patient's legs during transfer to a general surgical table fitted with the AMSCO Orthopedic Extension. Recommended for leg support only. Includes a 4-inch removable mattress pad. Pad attaches to the transfer board with Velcro® fasteners.

Compatibility
AMSCO® Orthopedic Extension, See Special Note(s)

Optional Accessories
4" Replacement Pad: BF819

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
Compatible with Orthopedic Extension applied to 5095; 5085 Harmony; 5085 SRT; 5085; 4095; 4085; CMAX; 3085 SP; 3080-R; and 3080 tables.

BF00073 Carbon Fiber T-Shaped Sacral Rest with 2" Pad

Attaches to STERIS orthopedic tables to support the patient's sacral area. Maximum width measures 13-inches.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
Perineal Post with Pad - Adult (BF00065) or Perineal Post without Pad - Child (BF41)

BF00066 Carbon Fiber Wedge-Shaped Sacral Rest with 2" Pad - Adult

Attaches to STERIS orthopedic tables to support the patient's sacral area. Triangular shaped. One position for a perineal post.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
Perineal Post with Pad - Adult (BF00065) or Perineal Post without Pad - Child (BF41)

BF00048 Wedge-Shaped Sacral Rest with 2" Pad - Child

Attaches to STERIS orthopedic tables to support the patient's sacral area. Triangular shaped. One position for a perineal post. Maximum width measures approximately 4 inches.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
Perineal Post with Pad - Adult (BF00065) or Perineal Post without Pad - Child (BF41)

BF00072 Carbon Fiber Hip Rest with Pad

Attaches to sacral area of table for support of patient's hip in lateral position. Item is carbon fiber and fully radiolucent. Includes 2-inch pad.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

BF00023 Foot Traction Boots (OrthoVision) - Adult (Pair)

Made of flexible material with foam inserts that secure to patient's feet with Velcro® straps. These boots slide onto the foot plate of the OrthoVision Traction Unit Assembly. For use with legacy style foot-plate.

Compatibility
AMSCO® Orthopedic Extension, OrthoVision

Patient Weight Capacity
400 lbs (181 kg)



BF00031 Hip Spica Assembly - Adult

Elevated sacral rest provides added height for casting in sacrolumbar area. Includes elevated back board, elevated sacral rest, body slat, and perineal post.

Compatibility
OrthoVision, OT1000, OT1100, OT1200, STERIS Orthopedic Extension, or the AMSCO® Orthopedic Extension

Patient Weight Capacity
400 lbs (181 kg)

Special Notes
Must be custom ordered to fit the OT 1000 Series Tables or the AMSCO® Orthopedic Extension when applied to general surgical tables. Contact your sales rep for details.

BF00038 BF177 Hip Spica Assembly - Child

Elevated sacral rest provides added height for casting in sacrolumbar area. Includes elevated back board: 22"L x 20"W; elevated sacral rest: 6"L x 4"W; body slat: 20"L x 2"W, 2" pad and perineal post.

Compatibility
STERIS Orthopedic Extension, AMSCO® Orthopedic Extension, OrthoVision, OT1000, OT1100, OT1200

Patient Weight Capacity
400 lbs (181 kg)

Special Notes
Select BF00038 when used on the OrthoVision. Select BF177 when used on the AMSCO® Orthopedic Extension applied to 5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX, 3085 SP, 3080

BF0003 L-Shaped Traction Extension

Secures a Traction Unit Assembly of any STERIS Orthopedic Surgical Table to provide greater positioning flexibility, additional traction length for tall patients or greater abduction during orthopedic procedures.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Patient Weight Capacity
400 lbs (181 kg)



BF00065 Perineal Post with Pad - Adult

Single position Perineal Post provides countertraction and is made of radiolucent carbon fiber to enhance C-arm imaging of the pelvic region. Post pad relieves pressure on the perineal area. Measures approximately 12-inches including the insert.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
Wedge-shaped Sacral Rest - Adult (BF00066) or T-shaped Sacral Rest (BF00073)

BF41 Perineal Post without Pad - Child

Single position Perineal Post provides countertraction and is made of radiolucent carbon fiber to enhance C-arm imaging of the pelvic region. Post pad relieves pressure on the perineal area. Measures approximately 7-inches including the insert.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
Wedge-shaped Sacral Rest - Adult (BF00066), T-shaped Sacral Rest (BF00073), or Wedge-shaped Sacral Rest - Child (BF00048)

BF268 Straight Traction Extension

This extension is used to adjust the level of the traction unit assembly and the patient's leg relative to the abductor bars.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Patient Weight Capacity
400 lbs (181 kg)

BF00018 Surgical Drape Support

Surgical sterile barrier drape mounting device includes 2 vertical supports and 2 horizontal supports to create a barrier wall drape. Requires mounting via Clark Sockets (BF083) and Traction Accessory Clamps (BF00023).

Compatibility
OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
Clark Sockets (BF083) and Traction Accessory Clamps (BF00023)

BF538 TenZor™ Foot Traction Boot Pads with Straps - Adult

These replaceable traction boot pads fit snugly against the Carbon Fiber Support Plate (BF729) used in the TenZor™ Carbon Fiber Traction Unit Assembly (BF72). Includes foam boot and Velcro® straps. Sold as pair.

Required Products
TenZor™ Carbon Fiber Traction Unit Assembly (BF72)

Special Notes
Adult pads come standard with the TenZor™ Carbon Fiber Traction Unit Assembly (BF72)

BF548 TenZor™ Foot Traction Boot Pads with Straps - Obese Adult

These obese adult-sized replaceable traction boot pads fit snugly against the Carbon Fiber Support Plate (BF729) used in the TenZor™ Carbon Fiber Traction Unit Assembly (BF72). Includes foam boot and Velcro® straps. Sold as pair.

Required Products
TenZor™ Carbon Fiber Traction Unit Assembly (BF72)

Special Notes
Adult pads come standard with the TenZor™ Carbon Fiber Traction Unit Assembly (BF72)

BF539 TenZor™ Foot Traction Boot Pads with Straps - Child

These child-sized replaceable traction boot pads fit snugly against the Carbon Fiber Support Plate (BF729) used in the TenZor™ Carbon Fiber Traction Unit Assembly (BF72). Includes foam boot and Velcro® straps. Sold as pair.

Required Products
TenZor™ Carbon Fiber Traction Unit Assembly (BF72)

Special Notes
Adult pads come standard with the TenZor™ Carbon Fiber Traction Unit Assembly (BF72)

BF726 Foot Traction Boot Strap Replacement Set

Velcro® strap replacement set for TenZor™ Foot Traction Boot Pads. Include (2) 2"-wide straps and (2) 1.5"-wide straps. Fits all sizes. Sold as a set for a single boot.

Required Products
TenZor™ Foot Traction Boot Pads with Straps - Adult (BF538); TenZor™ Foot Traction Boot Pads with Straps - Obese Adult (BF548); TenZor™ Foot Traction Boot Pads with Straps - Child (BF539)

BF72 TenZor™ Carbon Fiber Traction Unit Assembly

This lightweight carbon fiber traction assembly attaches to the abductor bars of orthopedic tables by means of a Traction Accessory Clamp to hold foot traction boot and pad (included) in place to pull traction. The tension-adjusting handle at the distal end allows precise adjustment of traction being pulled, and easy-to-read numbers inform amount of torque being used. It also holds the traction bow/block and the skeletal traction block. Includes: Traction Unit Assembly, Carbon Fiber Support Plate (BF729), and Foot Traction Boot Pad with Strap (BF538). Sold as single unit.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, AMSCO® Orthopedic Extension

Required Products
Spar Accessory Clamp (BF775) or Traction Accessory Clamp (BF0002)

Patient Weight Capacity
400 lbs (181 kg)

Special Notes
Foot Traction Boots Child (BF539) or Obese Adult (BF548) can also be ordered as needed.

BF0002 Traction Accessory Clamp

The Traction Accessory Clamp is designed to secure accessories with either a round or square post to be used with the carbon fiber abductor bars of the AMSCO® Orthopedic Extension and OrthoVision. The clamp can be attached to either side of abductor bars for mounting orthopedic accessories.

Compatibility
OrthoVision, AMSCO® Orthopedic Extension

Patient Weight Capacity
400 lbs (181 kg)

BF725 Skeletal Traction Block

Inserts into traction unit assembly to allow use of Steinman or Kirschner bows for skeletal traction. For use with coupler connection. Sold individually.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
TenZor™ Traction Assembly (BF72) or OT 1000 Fine Traction Device (BF688)

Patient Weight Capacity
400 lbs (181 kg)

BF724 Skeletal Traction Bow/Block

This lightweight carbon fiber device, sold individually, inserts into traction unit assembly for skeletal traction when performing procedures in supine or lateral positions. The flexibility of bow permits use with patients of various sizes. The Carbon Fiber Traction Bow/Block allows for more precise and stable positioning of a fracture and is radiolucent. For use with coupler connection.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
TenZor™ Traction Assembly (BF72) or OT 1000 Fine Traction Device (BF688))

Patient Weight Capacity
400 lbs (181 kg)

BF00401 STERIS Arch Orthopedic Leg Positioner

The STERIS ARCH Orthopedic Leg Positioner provides controlled and repeatable leg movement. The Femoral elevation is achieved automatically by the counter lever effect of the table's edge when the leg is dropped during femoral preparation. ARCH is a surgical positioning device that allows you to place your patient into an orthopedic position for Anterior Approach to Total Hip Arthroplasty (AATHA), hip pinning, femur plating, and intramedullary (IM) femoral nailing surgical procedures.

Compatibility
3085, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Opposite Leg Holder (BF00404), Perineal Operative Post (BF00403)

Optional Accessories
Arch Traction Boot Medium/Small (BF00410/BF00409), OLH Traction Boot Medium/Small (BF00413/BF00414), Opposite Leg Holder Denyer+ (for DAA Top 360, BF00405)

Optional Consumables
Anterior Hip Drape (BF00431), Fluid Collection Pouch (BF00432), Instrument Pouch (BF00433), POP Covers (BF00434), Perineal Post Pad (BF00435), Traction Boot Liners (BF00436)

Patient Weight Capacity
500 lbs (227 kg)

BF00402 Purist Orthopedic Leg Positioner

The PURIST Orthopedic Leg Positioner is designed to boost efficiency and surgeon control throughout the direct anterior Total Hip Replacement (THR) procedure. It is a surgical leg holder that enables all essential leg movements for direct anterior THR in a condensed and efficient manner.

Compatibility
3085, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Red Opposite Leg Holder (BF00406), Perineal Operative Post (BF00403)

Optional Accessories
Purist Traction Boot Medium/Small (BF00411/BF00412), OLH Traction Boot Medium/Small (BF00413/BF00414), Red Opposite Leg Holder Denyer+ (for DAA Top 360, BF00407)

Optional Consumables
Anterior Hip Drape (BF00431), Fluid Collection Pouch (BF00432), Instrument Pouch (BF00433), POP Covers (BF00434), Perineal Post Pad (BF00435), Traction Boot Liners (BF00436)

Patient Weight Capacity
500 lbs (227 kg)

BF00403 Perineal Operative Post (POP)

The Perineal Operative Post (POP), BF00403, provides hip and leg counter-traction for surgical procedures performed in the supine position. This universal perineal post offers a simple and secure attachment to the siderails of US and EU tables. The rigid metal and carbon-fiber construction allows easy adjustment of post position laterally and with respect to the table. The post cushion has a water-tight cover and may be reused for multiple surgeries. Pair with single-use perineal post covers for quick, easy setup and increased infection control.

Compatibility
3085, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Optional Accessories
Perineal Post Pad (BF00421), Femoral Support Pad (BF00422), Single-use POP Covers (BF00434), Single-use Perineal Post Pad (BF00435)

Patient Weight Capacity
500 lbs (227 kg)

BF00404 BF00405 BF00406 BF00407 Opposite Leg Holder

With its modular design and intuitive functionality, the Opposite Leg Holder (OLH) is a fully adjustable surgical leg holder that allows swift installation to the side rails of any standard Operating Room (OR) table. The clamping levers provide simple adjustability and firm attachment. Fully adjustable based on patient leg length. Multiple adjustment points ensure both legs can be positioned symmetrically, allowing accurate leg length and hip joint comparison before and after the procedure via X-ray.

Compatibility
3085, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
BF00404: Opposite Leg Holder for STERIS Arch
BF00405: Opposite Leg Holder Denyer Plus for STERIS Arch
BF00406: Opposite Leg Holder for Purist
BF00407: Opposite Leg Holder Denyer Plus for Purist

TABLE OF CONTENTS

BF00408 Direct Anterior Approach (DAA) Top 360

The Direct Anterior Approach Top 360 is a tabletop accessory that improves surgical access to the acetabulum and femoral canal and is designed for maximum X-ray transparency for improved visualization throughout anterior Total Hip Replacement (THA).

Compatibility
3085, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Required Products
Blue Opposite Leg Holder Denyer Plus for STERIS Arch (BF00405), Red Opposite Leg Holder Denyer Plus for Purist (BF00407)

Patient Weight Capacity
500 lbs (227 kg)

BF00431 Anterior Hip Drape

The sterile Anterior Hip Drape System (BF00431) is designed specifically for Direct Anterior Approach (DAA) to enhance efficiency and patient safety. The "all-in-one" design eliminates using multiple drapes for complete sterile coverage. Sold 18 per case. The drape is generously sized to cover arm boards, contains significant absorbent reinforcement that provides optimal fluid control and offers a secure adhesive fenestration to facilitate proper positioning and adherence to the patient (10" x 20").

Compatibility
STERIS Arch, Purist

BF00432 Instrument Pouch

The sterile Instrument Pouch (BF00432) is designed specifically for Direct Anterior Approach to aid the surgeon during surgery. The pouch offers two instrument pockets for convenient placement and access intraoperatively. The pouch securely attaches to the Single Use Anterior Hip Drape via two adhesive tape strips. Sold 40 per case.

BF00434 Perineal Operative Post (POP) Covers

The single-use Perineal Post Cover (BF00434) is a universal, non-sterile cover designed for patient safety and Operating Room (OR) staff convenience. The cover is made of a clear polyethylene material; with no natural rubber latex. The cover features an integrated drawstring that seals the cover around the perineal post and sidebar fulcrum. The cover's fit to the perineal post can be further reduced and customized using the eight integrated tape strips. Sold 10 per case.

Compatibility
Perineal Operative Post (BF00403)

BF00433 Fluid Collection Pouch

The sterile Fluid Collection Pouch (BF00433) is designed specifically for Anterior Approach Total Hip Arthroplasty to aid in fluid management during surgery. The pouch securely attaches to the Single Use Anterior Hip Drape via a 2" tape strips across top of pouch. A fluid exit port at the bottom of the pouch enables leak-proof fluid drainage. Sold 40 per case.

BF00435 Single-use Perineal Post Pad

The single-use Perineal Post Pad (BF00435) is designed with a firm inner core and a soft outer layer to provide the optimal combination of stability and softness. The anatomical cutout is designed to reduce pressure on the pudendal nerve and sensory network of the perineum. Sold 10 per case.

Compatibility
Perineal Operative Post (BF00403)

BF00436 Traction Boot Liners

Designed for infection control and patient safety, these single-use, expandable foam liners adjust to the contours of both the patient's foot and the interior of the ARCH or PURIST Leg Positioner traction boot, creating a more secure traction boot fit. One size fits all. Sold in cases of 10 pairs.

Compatibility
STERIS Arch, Purist

This page left blank intentionally.

Pediatric Surgery Accessories



BF324 Infant / Pediatric Extension with 2" Pad

12-inch wide x 30-inch long (305-mm x 762-mm) platform mounts securely to end of back/seat section to improve surgical access to infant patients. Siderails facilitate armboard attachment. Two-inch (51 mm) pad included with Velcro® fasteners.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Patient Weight Capacity
50 lbs

BF855 Junior PowerLift Stirrups (pair)

The integrated power assist mechanism in STERIS Junior PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 250 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 90° / - 35°, Ab/Adduction: + 25° / - 9°. Pad set included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (Sold separately)

Patient Weight Capacity
250 lbs

Special Notes
Replacement Pad Set (L/R): BF028

BF854 Pediatric PowerLift Stirrups (pair)

The integrated power assist mechanism in STERIS Pediatric PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 160 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 90° / - 35°, Ab/Adduction: + 25° / - 9°. Pad set included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (Sold separately)

Patient Weight Capacity
160 lbs

Special Notes
Replacement Pad Set (L/R): BF027

BF00038, BF177 Hip Spica Assembly - Child

Elevated sacral rest provides added height for casting in sacrolumbar area. Includes elevated back board: 22"L x 20"W; elevated sacral rest: 6"L x 4"W; body slat: 20"L x 2"W, 2" pad and perineal post.

Compatibility
STERIS Orthopedic Extension, AMSCO® Orthopedic Extension, OrthoVision, OT1000, OT1100, OT1200

Patient Weight Capacity
400 lbs (181 kg)

Special Notes
Select BF00038 when used on the OrthoVision. Select BF177 when used on the AMSCO® Orthopedic Extension applied to 7080, 5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX, 3085 SP, 3080

BF00048 Wedge-Shaped Sacral Rest with 2" Pad - Child

Attaches to STERIS orthopedic tables to support the patient's sacral area. Triangular shaped. One position for a perineal post. Maximum width measures approximately 4 inches.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
Perineal Post with Pad - Adult (BF00065) or Perineal Post without Pad - Child (BF41)

BF41 Perineal Post without Pad - Child

Single position Perineal Post provides countertraction and is made of radiolucent carbon fiber to enhance C-arm imaging of the pelvic region. Post pad relieves pressure on the perineal area. Measures approximately 7-inches including the insert.

Compatibility
OT 1000, OT 1100, OT 1200, OrthoVision, STERIS Orthopedic Extension, AMSCO® Orthopedic Extension

Required Products
Wedge-shaped Sacral Rest - Adult (BF00066), T-shaped Sacral Rest (BF00073), or Wedge-shaped Sacral Rest - Child (BF00048)

BF539 TenZor™ Foot Traction Boot Pads with Straps - Child

These child-sized replaceable traction boot pads fit snugly against the Carbon Fiber Support Plate (BF729) used in the TenZor™ Carbon Fiber Traction Unit Assembly (BF72). Includes foam boot and Velcro® straps. Sold as pair.

Required Products
TenZor™ Carbon Fiber Traction Unit Assembly (BF72)

Special Notes
Adult pads come standard with the TenZor™ Carbon Fiber Traction Unit Assembly (BF72)

This page left blank intentionally.

Spinal Surgery Accessories

TABLE OF CONTENTS

STERIS
4085
ERIS

BF536 Schure Spine Frame

The Schure Spine Frame provides a stable and convenient platform for spine surgeries such as laminectomies, decompressions, and disc surgery. You can adjust it intraoperatively to the desired lordosis to get optimal surgical site exposure. Tapered adjustable pads provide optimal patient safety and comfort. Deluxe foam pads and Crank Handle included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, See Special Note(s)

Optional Accessories
Spine Frame Dolly (BF533) Replacement Pad Set (BF531) Replacement Crank Handle (BF532)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Also compatible with CMAX X-Ray and SurgiGraphic tables with use of Standard Siderail Adaptors.

BF533 Schure Spine Frame Dolly

The Schure Spine Frame Dolly provides operating room personnel a durable, easy-to-use, transport dolly for the Schure Spine Frame. (Accessories not included.) Dimensions: 40"H x 28"W x 12"D.

BF525 Disposable Richard's Slotted Head Rest

The Disposable Richards Slotted Head Rest is a high-density, polyfoam slotted head positioner that supports the patient's head during spinal procedures. This foam head positioner is 10" high. Sold in cases of 6 units.



BF524 Disposable Laminectomy Arm Cradles

The Disposable Laminectomy Arm Cradles are made of high-density polyfoam to support the patient arm during laminectomy procedures. These foam laminectomy arm cradles are 5"W x 24"L x 3"H (13 cm x 61 cm x 8 cm). Sold in cases of 12 units.

BF135 Morgan Pelvic Rest

Supports patient in knee-chest position with knees on extended foot section. Adjustable lateral patient support mounts to table siderails. Includes a 4-inch thick pad with cutout, two padded supports, and an extended foot section with pad.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Standard Restraint Strap (BF45), Siderail Locks (BF133), or Clark Sockets (BF083)

Patient Weight Capacity
300 lbs (136 kg)

Surgical Table Accessories **by Surgical Specialty**

BF008 Horizontal Attachment #1800

Mounts neurosurgical headrests to the head or foot end of STERIS general tables. Ball joints allow full angular positioning of headrest. For support of patient's head when patient is in supine or prone position.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and the Horseshoe Headrest (BF036)

Patient Weight Capacity
300 lbs (136 kg)

BF01 Frontal Sitting Attachment

This accessory mounts neurosurgical headrests to STERIS general surgical tables. Ball joints allow full angular positioning of headrest. For support of patient's head from behind when patient is in a seated position for temporal, parietal, and frontal surgical procedures.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, 7080

Required Products
Eye-ENT-Neuro Headrest Adaptor (BF185, BF173, BF309) and the Horseshoe Headrest (BF036)

Patient Weight Capacity
300 lbs (136 kg)

BF011 Posterior Sitting Attachment #1801

Mounts neurosurgical headrests to table siderails. Ball joints allow lateral and vertical adjustment.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5095, OrthoVision

Required Products
A neurosurgical head rest and Clark Sockets (BF083)

Patient Weight Capacity
300 lbs (136 kg)

BF185 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of STERIS 3000-series general surgical tables.

Compatibility
3080, 3085 SP

Patient Weight Capacity
500 lbs (227 kg)

BF173 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of STERIS CMAX, 4000 & 5000-series general surgical tables (excluding 5085 SRT).

Compatibility
CMAX, 4085, 4095, 5085, 5085 Harmony, 5095

Patient Weight Capacity
500 lbs (227 kg)

BF309 Eye-ENT-Neuro Headrest Adaptor

This specialized adaptor accommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of the 5085 SRT surgical table.

Compatibility
5085 SRT

Patient Weight Capacity
500 lbs (227 kg)

BF00244 EYE-ENT-Neuro Adaptor, 7000

This specialized adaptor acommodates all standard Eye-ENT-Neuro attachments. Conveniently inserts into either the back section or leg section of the of the 7080 surgical table.

Compatibility
7080

Patient Weight Capacity
500 lbs (227 kg)

Trendelenburg Position Accessories

STERIS



BF122 TrenGuard™ Trendelenburg Patient Restraint

TrenGuard Patient Support Frame is a component of the TrenGuard™ Trendelenburg Patient Restraint System. TrenGuard is a comprehensive patient restraint system for safe, easy patient positioning when in Trendelenburg position, especially during minimally invasive surgery (MIS), robotic procedures, and/or for procedures using steep Trendelenburg position. The TrenGuard Patient Support Frame is used to mount TrenGuard Foam Positioners (see TrenGuard Single-Use Procedure Packs) on STERIS Surgical Tables.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
2x DAS Slotted Rail Clamps (BF121), TrenGuard Single-use Procedure Packs (choose BF123, BF124, BF126, BF127, BF134, BF136, BF138, BF139), See Special Note(s)

Patient Weight Capacity
Either 440 lbs or 550 lbs depending on system selected

Special Notes
For any TrenGuard HYBRID Procedure Packs, also select either Reusable Lateral Stablizing Pillow (BF125) or (BF128), size dependent.



BF143 TrenGuard™ Bariatric Patient Support Frame

TrenGuard Bariatric Patient Support Frame is a component of the TrenGuard™ Trendelenburg Patient Restraint System. TrenGuard is a comprehensive patient restraint system for safe, easy patient positioning when in Trendelenburg position, especially during minimally invasive surgeries (MIS), robotic procedures, and/or for procedures using steep Trendelenburg position. TrenGuard Bariatric Patient Support Frame is used to mount TrenGuard Foam Positioners (see TrenGuard Single-Use Procedure Packs) on STERIS Surgical Tables where STERIS Bariatric Width Extenders are installed.

Compatibility
Only applicable when STERIS Bariatric Width Extenders are installed to the following models: 3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
STERIS Surgical Table with Bariatric Width Extenders installed, 2x DAS Slotted Rail Clamps (BF121), TrenGuard Single-use Procedure Packs (BF123, BF124, BF126, BF127, BF134, BF136, BF138, BF139), See Special Note(s)

Patient Weight Capacity
Either 440 lbs or 550 lbs depending on system selected

Special Notes
For any TrenGuard HYBRID Procedure Packs, also select either Reusable Lateral Stablizing Pillow (BF125) or (BF128); size dependent.



BF121

DAS Slotted Rail Clamp (Each)

The DAS Slotted Rail Clamp is a standard rail clamp used to support any flat-bar stock accessories to the table siderail. Must be installed at the siderail notches. Accepts all 1" x 1/4" (2.5 cm x 0.6 cm) accessories with flat mounting blades. Sold Individually.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
TrenGuard Patient Support Frame (BF122 or BF143)



BF123, BF126, BF138, BF139

TrenGuard™ CLASSIC Procedure Packs

TrenGuard CLASSIC Procedure Packs feature 4 single-use foam positioners that attach to the TrenGuard support frame for steep trendelenburg poisitioning. Packs include cervical bolster, head positioner, and lateral shoulder stabilizing pillows. The cervical bolster is offered in STANDARD or WEDGE varieties. Sizing options are for patients up to 440 lbs (TrenGuard 450) or patients up to 550 lbs (TrenGuard 600).

Required Products
TrenGuard Patient Support Frame (BF122 or BF143), DAS Slotted Rail Clamps (BF121)

Patient Weight Capacity
Either 440 lbs or 550 lbs depending on system selected



BF124, BF127, BF134, BF136

TrenGuard™ HYBRID Procedure Packs

TrenGuard HYBRID Procedure Packs feature 2 single-use foam positioners that attach to the TrenGuard support frame for steep trendelenburg poisitioning (Reusable Lateral Stablizing Pillows sold separately). Packs include cervical bolster and head positioner. The cervical bolster is offered in STANDARD or WEDGE varieties. Sizing options are for patients up to 440 lbs (TrenGuard 450) or patients up to 550 lbs (TrenGuard 600).

Required Products
TrenGuard Patient Support Frame (BF122 or BF143), DAS Slotted Rail Clamps (BF121), Reusable Lateral Stablizing Pillows (BF125) or (BF128)

Patient Weight Capacity
Either 440 lbs or 550 lbs depending on system selected

Special Notes
For any TrenGuard HYBRID Procedure Packs, select either Reusable Lateral Stablizing Pillow (BF125) or (BF128), size dependent.

BF125 BF128 TrenGuard™ HYBRID Reusable Lateral Stabilizing Pillow (Each)

TrenGuard HYBRID Reusable Lateral Stabilizing Pillows are used with HYBRID Procedure Packs that attach to the TrenGuard support frame for steep trendelenburg poisitioning. Reusable foam pillows are constructed with a durable, polyurethane, fluid-resistant covering. Sizing options are for patients up to 440 lbs (TrenGuard 450) or patients up to 550 lbs (TrenGuard 600). Sold inndividually.

Required Products
TrenGuard Patient Support Frame (BF122 or BF143), DAS Slotted Rail Clamps (BF121), TrenGuard Single-use Procedure Packs (BF124, BF127, BF134, BF136)

Patient Weight Capacity
Either 440 lbs or 550 lbs depending on system selected

BF28 Shoulder Supports (Pair)

Shoulder Supports are a shoulder brace-type rigid support used for procedures requiring Trendelenburg positioning. Includes thick foam padding with flexible cover and cutouts that avoid the bony prominences of the shoulders. Attaches to the table siderail.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080, OrthoVision, OT 1000, OT 1100, OT 1200, SurgiGraphic 6000

Required Products
Requires (2) Clip-On Blade Clamps (BF11)

Patient Weight Capacity
500 lbs (227 kg)

BF859 STERIS PowerLift Freedom Stirrups (Pair)

The PowerLift Freedom Stirrups take lithotomy positioning to the next-level. The integrated power assist mechanism in these stirrups is a feature we incorporated from our traditional PowerLift Stirrups. The unique, grip-and-twist control handles allow staff to adjust the angle of lithotomy and degree of ab/adduction during setup without lifting the sterile drape. What sets these stirrups apart though is the new curved rod, the Velcro®-less straps and the addition of the lateral fin. The curved rod increases lithotomy range of motion by over 23 degrees. The Velcro®-less straps are made of a medical grade, silicone material and is secured with a mushroom cap fastener. The lateral fin protects the perineal nerve running up the outside of the leg near the knee. The PowerLift Freedom Stirrups offer a completely Velcro®-less stirrup from top to bottom improving cleanability and maximizing infection prevention. Range of motion: +85° / -55°, Ab/Adduction: +25° / -9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Secure-Release™ Clamp (BF861)

Patient Weight Capacity
500 lbs (227 kg)

Replacement Pad(s)
BF864: Replacement Pad set, BF867: PowerLift Freedom Stirrups (Pair) with Pads (no clamps)

BF856 BF857 STERIS PowerLift Plus Stirrups Adult 500 (Pair) STERIS PowerLift Plus Stirrups Bariatric 800 (Pair)

The PowerLift Plus Stirrups take lithotomy positioning to the next-level. The integrated power assist mechanism in these stirrups is a feature we incorporated from our traditional PowerLift Stirrups. The unique, grip-and-twist control handles allow staff to adjust the angle of lithotomy and degree of ab/adduction during setup without lifting the sterile drape. What sets these stirrups apart though is the new curved rod, the Velcro®-less straps and the addition of the lateral fin. The curved rod increases lithotomy range of motion by over 23 degrees. The Velcro®-less straps are made of a medical grade, silicone material and is secured with a mushroom cap fastener. The lateral fin protects the perineal nerve running up the outside of the leg near the knee. The PowerLift Plus Stirrups attaches to the boot shell with a Velcro® attachment. Range of motion: +85° / -55°, Ab/Adduction: +25° / -9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Secure-Release™ Clamp (BF861)

Patient Weight Capacity
BF856: 500 lbs (227 kg) or BF857: 800 lbs (363 kg)

Replacement Pad(s)
BF865: Replacement Pad set 500 , BF866 Replacement Pad set 800, BF869: PowerLift Plus Stirrups (Pair) with Pads (no clamps)

BF453 PowerLift Stirrups (Pair)

The integrated power assist mechanism in STERIS PowerLift Stirrups provides excellent surgeon access and virtually effortless positioning of patients up to 500 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 84° / - 33°, Ab/Adduction: + 25° / - 9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (included)

Patient Weight Capacity
500 lbs (227 kg)

Special Notes
Replacement Pad Set (L/R): BF222

BF454 Bariatric PowerLift Stirrups (Pair)

The integrated power assist mechanism in STERIS Bariatric PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 720 lbs, depending upon the table used. The extra large boots and pads provide comfort and security. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 84° / - 33°, Ab/Adduction: + 25° / - 9°. Includes rail clamps and pads.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (included)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is 720 lbs for (5095, 5085 Harmony, 5085 SRT, 5085, 4095, 4085, CMAX and 3085 SP); 600 lbs (3080-R); and 400 lbs for (3080)

Special Notes
Replacement Pad(s): BF16 (set), BF191 (Left), BF192 (Right)

BF855 Junior PowerLift Stirrups (pair)

The integrated power assist mechanism in STERIS Junior PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 250 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 90° / - 35°, Ab/Adduction: + 25° / - 9°. Pad set included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (Sold separately)

Patient Weight Capacity
250 lbs

Special Notes
Replacement Pad Set (L/R): BF028

BF854 Pediatric PowerLift Stirrups (pair)

The integrated power assist mechanism in STERIS Pediatric PowerLift Stirrups provides excellent surgeon access and virtually effortless patient positioning of patients up to 160 lbs. The unique grip-and-twist control handles allow staff to adjust the angle of Lithotomy and degree of ab/adduction during set up and during the procedure without lifting the sterile drape. Range of motion: + 90° / - 35°, Ab/Adduction: + 25° / - 9°. Pad set included.

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 Harmony, 5085 SRT, 5095, 7080

Required Products
Siderail Clamps (Sold separately)

Patient Weight Capacity
160 lbs

Special Notes
Replacement Pad Set (L/R): BF027

BF578 9" Urology Extension

This lightweight 9-inch long radiolucent extension provides additional fluoro imaging length of the Kidneys, Ureters and Bladder (KUB) anatomy of tall patients. It easily attaches to the seat section of 4000- & 5000-Series STERIS Surgical Tables once the leg section is removed, and includes standard side rails for applying leg holders or the Fluid Collection System. Includes 2-inch pad with Velcro® fasteners.

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Required Products
Urology Patient Transfer Board with 2" Pad (BF204)

Optional Accessories
X-Ray Top for 9" Urology Extension (BF579)

Patient Weight Capacity
Maximum patient Patient Weight Capacity is equivalent to that of the table.

Special Notes
2" Replacement Pad: BF83400053
3" Replacement Pad: BF00001
4" Replacement Pad: BF408

BF00246 BF00247 12" Urology Extension

This lightweight 12-inch long radiolucent extension provides additional fluoro imaging length of the Kidneys, Ureters and Bladder (KUB) anatomy of tall patients. It easily attaches to the seat section 7000-Series STERIS Surgical Tables once the leg section is removed, and includes standard side rails for applying leg holders or the Fluid Collection System. Order with or without pad, see below.
BF00246: 12" Urology Extension without Pad
BF00247: 12" Urology Extension with 2" Pad

Compatibility
7080

Required Products
Urology Patient Transfer Board with 2" Pad (BF00252)

Patient Weight Capacity
Maximum Patient Weight Capacity is equivalent to that of the table.

This page left blank intentionally.

Standard Accessory Packages



STERIS

Surgical Table Accessories **by Package**

BF884 Standard Accessory Plus Package with 2" Pad

This Standard Accessory Plus Package for general surgical tables includes: two Anesthesia Armboards with 2-inch TLT Pads (BF803); Armboard Holder (BF469); Standard Restraint Strap (BF45); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Foot Extensions with Siderail Locks (BF2); three cases of Disposable Sliding Table Drapes (BF508).

Compatibility
3080, 3085 SP, CMAX, 4085, 5085, 5085 SRT, 5085 Harmony

BF803

BF469

BF45



BF205



BF316

BF2

BF508

BF885 Standard Accessory Plus Package with 3" Pad

This Standard Accessory Plus Package for general surgical tables includes: two Anesthesia Armboards with 3-inch TLT Pads (BF804); Armboard Holder (BF469); Standard Restraint Strap (BF45); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Foot Extensions with Siderail Locks (BF2); three cases of Disposable Sliding Table Drapes (BF508).

Compatibility
3080, 3085 SP, CMAX, 4085, 5085, 5085 SRT, 5085 Harmony

BF804

BF469

BF45



BF205



BF316

BF2

BF508

TABLE OF CONTENTS

BF424 Standard Accessory Package; 2" Armboard Pad (to be used without X-ray tops); Standard Length Restraint Strap

This Standard Accessory Package for general surgical tables includes: two Anesthesia Armboards with 2-inch TLT Pads (BF803); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Standard Length Restraint Strap (BF45).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF803

BF205



BF316

BF45

BF425 Standard Accessory Package; 2" Armboard Pad (to be used without X-ray tops); Extra-long Restraint Strap

This Standard Accessory Package for general surgical tables includes: two Anesthesia Armboards with 2-inch TLT Pads (BF803); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Extra-long Restraint Strap (BF451).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF803

BF205



BF316

BF451

BF413 Standard Accessory Package; 3" Armboard Pad (to be used with X-ray tops); Standard Length Restraint Strap

This Standard Accessory Package for general surgical tables includes: two Anesthesia Armboards with 3-inch TLT Pads (BF804); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Standard Length Restraint Strap (BF45).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF804

BF205



BF316

BF45

BF414 Standard Accessory Package; 3" Armboard Pad (to be used with X-ray tops); Extra-long Restraint Strap

This Standard Accessory Package for general surgical tables includes: two Anesthesia Armboards with 3-inch TLT Pads (BF804); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Extra-long Restraint Strap (BF451).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF804

BF205



BF316

BF451

BF566 Standard Accessory Package with Foot Ext; 2" Armboard Pad (to be used without X-ray tops); Standard Length Restraint Strap

This Standard Accessory Package for general surgical tables includes two Anesthesia Armboards with 2-inch TLT Pads (BF803); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Foot Extensions with Siderail Locks (BF2); Standard Length Restraint Strap (BF45).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

BF803

BF205



BF316

BF2

BF45

BF567 Standard Accessory Package with Foot Ext; 2" Armboard Pads (to be used without X-ray tops); Extra-long Restraint Strap

This Standard Accessory Package for general surgical tables includes: two Anesthesia Armboards with 2-inch TLT Pads (BF803); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Foot Extensions with Siderail Locks (BF2); Extra-long Restraint Strap (BF451).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

BF803

BF205



BF316

BF2

BF451

BF564 Standard Accessory Package with Foot Ext; 3" Armboard Pad (to be used with X-ray tops); Standard Length Restraint Strap

This Standard Accessory Package for general surgical tables includes: two Anesthesia Armboards with 3-inch TLT Pads (BF804); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Foot Extension with Siderail Locks (BF2); Standard Length Restraint Strap (BF45).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

BF804

BF205



BF316

BF2

BF45



BF565 Standard Accessory Package with Foot Ext; 3" Armboard Pad (to be used with X-ray tops); Extra-long Restraint Strap

This Standard Accessory Package for general surgical tables includes: two Anesthesia Armboards with 3-inch TLT Pads (BF804); Perineal Cutout Filler Piece (BF205); Cable Wrap (BF316); Foot Extension with Siderail Locks (BF2); Extra-long Restraint Strap (BF451).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

BF804

BF205



BF316

BF2

BF451

This page left blank intentionally.

Accessory Packages by Clinical Specialty

STERIS

Surgical Table Accessories **by Package**

BF402 3085 Uro/Endo Accessory Package

This Uro/Endo Accessory Package for non-sliding tables includes: Foot Control (BF187); Fluid Collection System (BF457); Patient Transfer Board with 2-inch Pad (BF204); IA Extender with 2-inch Pad and X-ray Top (BF188); Cable Wrap (BF316) Box of 10 Non-Sterile Fluid Collector Bags (BF459).

Compatibility
3080, 3085 SP

BF187

BF457

BF204

BF188

BF316

BF459

BF852 Bariatric Procedure Package with Split Leg

This Bariatric Accessory Package for general surgical tables includes: Split Leg Positioner (BF351); two Multi-Axis Armboards RC (BF71239); Left Foot Rest (MTPA09); Right Foot Rest (MTPA10); Pair of Knee Restraint Straps (BF552); Extra-long Restraint Strap (BF451).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

Special Notes
Requires a pair of Side Rail Locks (BF133) and one Clark Socket (BF083) sold separately.

BF351



BF71239



BF552

BF451

TABLE OF CONTENTS

BF853 Bariatric Urology Package

This Bariatric Urology Package includes: Extra-long Restraint Strap (BF451); two Multi-Axis Armboard RC (BFR71239); Fluid Collection System (BF56); Fluid Collector Bags; Sterile Box of 10 (BF458); two Bariatric Nissen Thigh Straps (BF14).

Compatibility
See Special Note(s)

Special Notes
Fits Bariatric Width Extenders (sold separately) applied to 7080, 5085 SRT; 5085; 4085; CMAX; 3085 SP; 3080-R and 3080 tables.

BF451

BF71239

BF56

BF459

BF14

BF805 BF821 STERIS® Orthopedic Extension Accessory Package

The Orthopedic Extension is an alternative to dedicated orthopedic fracture tables. This table accessory serves as an ideal solution when current case load may not warrant a dedicated table, when budget restraints are a concern or when considering a supplemental or secondary fracture table. The Orthopedic Extension fits all of the STERIS general surgical table platforms. This accessory serves the full range of traditional orthopedic procedures. The radiolucent carbon fiber abductor bars provide unobstructed imaging capabilities and versatile positioning of the patient's lower extremities. The mobile stainless steel accessory cart provides ample storage space for the accessories and also functions as a convenient platform for docking, undocking and storing the abductor bars.

Compatibility
BF805: STERIS 7000-Series Tables
BF821: STERIS 3000-, 4000-, & 5000-Series Tables

Required Products
STERIS General Surgical Table

Patient Weight Capacity
500 lbs (227 kg) on 7000-Series Tables, tabletop centered (no slide)
400 lbs (181 kg) on 3000-, *4000-, 5000-, 7000-Series Tables, tabletop centered or with any slide
*350 lbs (159 kg) on 4095 Tables, tabletop centered or with any slide

Special Notes
The STERIS Orthopedic Extension Accessory Package includes: Orthopedic Extension Abductor Bar Assembly (BF00256 or BF823), Accessory Cart (BF24); Adult Wedge-shaped Sacral Rest with Pad (BF00066); Adult Perineal Post with Pad (BF00065); Qty 2 Spar Accessory Clamps (BF775); Qty 2 L-Bracket Static Mount Traction Device (BF689); Qty 2 Fine Traction Device (BF688); Qty 2 Traction Boot - OT1000 (BF693); Qty 2 L-shaped Traction Extensions (BF0003); Universal Legholder (BF266); Anesthesia Armboard with 2-inch Pad (BF803); Multi-Posture Armboard with 2-inch Pad (BF432); Patient Transfer Board with 4-inch Pad (BF214); Clark Socket (BF083); Orthopedic Extension Setup Guide (P150832316).

BF574

Uro/Cysto Accessory Package

This Uro/Cysto Accessory Package for sliding tables includes: Lightweight Transfer Board (BF588); Power-Lift Stirrup Set (BF453) with Rail Clamps (BF462); Power-Lift Stirrup Storage Cart (BF46); Fluid Collector System (BF457); Box of 10 Non-Sterile Fluid Collector Bags (BF459); Foot Control (BF586).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

Special Notes
Fits Bariatric Width Extenders (sold separately) applied to 5085 SRT; 5085; 4085; CMAX; 3085 SP; 3080-R and 3080 tables.

BF453

BF462

BF588

BF46

BF457

BF459

BF586

BF571 PowerLift Beach Chair Package

This Shoulder Chair Package includes: PowerLift Beach Chair (BF590); Set of 10 Head Restraint Straps (BF039); Multi-Posture Armboard with 2-inch Pad (BF432); Pair of Clark Sockets (BF083); Standard Length Restraint Strap (BF45).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

BF537 Split Leg Package

This Split Leg Accessory Package for general surgical tables includes: Split Leg Positioner (BF351); two Clark Sockets (BF083); Left Foot Rest (MTPA09); Right Foot Rest (MTPA10); Pair of Knee Restraint Straps (BF552).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080



BF576 Uro/Endo Accessory Package with Fluid Collection System

This Uro/Endo Accessory Package for sliding tables includes: 9 Inch Urology Extension (BF578); Patient Transfer Board with 2" Pad (BF204); Power-lift Stirrup Set (BF453) with Rail Clamps (BF462); Power-lift Stirrup Storage Cart (BF46); Fluid Collector System (BF457); Box of 10 Non-Sterile Fluid Collector Bags (BF459); Foot Control (BF586).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095

BF578

BF204

BF453

BF462

BF46

BF457

BF586

BF459

BF878 TrenGuard Classic 450 Starter Package

This TrenGuard Classic 450 Starter Package includes: TrenGuard Frame (BF122); two Slotted Rail Clamps (BF121); and (4) Classic Procedure Packs (BF123).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080







BF879 TrenGuard Hybrid 450 Starter Package

This TrenGuard Classic 450 Starter Package includes: TrenGuard Frame (BF122); two Slotted Rail Clamps (BF121); (4) Hybrid Procedure Packs (BF124); and Hybrid Lateral Stabilizing Pillows (BF125).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080







Surgical Table Accessories **by Package**

BF880 Upper Extremity Schure Loc™ Package

This Upper Extremity Schure Loc Package includes: Schure Loc XPS (BF041); (3) cases Disposable Sterile Kits for of Schure Loc XPS (BF042); Armboard Attachment (BF166); and Elbow & Ankle Positioner Attachment (BF169).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF041

BF042

BF169

BF166

BF881 Lower Extremity Schure Loc™ Package

This Lower Extremity Schure Loc Package includes: Schure Loc XPS (BF041); Elbow & Ankle Positioner Attachment (BF169); TKR Positioner Attachment (BF168); (3) cases of Disposable Sterile TKR Boot Liners (BF157); and Counter Traction Post Attachment (BF167).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF041

BF169

BF168

BF157

BF167

BF882 Total Knee Arthroscopy Package

This Total Knee Arthroscopy Package includes: Deluxe Arthroscopic Knee Holder (BF12); (2) Clip-On Socket Clamps (BF10); (3) cases of Disposable Knee Pads (BF13); and Articulating Universal Legholder (BF267)

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF12



BF13

BF10

BF267

BF10

BF883 Total Knee Replacement Package

This Total Knee Replacement Package includes: TKR Positioner (BF155); and (3) cases of Disposable Sterile TKR Boot Liners (BF157).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF155



BF157

Surgical Table Accessories **by Package**

BF886 Lateral Positioning Package

This Lateral Positioning Package includes: AQUAGEL Lateral Package (BF488); Universal Patient Braces Set (BF18A); (3) Clip-On Blade Clamps (BF11); (1) Clip-On Socket Clamp (BF10); and a Multi-Posture Armboard (BF432).

Compatibility
3080, 3085 SP, CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095, 7080

BF488


BF18A

BF11

BF10

BF432

BF887 Bariatric Width Extender Package Back and Seat

This Bariatric Width Extender Package includes: Bariatric Width Extenders without Pads, Back and Seat Section ONLY (BF662); Bariatric Accessory Storage Cart (BF551); and an Extra-Long Restraint Strap (BF451).

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095


BF662

BF551

BF451

BF888

Bariatric Width Extender Package Full Set

This Bariatric Width Extender Package includes: Bariatric Width Extenders without Pads, Full Set (BF661); Bariatric Accessory Storage Cart (BF551); Extra-Long Restraint Strap (BF451); and a Bariatric Foot Extension (BF542)

Compatibility
CMAX, 4085, 4095, 5085, 5085 SRT, 5085 Harmony, 5095


BF661

BF551

BF451

BF542

Accessory Packages for Specialty Surgical Tables

TABLE OF CONTENTS

STERIS
STERIS
STERIS



BF874 Anterior Approach Total Hip & Arthroscopy Package (AATHA)

This Anterior Approach Total Hip & Arthroscopy Accessory package includes: Femur Positioner Assembly (BF781); Gross Traction Slide Package (pair) (BF782); Perineal Post Arthroscopic Pad (BF783).

Compatibility
OT 1000, OT 1100, OT 1200

BF781

BF782

BF783

BF876 Femur Hook & Rail Package

This Femur Hook and Rail Accessory package includes: Femur Positioner Rail (BF698); High Offset Femur Hook (BF699).

Compatibility
OT 1000, OT 1100, OT 1200

BF698

BF699

BF781 Femur Positioner Assembly Package

This Femur Positioner Assembly package includes: Femer Positioner Drive (BF697); Femur Positioner Rail (BF698); Femur Hook (BF699); Femur Drive S Bracket Attachment (BF701); Femur Drive Table Attachment (Plungers)(BF702); Femur Drive Foot Pedal (BF707).

Compatibility
OT 1000, OT 1100, OT 1200



BF782 Gross Traction Slide Package

This Gross Traction Slide Accessory package includes a pair of Gross Traction Slide Devices (BF877).

Compatibility
OT 1000, OT 1100, OT 1200

BF808 OrthoVision & Orthopedic Extension Supplemental Accessory Package

This Orthopedic Supplementary Accessory Package includes Tibia/Lateral Counteraction Support (BF00062); Hip Rest with Pad (BF00072); Surgical Drape Support with Clark Socket and Traction Accessory Clamp (BF00018); Straight Traction Extension (BF268); Skeletal Traction Bow/Block (BF724); Skeletal Traction Block (BF725); Traction Accessory Clamp (BF0002).

Compatibility
Orthopedic Extension, OrthoVision;OT 1000, OT 1100, OT 1200

BF00062

BF00072

BF00018

BF268

BF724

BF725


BF0002

BF873 OT 1000 Pediatric Accessory Package

This OT 1000 Pediatric Accessory Package includes: Sacral Rest with Pad-Child (BF00048); Perineal Post without Pad-Child (BF41); Foot Traction Boots-Child (BF539); Hip Spica Assembly Package (BF00038); 2-inch Wedge-shaped Sacral Rest-Child (BF826); Carbon Fiber Support Plate (Pair)(BF729)

Compatibility
OT 1000, OT 1100, OT1200

BF00048

BF41

BF539

BF00038

BF729

BF872 OT 1000 Supplemental Accessory Package

This OT 1000 Supplemental Accessory Package includes: Tibia/Lateral Countertraction Support (BF00062); Hip Rest and Pad (BF00072); Surgical Drape Support OT 1000 Series with Clark Socket and Spar Accessory Clamp (BF00019); Straight Traction Extension (BF268); Skeletal Traction Bow (BF725); Skeletal Traction Bow/Block (BF724); Spar Accessory Clamp (BF775).

Compatibility
OT 1000, OT 1100, OT1200

BF00062

BF00072

BF00019

BF268

BF725

BF724

BF775

BF889 CMAX X-Ray Standard Accessory Package

This Standard Accessory Package includes: Patient Safety Straps (Pair) (TA00001), (3) Siderail Adaptors for CMAX X-Ray (BF787), (2) Rotary Sockets for CMAX X-Ray (BF788), Universal Ether Screen with Clark Socket (BF074), Cable Wrap (BF316), Hand Control Bracket (BF318) and an Anesthesia Armboard with 1" Pad (BF448).

Compatibility
CMAX X-Ray


TA00001

BF787

BF788


BF074

BF316

BF318

BF448

BF890 CMAX X-Ray Vascular Accessory Package

This Vascular Package for the CMAX X-Ray includes: CMAX X-Ray Radial Fistula Board (BF716) and the Catheter Extension for CMAX X-Ray (BF789).

Compatibility
CMAX X-Ray

BF716

BF789

Document #M11339EN.2025-12, Rev. E
©2025 STERIS. All rights reserved.

STERIS

5960 Heisley Road
Mentor, OH 44060-1834 · USA
440-354-2600 · 800-548-4873
www.steris.com