1. Identification of the Substance and Company

VERIFY™ Integrated Sterilization Monitoring Systems
Product No.
SDS No. S117UK

NFPA 704 HAZARD RATING:

HEALTH:	***0***
FIRE:	***0***
REACTIVITY:	***0***

Prepared by: M. Ebers
asksteris_msds@steris.com
Date Created: June 28, 2002 **Date Revised: August 6, 2014**
Date Reviewed: N/A

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US
Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

STERIS Limited, Chancery House, 190 Waterside Road, Hamilton Industrial Park, Leicester, LE5 1QZ, UK
Emergency Phone No: +44 (0) 1895 622 639
Product/Technical Information Phone No: +44 (0) 116 276 8636

PRODUCT NAME:	**PRODUCT NUMBER:**
VERIFY™ Steam Integrator Strip, 8½" x ½"	800510
VERIFY™ Steam Integrator Strip, 4 ¼" x ½"	801010
VERIFY™ EO Integrator Pack, Laminated, 4" x 1"	806110
VERIFY™ Integrator, Steam and EO	810010
VERIFY™ Integrator, Laminated, Steam and EO	810110
VERIFY™ Flash Integrator, Laminated	802210
VERIFY™ Steam Sterilizer Load Record	802510
SHIPPING INFORMATION:	**NOT RESTRICTED**

VERIFY™ Integrators are NOT hazardous products according to the OSHA Hazard Communication Standard, 29CFR 1910.1200. VERIFY™ Integrators are "latex free."

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.