

1. Identification of the Substance and Company

VERIFY[™] Ultrasonic Indicator
Product No. U501, U504 and U505
SDS No. S270US

NFPA 704 HAZARD RATING:

HEALTH: 0
FIRE: 0
REACTIVITY: 0

asksteris_msds@steris.com

Date Created: 04/11/2017

Date Revised: 11/28/2022

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US
 Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
 Telephone Number for information: 1-800-548-4873 (Customer Service – Healthcare Products)

STERIS Ireland Limited, IDA Business and Technology Park, Tullamore
 County Offaly, R35 X865, Ireland.
 Emergency Phone No: +44 (0) 1895 622 639
 Product/Technical Information Phone No: +44 (0) 116 276 8636

PRODUCT NAME:	PRODUCT NUMBER:
VERIFY [™] Ultrasonic Indicator	U501
VERIFY [™] Ultrasonic Indicator Holder	U505
VERIFY [™] Ultrasonic Indicator (200/box)	U504
SHIPPING INFORMATION:	NOT RESTRICTED

These products are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

The VERIFY[™] Ultrasonic Indicator is free of latex and natural dry rubber products.

The VERIFY[™] Ultrasonic Indicator contains material of avian origin.

In the case of accidental exposure, take the following precautionary measures:

EYES: Immediately flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists.

SKIN: Immediately wash with soap and water. Get medical attention if irritation develops.

INGESTION: Give water to drink and get medical advice.

INHALATION: Remove to fresh air. Get medical attention for any breathing difficulty.

Chemical Monitoring Strips Handling and Disposal:

Storage Conditions: Keep away from direct light. Keep dry. Temperature limit, 5°C (41°F) to 30°C (86°F).

Waste Disposal Methods: Dispose of used/expired chemical indicators and boxes in trash receptacle in accordance with federal, state, and local regulations.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.